



**GOA STATE POLLUTION CONTROL BOARD**  
**First Floor, Dempo Towers, Patto-Panaji, Goa**

Tel: 91(0)832-2438528, 2438550, 2438567

Fax: 91(0)832-2438528

E-mail: aee-gspcb.goa@nic.in

No. 3/20/09-PCB/ Vol. VII/ Lab 317

Date: 06/04/2017

**TENDER NOTICE**

Sealed and super scribed Tenders/Quotations are invited from well established and reputed tenderer /manufacturer, by the Member Secretary, Goa State pollution Control Board, 1st Floor, Dempo Tower, EDC Patto Plaza, Panaji-Goa for the Supply of Laboratory Instruments ie. Hot Air Oven, Muffle Furnace and Magnetic Stirrer with Hot Plate. The Tenderer may choose to quote for all items or either of the instruments as desired.

Sr. No.	Name of the Work	Cost of Tender Document	EMD
1.	Supply of Laboratory Equipments ie. Hot Air Oven, Muffle Furnace Magnetic Stirrer with Hot Plate	Rs. 1000/-	Rs. 5000/-
i) The last date and time of receiving application is 14/04/2017 upto 4.00 pm ii) The last date and time to issue tender Document is 18/04/2017 upto 4.00 pm iii) The date and time of opening of tender in the office of Goa State Pollution Control Board, 1 <sup>st</sup> Floor, Dempo Tower, EDC Patto Plaza, Panaji, Goa is 27/04/2017 upto 4.00 pm			

The application of the intending tenderers should be accompanied by the following documents:

1. Attested copy of valid Registration Certificate.
2. Attested copy of Pan Card.
3. A Demand draft drawn on any nationalised/Scheduled bank in favour of **Goa State Pollution Control Board**, Payable at Panaji, Goa as cost of Tender Document
4. The applicant should submit the document to the Office of the Goa State Pollution Control Board, 1<sup>st</sup> Floor, Dempo Tower, EDC Patto Plaza, Panaji, Goa on or before 27/04/2017 upto 3.00 pm. On verification the cost of tender and processing fees, the tender document will be released.

The Chairman, **Goa State Pollution Control Board** reserves the right to accept or reject any tender in full or part thereof without assigning any reason.

**The Member Secretary,**  
**Goa State Pollution Control Board,**  
**1<sup>st</sup> floor, Dempo Tower,**  
**EDC Patto Plaza, Panaji-Goa.**