

GOA STATE POLLUTION CONTROL BOARD

गोंय राज्य प्रदूषण नियंत्रण मंडळ

(An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Board)

Phone Nos. : 0832-2407700
2407701, 2407702
2407703

Tel/Fax No. : 0832-2407700



Email Ids:
Chairman, GSPCB: chairman-gspcb.goa@nic.in
Member Secretary GSPCB: ms-gspcb.goa@nic.in
Environment Engineer, GSPCB: ee-gspcb.goa.nic.in
Scientist, GSPCB: scientist-gspcb.goa@nic.in
Office: goapcb@gspcb.in

No. 321/04-PCB/Vol.VI/Admn/ 21893

Date: 17/03/2022

To,
Mr. Camilo Menezes & Sons
Imperial Hotel Building
18th June Road, Panaji, Goa

Sub:- Supply of Acid Resistant Lab Coats.

Sir,


Sealed quotations are invited for supply of Acid Resistant Laboratory Coats to this office for approximately 38 nos. of staff as per size given below: The quantity requirement will be set of two coats each. A copy of the sample acid resistant laboratory coat shall be submitted along with the quotation. The same shall be returned back thereafter.

| Size | Long sleeves (requirement) | Rate per coat | Half sleeves (requirement) | Rate per coat |
|--------|-------------------------------|---------------|-------------------------------|---------------|
| Medium | 5 | | 14 | |
| Large | 10 | | 5 | |
| XL | 2 | | - | |
| XXXL | 1 | | 1 | |


You may submit your quote to this office by 28th March, 2022. The rates quoted shall be inclusive of all taxes and delivery at the office.

Quotations shall be opened on 30/03/2022 at 3.00 pm, in presence of those who wish to remain present.

Yours faithfully,


(Dr. Shamila Monteiro)
Member Secretary
Goa State Pollution Control Board

c.c. to 1. Members of the Purchase Committee 2. Accounts Section. 3. Office copy 4. Guard file



GOA STATE POLLUTION CONTROL BOARD

गोंय राज्य प्रदूषण नियंत्रण मंडळ

(An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Board)

Phone Nos. : 0832-2407700
2407701, 2407702
2407703

Tel/Fax No. : 0832-2407700



Email Ids:
Chairman, GSPCB: chairman-gspcb.goa@nic.in
Member Secretary GSPCB: ms-gspcb.goa@nic.in
Environment Engineer, GSPCB: ee-gspcb.goa.nic.in
Scientist, GSPCB: scientist-gspcb.goa@nic.in
Office: goapcb@gspcb.in

No. 3/21/04-PCB/Vol.VI/Admn/ 21894

Date: 17/03/2022

To,
Mrs Raut Scientific & General Trades
Flat No 403, A Wing, Rizvi Towers
Caculo Island, Panaji - Goa. 403001

Sub:- Supply of Acid Resistant Lab Coats.

21/

Scaled quotations are invited for supply of Acid Resistant Laboratory Coats to this office for approximately 38 nos. of staff as per size given below: The quantity requirement will be set of two coats each.. A copy of the sample acid resistant laboratory coat shall be submitted along with the quotation. The same shall be returned back thereafter.

| Size | Long sleeves (requirement) | Rate per coat | Half sleeves (requirement) | Rate per coat |
|--------|-------------------------------|---------------|-------------------------------|---------------|
| Medium | 5 | | 14 | |
| Large | 10 | | 5 | |
| XL | 2 | | - | |
| XXXL | 1 | | 1 | |

You may submit your quote to this office by 28th March, 2022 . The rates quoted shall be inclusive of all taxes and delivery at the office.

Quotations shall be opened on 30/03/2022 at 3.00 pm, in presence of those who wish to remain present.

Yours faithfully,


(Dr. Shamila Monteiro)
Member Secretary
Goa State Pollution Control Board

c.c. to: 1. Members of the Purchase Committee 2. Accounts Section. 3. Office copy 4. Guard file

GOA STATE POLLUTION CONTROL BOARD

गोंय राज्य प्रदूषण नियंत्रण मंडळ

(An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Board)

Phone Nos. : 0832-2407700
2407701, 2407702
2407703

Tel/Fax No. : 0832-2407700



Email Ids:
Chairman, GSPCB: chairman-gspcb.goa@nic.in
Member Secretary GSPCB: ms-gspcb.goa@nic.in
Environment Engineer, GSPCB: ee-gspcb.goa@nic.in
Scientist, GSPCB: scientist-gspcb.goa@nic.in
Office: goapcb@gspcb.in

No. 3/21/04-PCB/Vol.VI/Admn/ 21895

Date: 17/03/2022

To,
M/s Bharat Chemicals
P.B. No 89, Opp Agud Maidan
M.G. Road, Panaji - Goa 403001

Sub:- Supply of Acid Resistant Lab Coats.

Sir,

Sealed quotations are invited for supply of Acid Resistant Laboratory Coats to this office for approximately 38 nos. of staff as per size given below: The quantity requirement will be set of two coats each. A copy of the sample acid resistant laboratory coat shall be submitted along with the quotation. The same shall be returned back thereafter.

| Size | Long sleeves (requirement) | Rate per coat | Half sleeves (requirement) | Rate per coat |
|--------|-------------------------------|---------------|-------------------------------|---------------|
| Medium | 5 | | 14 | |
| Large | 10 | | 5 | |
| XL | 2 | | - | |
| XXXL | 1 | | 1 | |

You may submit your quote to this office by 28th March, 2022. The rates quoted shall be inclusive of all taxes and delivery at the office.

Quotations shall be opened on 30/03/2022 at 3.00 pm, in presence of those who wish to remain present.

Yours faithfully,

(Dr. Shamila Monteiro)
Member Secretary
Goa State Pollution Control Board

c.c. to: 1. Members of the Purchase Committee 2. Accounts Section. 3. Office copy 4. Guard file.

GOA STATE POLLUTION CONTROL BOARD

गोंय राज्य प्रदूषण नियंत्रण मंडळ

(An ISO 9001-2015, ISO 14001:2015, OHSAS 18001:2007 Certified Board)

Phone Nos. 0832-2407700
2407701, 2407702
2407703

Tel/Fax No. : 0832-2407700



Email Ids:
Chairman, GSPCB: chairman-gspcb.goa@nic.in
Member Secretary GSPCB: ms-gspcb.goa@nic.in
Environment Engineer, GSPCB: ee-gspcb.goa.nic.in
Scientist, GSPCB: scientist-gspcb.goa@nic.in
Office: goapcb@gspcb.in

No. 3/21/04-PCB/Vol.VI/Admn/ 21896

Date: 17/03/2022

To,
Ms Mediquip Surgical
15, Manjinath Society Opp Mathais Plaza
Pangy - Goa. 403001

Sub:- Supply of Acid Resistant Lab Coats.

Sir,

Scaled quotations are invited for supply of Acid Resistant Laboratory Coats to this office for approximately 38 nos. of staff as per size given below. The quantity requirement will be set of two coats each. A copy of the sample acid resistant laboratory coat shall be submitted along with the quotation. The same shall be returned back thereafter.

| Size | Long sleeves (requirement) | Rate per coat | Half sleeves (requirement) | Rate per coat |
|--------|-------------------------------|---------------|-------------------------------|---------------|
| Medium | 5 | | 14 | |
| Large | 10 | | 5 | |
| XL | 2 | | - | |
| XXXL | 1 | | 1 | |

You may submit your quote to this office by 28th March, 2022. The rates quoted shall be inclusive of all taxes and delivery at the office.

Quotations shall be opened on 30/03/2022 at 3.00 pm, in presence of those who wish to remain present.

Yours faithfully,

(Dr. Shamila Monteiro)
Member Secretary
Goa State Pollution Control Board

c.c. to: 1. Members of the Purchase Committee 2. Accounts Section. 3. Office copy 4. Guard file

GOA STATE POLLUTION CONTROL BOARD

गोंय राज्य प्रदूषण नियंत्रण मंडळ

(An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Board)

Phone Nos. : 0832-2407700
2407701, 2407702
2407703

Tel/Fax No. : 0832-2407700



Email Ids:
Chairman, GSPCB: chairman-gspcb.goa@nic.in
Member Secretary GSPCB: ms-gspcb.goa@nic.in
Environment Engineer, GSPCB: ee-gspcb.goa@nic.in
Scientist, GSPCB: scientist-gspcb.goa@nic.in
Office: goapcb@gspcb.in

No. 3/21/04-PCB/Vol.VI/Admn/ 21898

Date: 17/03/2022

To,
M/s K.K. Trading
Silver Tower (A-Bldg) Shop No AS-11
Next to Vishant Theatre
Aquem - Margao - Goa 403601
Sub:- Supply of Acid Resistant Lab Coats.

Sir,


Sealed quotations are invited for supply of Acid Resistant Laboratory Coats to this office for approximately 38 nos. of staff as per size given below: The quantity requirement will be set of two coats each.. A copy of the sample acid resistant laboratory coat shall be submitted along with the quotation. The same shall be returned back thereafter.

| Size | Long sleeves (requirement) | Rate per coat | Half sleeves (requirement) | Rate per coat |
|--------|-------------------------------|---------------|-------------------------------|---------------|
| Medium | 5 | | 14 | |
| Large | 10 | | 5 | |
| XL | 2 | | - | |
| XXXL | 1 | | 1 | |

You may submit your quote to this office by 28th March, 2022 . The rates quoted shall be inclusive of all taxes and delivery at the office.

Quotations shall be opened on 30/03/2022 at 3.00 pm, in presence of those who wish to remain present.

Yours faithfully,


(Dr. Shamila Monteiro)
Member Secretary
Goa State Pollution Control Board

c.c. to: 1. Members of the Purchase Committee 2. Accounts Section. 3. Office copy 4. Guard file.