

MONTHLY AAQM DATA ALONG WITH AQI FOR 18 NAMP STATION

APRIL 2025

About National Air Quality Index

1. Air Quality Index is a tool for effective communication of air quality status to people in terms, which are easy to understand. It transforms complex air quality data of various pollutants into a single number (index value), nomenclature and color.
2. There are six AQI categories, namely Good, Satisfactory, Moderately polluted, Poor, Very Poor, and Severe. Each of these categories is decided based on ambient concentration values of air pollutants and their likely health impacts (known as health breakpoints). AQ sub-index and health breakpoints are evolved for eight pollutants (PM₁₀, PM_{2.5}, NO₂, SO₂, CO, O₃, NH₃, and Pb) for which short-term (up to 24-hours) National Ambient Air Quality Standards are prescribed.
3. Based on the measured ambient concentrations of a pollutant, sub-index is calculated, which is a linear function of concentration (e.g. the sub-index for PM_{2.5} will be 51 at concentration 31 µg/m³, 100 at concentration 60 µg/m³, and 75 at concentration of 45 µg/m³). The worst sub-index determines the overall AQI. AQI categories and health breakpoints for the eight pollutants are as follow:

Table 1 : AQI Category, Pollutants and Health Breakpoints								
AQI Category (Range)	PM ₁₀ 24-hr	PM _{2.5} 24-hr	NO ₂ 24-hr	O ₃ 8-hr	CO 8-hr (mg/m ³)	SO ₂ 24-hr	NH ₃ 24-hr	Pb 24-hr
Good (0-50)	0-50	0-30	0-40	0-50	0-1.0	0-40	0-200	0-0.5
Satisfactory (51-100)	51-100	31-60	41-80	51-100	1.1-2.0	41-80	201-400	0.5 –1.0
Moderate (101-200)	101-250	61-90	81-180	101-168	2.1- 10	81-380	401-800	1.1-2.0
Poor (201-300)	251-350	91-120	181-280	169-208	10-17	381-800	801-1200	2.1-3.0
Very poor (301-400)	351-430	121-250	281-400	209-748*	17-34	801-1600	1200-1800	3.1-3.5
Severe (401-500)	430 +	250+	400+	748+*	34+	1600+	1800+	3.5+

Table 2: AQI : Associated Health Impacts	
AQI	Associated Health Impacts
Severe (401-500)	SEVERE : May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases
Very Poor (301-400)	VERY-POOR: May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
Poor (201-300)	POOR : May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
Moderate (101-200)	MODERATE : May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
Satisfactory (51-100)	SATISFACTORY : May cause minor breathing discomfort to sensitive people
Good (0-50)	GOOD : Minimal impact

Station: Near Old GSPCB office									City :Panaji	
Duration:- - April - 2025										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	01-04-2025	75	35	11	15	1.12	22.34	0.06	75	Satisfactory
2	04-04-2025	68	33	9	13	0.84	20.34	0.04	68	Satisfactory
3	08-04-2025	76	37	11	16	1.05	23.78	0.03	76	Satisfactory
4	11-04-2025	72	34	11	15	1.17	19.48	0.04	72	Satisfactory
5	15-04-2025	64	32	10	14	1.23	22.34	0.02	64	Satisfactory
6	18-04-2025	70	34	9	16	0.96	20.62	0.03	70	Satisfactory
7	22-04-2025	78	37	11	14	1.35	21.48	0.05	78	Satisfactory
8	25-04-2025	65	31	9	14	0.73	18.33	0.03	65	Satisfactory
9	29.04-2025	73	35	9	15	0.91	20.91	0.06	73	Satisfactory

Station: Within the premises of Municipality building									City :Mapusa	
Duration:-April - 2025										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	01-04-2025	78	40	11	16	1.19	19	0.05	78	Satisfactory
2	05-04-2025	75	34	13	17	1.03	22	0.07	75	Satisfactory
3	08-04-2025	72	34	11	18	1.32	21	0.05	72	Satisfactory
4	11-04-2025	83	38	11	17	1.1	19	0.03	83	Satisfactory
5	15-04-2025	67	30	10	15	1.25	20	0.06	67	Satisfactory
6	19-04-2025	75	37	12	15	1.17	23	0.04	75	Satisfactory
7	22-04-2025	81	39	9	15	0.92	20	0.05	81	Satisfactory
8	26-04-2025	87	43	10	17	1.06	21	0.07	87	Satisfactory
9	29-04-2025	79	37	11	15	1.21	20	0.04	79	Satisfactory

Station: Fuse Call Office							City: Vasco	
Duration:- April-2025								
Sr.No		Time Weighted Average (TWA)					AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3						
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	NH ₃		
1	02-04-2025	94	27	2	9	21	94	Satisfactory
2	04-04-2025	82	27	2	11	36	82	Satisfactory
3	09-04-2025	38	16	2	5	24	38	Good
4	11-04-2025	37	30	2	5	10	50	Good
5	15-04-2025	66	35	2	12	10	66	Satisfactory
6	17-04-2025	60	27	2	10	10	60	Satisfactory
7	23-04-2025	40	25	2	5	51	42	Good
8	25-04-2025	39	18	2	5	24	39	Good
9	29-04-2025	85	27	2	10	25	85	Satisfactory

Station: MPT Quarters							City: Baina	
Duration:- April-2025								
Sr.No		Time Weighted Average (TWA)					AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3						
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	NH ₃		
1	02-04-2025	68	27	4	7	10	68	Satisfactory
2	04-04-2025	58	36	8	11	10	60	Satisfactory
3	09-04-2025	26	21	2	5	10	35	Good
4	11-04-2025	47	32	5	5	10	53	Satisfactory
5	15-04-2025	47	32	2	5	21	53	Satisfactory
6	17-04-2025	26	21	2	5	10	35	Good
7	23-04-2025	31	16	2	5	10	31	Good
8	25-04-2025	32	13	2	5	10	32	Good
9	29-04-2025	42	19	2	5	22	42	Good

Station: Roof top of Municipal market									City: Ponda	
Duration:-April - 2025										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	03-04-2025	73	33	12	16	1.27	24	0.05	73	Satisfactory
2	07-04-2025	81	38	9	15	1.08	21	0.08	81	Satisfactory
3	10-04-2025	84	41	11	14	1.31	24	0.06	84	Satisfactory
4	14-04-2025	76	36	11	17	1.14	22	0.05	76	Satisfactory
5	17-04-2025	69	34	10	14	0.97	21	0.07	69	Satisfactory
6	21-04-2025	77	37	11	17	1.12	23	0.05	77	Satisfactory
7	24-04-2025	83	39	8	13	0.85	22	0.06	83	Satisfactory
8	28-04-2025	72	35	10	15	1.23	20	0.04	72	Satisfactory

Station: Rooftop of Ravindra Bhavan Building									City:-Margao	
Duration:- April 2025										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	02-04-2025	75	36	9	15	1.05	21	0.06	75	Satisfactory
2	04-04-2025	67	32	11	15	0.89	22	0.06	67	Satisfactory
3	09-04-2025	71	35	10	15	1.12	19	0.03	71	Satisfactory
4	11-04-2025	77	36	10	16	0.97	22	0.02	77	Satisfactory
5	16-04-2025	63	33	11	15	1.09	24	0.05	63	Satisfactory
6	18-04-2025	68	31	9	15	1.24	19	0.03	68	Satisfactory
7	23-04-2025	78	35	10	15	0.85	20	0.04	78	Satisfactory
8	25-04-2025	66	32	9	13	1.17	19	0.06	66	Satisfactory
9	30-04-2025	72	33	10	15	0.79	19	0.04	72	Satisfactory

Station: Residence of Mr. Rama Naik, Assanora Junction									City: Assanora	
Duration: April - 2025										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	01-04-2025	67	34	9	14	0.83	19	0.04	67	Satisfactory
2	04-04-2025	62	31	9	13	1.12	21	0.02	62	Satisfactory
3	08-04-2025	71	33	9	15	1.04	20	0.05	71	Satisfactory
4	11-04-2025	74	35	8	13	0.69	21	0.03	74	Satisfactory
5	15-04-2025	62	29	10	14	1.18	19	0.04	62	Satisfactory
6	18-04-2025	66	33	9	13	0.87	21	0.02	66	Satisfactory
7	22-04-2025	76	35	9	14	1.29	22	0.03	76	Satisfactory
8	25-04-2025	64	31	8	14	0.75	19	0.02	64	Satisfactory
9	29-04-2025	72	34	10	14	0.92	19	0.05	72	Satisfactory

Station: Residence of Mr. Sagun Ramkrishna Fadte									City: Amona	
Duration:- -April - 2025										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTy
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	03-04-2025	66	31	11	17	0.95	22	0.07	66	Satisfactory
2	07-04-2025	69	34	10	16	0.83	19	0.05	69	Satisfactory
3	10-04-2025	77	37	9	13	1.17	23	0.06	77	Satisfactory
4	14-04-2025	73	32	11	16	1.24	21	0.09	73	Satisfactory
5	17-04-2025	64	34	11	15	1.06	19	0.05	64	Satisfactory
6	21-04-2025	70	33	9	16	0.91	21	0.07	70	Satisfactory
7	24-04-2025	79	36	8	15	1.12	20	0.04	79	Satisfactory
8	28-04-2025	67	33	11	16	0.87	20	0.06	67	Satisfactory

Station: Municipality Building								City: Bicholim		
Duration: April - 2025										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	01-04-2025	91	43	13	18	1.39	21	0.19	91	Satisfactory
2	04-04-2025	84	41	11	16	1.15	23	0.22	84	Satisfactory
3	08-04-2025	89	45	13	17	1.07	22	0.17	89	Satisfactory
4	11-04-2025	77	38	13	17	1.24	21	0.15	77	Satisfactory
5	15-04-2025	95	45	14	18	1.18	24	0.13	95	Satisfactory
6	18-04-2025	86	42	12	18	1.02	22	0.16	86	Satisfactory
7	22-04-2025	91	45	11	16	1.11	23	0.20	91	Satisfactory
8	25-04-2025	81	36	13	19	1.29	21	0.17	81	Satisfactory
9	29-04-2025	88	41	10	16	1.08	20	0.15	88	Satisfactory

Station: Near Ajoba temple, Honda junction									City: Honda	
Duration:- April - 2025										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTy
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	03-04-2025	66	32	9	14	1.05	21	0.04	66	Satisfactory
2	07-04-2025	72	35	10	15	1.17	22	0.06	72	Satisfactory
3	10-04-2025	77	39	8	14	0.94	21	0.03	77	Satisfactory
4	14-04-2025	69	34	10	16	0.89	24	0.05	69	Satisfactory
5	17-04-2025	64	32	9	15	1.22	20	0.04	64	Satisfactory
6	21-04-2025	76	37	9	13	0.76	22	0.07	76	Satisfactory
7	24-04-2025	79	38	10	15	1.10	19	0.06	79	Satisfactory
8	28-04-2025	72	35	10	15	0.83	21	0.04	72	Satisfactory

Station:- Usgao Junction								City:-Usgao		
Duration:- April-2025										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	03-04-2025	78	38	11	16	0.92	21	0.06	78	Satisfactory
2	07-04-2025	70	34	10	17	1.15	23	0.04	70	Satisfactory
3	10-04-2025	85	39	10	15	1.29	20	0.03	85	Satisfactory
4	14-04-2025	73	35	11	17	1.04	21	0.05	73	Satisfactory
5	17-04-2025	68	33	9	15	0.87	20	0.04	68	Satisfactory
6	21-04-2025	77	36	12	16	1.23	22	0.07	77	Satisfactory
7	24-04-2025	64	31	10	15	1.10	21	0.06	64	Satisfactory
8	28-04-2025	73	36	10	14	1.34	23	0.04	73	Satisfactory

Premises of Somnath English High School									City:-Codli	
Duration:- April -2025										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	02-04-2025	72	34	9	15	1.12	22	0.06	72	Satisfactory
2	05-04-2025	67	30	10	14	0.74	19	0.05	67	Satisfactory
3	09-04-2025	59	35	8	15	1.09	24	0.03	59	Satisfactory
4	12-04-2025	71	33	10	15	0.88	21	0.06	71	Satisfactory
5	16-04-2025	77	36	10	16	1.23	23	0.03	77	Satisfactory
6	19-04-2025	64	32	9	12	1.15	22	0.07	64	Satisfactory
7	23-04-2025	61	28	9	14	0.93	21	0.05	61	Satisfactory
8	26-04-2025	74	35	10	16	1.02	21	0.06	74	Satisfactory
9	30-04-2025	65	31	9	14	0.71	20	0.04	65	Satisfactory

Station: Rooftop of Sanguem Municipality Building									City: Sanguem	
Duration:- April -2025										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	02-04-2025	65	34	8	13	0.94	21	0.04	65	Satisfactory
2	05-04-2025	71	31	10	14	0.69	18	0.02	71	Satisfactory
3	09-04-2025	62	29	9	13	0.82	20	0.03	62	Satisfactory
4	12-04-2025	68	34	10	15	0.77	19	0.02	68	Satisfactory
5	16-04-2025	61	30	9	12	1.04	21	0.04	61	Satisfactory
6	19-04-2025	74	35	9	14	0.98	19	0.02	74	Satisfactory
7	23-04-2025	59	28	9	14	0.63	21	0.04	59	Satisfactory
8	26-04-2025	68	32	10	15	0.71	20	0.03	68	Satisfactory
9	30-04-2025	60	27	9	15	1.12	22	0.05	60	Satisfactory


Station: Tilamol Junction									City: Tilamol	
Duration:- April-2025										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	02-04-2025	81	37	10	16	1.20	21	0.06	81	Satisfactory
2	05-04-2025	75	35	10	16	1.04	18	0.04	75	Satisfactory
3	09-04-2025	78	40	11	17	0.96	23	0.07	78	Satisfactory
4	12-04-2025	82	36	11	16	1.27	19	0.05	82	Satisfactory
5	16-04-2025	87	43	13	19	1.35	23	0.08	87	Satisfactory
6	19-04-2025	77	35	12	17	1.12	21	0.06	77	Satisfactory
7	23-04-2025	71	33	12	17	1.31	24	0.04	71	Satisfactory
8	26-04-2025	83	38	13	18	1.15	21	0.05	83	Satisfactory
9	30-04-2025	76	34	11	15	0.87	22	0.07	76	Satisfactory

Rooftop of Electricity panel room at GSUDA market									City:-Curchorem	
Duration:- April-2025										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	02-04-2025	73	35	12	17	1.38	23	0.04	73	Satisfactory
2	05-04-2025	65	32	11	16	0.86	22	0.05	65	Satisfactory
3	09-04-2025	77	37	12	17	1.19	22	0.03	77	Satisfactory
4	12-04-2025	61	29	10	16	1.24	20	0.06	62	Satisfactory
5	16-04-2025	78	37	11	16	1.25	23	0.05	78	Satisfactory
6	19-04-2025	83	39	12	17	1.04	24	0.03	83	Satisfactory
7	23-04-2025	76	34	13	16	1.31	21	0.06	76	Satisfactory
8	26-04-2025	66	33	11	16	0.95	20	0.04	66	Satisfactory
9	30-04-2025	73	36	12	17	1.08	23	0.07	73	Satisfactory

Station: Rooftop of Power Station, Cuncolim Ind Estate										City: Cuncolim	
Duration:- April-2025											
Sr.No		Time Weighted Average (TWA)								AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3 & As which is in ng/m3)									
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	As	Pb		
1	02-04-2025	74	32	11	16	1.13	23	0.55	0.12	74	Satisfactory
2	05-04-2025	81	37	14	18	0.97	20	0.48	0.15	81	Satisfactory
3	09-04-2025	68	31	11	16	1.05	23	0.29	0.11	68	Satisfactory
4	12-04-2025	63	35	13	17	1.19	21	0.32	0.13	63	Satisfactory
5	16-04-2025	75	38	13	18	1.27	24	0.44	0.10	75	Satisfactory
6	19-04-2025	66	32	12	18	1.34	24	0.37	0.14	67	Satisfactory
7	23-04-2025	85	40	11	17	1.08	21	0.41	0.11	85	Satisfactory
8	26-04-2025	77	36	12	17	0.86	24	0.28	0.13	77	Satisfactory
9	30-04-2025	69	33	12	16	1.16	22	0.21	0.09	69	Satisfactory

Station: Near IDC Office							City: Kundaim			
Duration:- April - 2025										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	03-04-2025	85	42	13	17	1.18	21	0.22	85	Satisfactory
2	07-04-2025	78	37	13	18	1.02	23	0.31	78	Satisfactory
3	10-04-2025	73	33	11	17	0.95	21	0.24	73	Satisfactory
4	14-04-2025	82	40	13	18	1.21	23	0.29	82	Satisfactory
5	17-04-2025	85	40	10	16	0.86	21	0.29	85	Satisfactory
6	21-04-2025	92	44	12	16	1.15	24	0.24	92	Satisfactory
7	24-04-2025	76	38	10	15	1.27	22	0.26	76	Satisfactory
8	28-04-2025	88	42	12	18	1.34	22	0.33	88	Satisfactory

Station: Near ESIC Hospital , Tuem Industrial Estate									City: Tuem	
Duration: April - 2025										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	01-04-2025	70	35	10	15	1.26	21	0.050	70	Satisfactory
2	04-04-2025	76	39	11	17	1.10	24	0.073	76	Satisfactory
3	08-04-2025	65	32	9	15	0.84	21	0.063	65	Satisfactory
4	11-04-2025	74	36	11	17	1.17	22	0.047	74	Satisfactory
5	15-04-2025	77	33	9	14	1.31	19	0.033	77	Satisfactory
6	18-04-2025	83	38	12	17	1.04	23	0.047	83	Satisfactory
7	22-04-2025	72	34	11	15	1.29	21	0.070	72	Satisfactory
8	25-04-2025	64	32	11	16	0.93	19	0.053	64	Satisfactory
9	29-04-2025	70	33	10	15	1.15	20	0.033	70	Satisfactory



Results and Interpretation:

It is seen that during the month of April 2025, out of 18 locations AQI is -

Good to Satisfactory at 2 locations namely – Vasco and Baina

Dominantly Satisfactory at 16 locations namely – Panaji, Mapusa, Ponda, Margao, Assanora, Amona, Bicholim, Honda, Usgao, Codli, Sanguem, Tilamol, Curchorem, Cuncolim, Kundaim and Tuem

(Dominant refers to 75% and above)