

GSPCB

**ASSESSMENT
OF
ANNUAL
NAMP DATA
FOR
THE YEAR
2025-2026**

Prepared By: Ravi N. Naik (SA)

Content:-

Page No. 3	AAQM Team
Page No. 4	Reference Table for Air Quality with Index and Health Impacts
Page No. 5	Goa State Map indicating NAMP locations
Page No. 6 - 11	Data Assessment for the year 2025-2026
Page No. 12 - 15	Graphical Representation of 2025-2026 Annual Average Data
Page No. 16	Comparison of Annual Data for the year 2024-2025 & 2025-2026 w.r.t PM10 and PM2.5
Page No. 17	Graphical Representation of Air Quality Index (AQI) for the year 2025- 2026 in comparison to that of 2024-2025
Page No. 18 - 35	Graphical Representation of 2025-2026 Annual AAQM Data of each of the 18 NAMP Stations
Page No. 36 - 37	Mitigation strategies to control pollution levels
Page No. 38 – 92	Compiled Annual AAQM Data along with AQI for each of the following 18 NAMP stations for the year 2025-26

<i>Sr. No</i>	<i>Area</i>	<i>City</i>	<i>Page No.</i>
1	Residential/ Commercial	Panaji	38-41
2		Mapusa	42-44
3		Baina	45-47
4		Vasco	48-50
5		Ponda	51-53
6		Margao	54-56
7	Mining	Assanora	57-59
8		Amona	60-62
9		Bicholim	63-65
10		Honda	66-68
11		Usgao	69-71
12		Codli	72-74
13		Sanguem	75-77
14		Tilamol	78-80
15		Curchorem	81-83
16	Industrial	Cuncolim	84-86
17		Kundaim	87-89
18		Tuem	90-92

AAQM team :

Mrs. Jenica Sequiera (Sc. D, Project In charge)

Mr. Francisca Pereira (Sc. C, Authorised Signatory)

Mrs. Sahyadri Gurav (Sc. B, Authorised Signatory)

Mr. Ravi Naik (SA, Analysis and Data, Report preparation)

Mr. Waman Chari (SLA, Technical support)

Mr. Sameer Borkar (SLA, Analysis and Data)

Mr. Johnny Moniz (SLA, Station operation and Lab support)

Mr. Anthony Miranda (JLA, Station operation and Lab support)

Mrs. Quiteria Fernandes (JLA, Data, FTR and Lab support)

Mr. Sydney Gracias (FA, FTR and Lab Support)

Mr. Saby Fernandes (FA, Standby Station Operation)

Mr. Manthan Malwankar (Apprentice)

Ms. Shahin Shaikh (Apprentice)

Outsourced NAMP stations monitored by M/s Choksi Laboratories. Ltd., Verna-Goa


REFERENCE TABLE FOR AIR QUALITY WITH INDEX AND HEALTH IMPACTS:

About National Air Quality Index

1. Air Quality Index is a tool for effective communication of air quality status to people in terms, which are easy to understand. It transforms complex air quality data of various pollutants into a single number (index value), nomenclature and color.
2. There are six AQI categories, namely Good, Satisfactory, Moderately polluted, Poor, Very Poor, and Severe. Each of these categories is decided based on ambient concentration values of air pollutants and their likely health impacts (known as health breakpoints). AQ sub-index and health breakpoints are evolved for eight pollutants (PM₁₀, PM_{2.5}, NO₂, SO₂, CO, O₃, NH₃, and Pb) for which short-term (up to 24-hours) National Ambient Air Quality Standards are prescribed.
3. Based on the measured ambient concentrations of a pollutant, sub-index is calculated, which is a linear function of concentration (e.g. the sub-index for PM_{2.5} will be 51 at concentration 31 µg/m³, 100 at concentration 60 µg/m³, and 75 at concentration of 45 µg/m³). The worst sub-index determines the overall AQI. AQI categories and health breakpoints for the eight pollutants are as follow:

Table 1 : AQI Category, Pollutants and Health Breakpoints								
AQI Category (Range)	PM ₁₀ 24-hr	PM _{2.5} 24-hr	NO ₂ 24-hr	O ₃ 8-hr	CO 8-hr (mg/m ³)	SO ₂ 24-hr	NH ₃ 24-hr	Pb 24-hr
Good (0-50)	0-50	0-30	0-40	0-50	0-1.0	0-40	0-200	0-0.5
Satisfactory (51-100)	51-100	31-60	41-80	51-100	1.1-2.0	41-80	201-400	0.5 –1.0
Moderate (101-200)	101-250	61-90	81-180	101-168	2.1- 10	81-380	401-800	1.1-2.0
Poor (201-300)	251-350	91-120	181-280	169-208	10-17	381-800	801-1200	2.1-3.0
Very poor (301-400)	351-430	121-250	281-400	209-748*	17-34	801-1600	1200-1800	3.1-3.5
Severe (401-500)	430 +	250+	400+	748+*	34+	1600+	1800+	3.5+

Table 2: AQI : Associated Health Impacts	
AQI	Associated Health Impacts
Severe (401-500)	SEVERE : May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases
Very Poor (301–400)	VERY-POOR: May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
Poor (201–300)	POOR : May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
Moderate (101–200)	MODERATE : May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
Satisfactory (51–100)	SATISFACTORY : May cause minor breathing discomfort to sensitive people
Good (0–50)	GOOD : Minimal impact



NAMP Stations along with Geo-coordinates located at 18 different cities within North  and South  Districts of Goa State.

ASSESSMENT OF ANNUAL NAMP DATA FOR THE YEAR 2025-2026

GSPCB has established 18 NAMP locations in the state of Goa under National Air Quality Monitoring Programme (NAMP). These NAMP stations are established at Panaji, Mapusa, Baina, Vasco, Ponda, Margao, Assanora, Amona, Bicholim, Honda, Usgao, Sanguem, Codli, Tilamol, Curchorem, Cuncolim, Kundaim and Tuem .

Based on the annual AAQM results, the data assessment (page 8-11) and graphical representation (page 12) of each data has been attempted for the year 2025-26 in comparison to 2024-25 in respect of - **PM10, PM2.5 and AIR QUALITY**

PM10 Data (refer Page 16) - 10 stations out of 18 stations have exceeded during the year 2025-26, while 11 stations out of 17* were exceeding the annual standard during 2024-25.

*(*Curchorem station is operational since November 2024, hence its annual average is not considered for assessment in 2024-25)*

PM2.5 Data (refer Page 16) – In 2025-26 all the stations are reported to be within annual standard which was also the case in 2024-25.

AIR QUALITY (refer Page 17) - The Percentage representation of AQI Category for all the NAMP locations in Goa during the year 2025-26 shows that the overall Air Quality is in the range of GOOD to SATISFACTORY except for Baina and Vasco where it has reported percentage of MODERATE also.

Similar pattern w.r.t Overall Air Quality was observed in 2024-25 also.

Interpretation of Air Quality based on land use/ land cover (i.e. zonation) vis-à-vis dominance of land utilization.

(A) Residential and Commercial areas (Panaji/ Mapusa/ Baina/ Vasco/ Ponda/ Margao)

Annual Average(page 13) – In 2025-26 concentration for PM10 has exceeded the annual standard at 5 stations namely Panaji, Mapusa, Baina, Vasco and Ponda while in 2024-25 concentration of PM10 has exceeded at 4 stations namely Panaji, Mapusa, Baina and Vasco.

Annual average PM2.5 concentration reported to be within the permissible annual standard for all these cities.

AQI (page18) –The comparative Air Quality for both the years ranges within GOOD to SATISFACTORY at Panaji, Mapusa, Ponda and Margao while it is GOOD to SATISFACTORY and some occasions MODERATE for Baina and Vasco.

(B) Mining Areas (Assanora/ Amona/ Bicholim/ Honda/ Usgao/ Codli/ Sanguem/ Curchorem/ Tilamol) -

Annual Average(page 14) – In 2025-26 concentration for PM10 has exceeded the annual standard at 3 stations namely Bicholim, Curchorem , while in 2024-25 concentration of PM10 has exceeded at 4 stations namely Amona, Bicholim, Usgao and Tilamol.

Annual average PM2.5 concentration reported to be within the permissible annual standard for all these cities.

AQI (page 18) – In 2025-26 the overall AQ is GOOD to SATISFACTORY while for the year 2024-25 it was GOOD to SATISFACTORY and few occasions MODERATE.

(C) Industrial areas (Cuncolim/ Kundaim/ Tuem) –

Annual Average(page 15) – In 2025-26 concentration for PM10 has exceeded the annual standard at 2 locations namely Cuncolim and Kundaim, while in 2024-25 concentration of PM10 has exceeded at all 3 stations namely Cuncolim, Kundaim and Tuem.

Annual average PM2.5 concentration reported to be within the permissible annual standard for all the Industrial locations.






AQI (page 18) – Is GOOD to SATISFACTORY in 2025-26, while the Air Quality was within GOOD to SATISFACTORY and some occasions MODERATE in 2024-25.






The overall Air Quality in the state of Goa for the year 2025-26 is ranging from GOOD to SATISFACTORY for all the NAMP locations except for Baina and Vasco where it is GOOD to SATISFACTORY and some occasions MODERATE.






NAMP stations – Panaji, Mapusa, Baina, Vasco, Bicholim, Tilamol, Cuncolim and Kundaim have exceeded the annual standard for two consecutive years. This may be attributed to the increasing amount of Vehicular movement causing resuspension of road dust, Construction activities and Industrial activities prevailing in these areas.




Mitigation strategies to control pollution levels are listed below


- A. Vehicular Emission Control
- B. Re-suspension of road dust and other fugitive emissions control.
- C. Control of emissions form biomass / crop residue/garbage/municipal solid waste burning
- D. Control of industrial emissions
- E. Control of air pollution from construction and demolition activities


Assessment of AAQM data for 18 NAMP locations and one GSPCB AAQM location for the year 2025-2026 w.r.t Criteria Pollutants															
Sr. No.	State	City/ Village	Location	Station Code	Area Type	Total Days Monitored	Parameter	NAAQS - Time Weighted Average (TWA)		Max 24hrly Value in the year	Min 24hrly Value in the year	No. of exceeded days in the year	No of times Exceeding on 2 consecutive Monitoring days	Annual Avg	Percentage of days as per AQI
								24 hrs	Annual						
Residential / Commercial AAQM Locations															
1	Goa	Panaji	Near old GSPCB Office	327	Residential / Commercial	116	PM ₁₀	100	60	88	22	0	0	61	
						116	PM _{2.5}	60	40	47	8	0	0	28	
						116	SO ₂	80	50	12	5	0	0	9	
						116	NO ₂	80	40	24	10	0	0	15	
2	Goa	Mapusa	Within the premises of Municipality Building	775	Residential / Commercial	105	PM ₁₀	100	60	96	20	0	0	65	
						105	PM _{2.5}	60	40	46	11	0	0	30	
						105	SO ₂	80	50	13	5	0	0	9	
						105	NO ₂	80	40	27	10	0	0	16	
3	Goa	Baina	MPT Quarters	1253	Residential / Commercial	102	PM ₁₀	100	60	216	20	15	5	73	
						100	PM _{2.5}	60	40	108	6	14	4	34	
						102	SO ₂	80	50	50	2	0	0	3	
						102	NO ₂	80	40	46	3	0	0	11	
4	Goa	Vasco	Fuse Call Office	37	Residential / Commercial	102	PM ₁₀	100	60	194	15	23	18	72	
						100	PM _{2.5}	60	40	95	8	14	8	36	
						102	SO ₂	80	50	10	2	0	0	3	
						102	NO ₂	80	40	51	3	0	0	13	
5	Goa	Ponda	Roof top of Municipal market	776	Residential / Commercial	104	PM ₁₀	100	60	93	18	0	0	61	
						104	PM _{2.5}	60	40	44	9	0	0	28	
						104	SO ₂	80	50	12	5	0	0	9	
						104	NO ₂	80	40	25	10	0	0	16	


Assessment of AAQM data for 18 NAMP locations and one GSPCB AAQM location for the year 2025-2026 w.r.t Criteria Pollutants															
Sr. No.	State	City/ Village	Location	Station Code	Area Type	Total Days Monitored	Parameter	NAAQS - Time Weighted Average (TWA)		Max 24hrly Value in the year	Min 24hrly Value in the year	No. of exceeded days in the year	No of times Exceeding on 2 consecutive Monitoring days	Annual Avg	Percentage of days as per AQI
								24 hrs	Annual						
6	Goa	Margao	Rooftop of Ravindra Bhavan	774	Residential / Commercial	104	PM ₁₀	100	60	79	18	0	0	53	
						104	PM _{2.5}	60	40	38	7	0	0	24	
						104	SO ₂	80	50	12	4	0	0	7	
						104	NO ₂	80	40	24	9	0	0	14	
Mining AAQM Locations															
7	Goa	Assanora	Residence of Mr. Rama Naik, Assanora Junction	634	Mining	104	PM ₁₀	100	60	84	20	0	0	55	
						104	PM _{2.5}	60	40	41	9	0	0	25	
						104	SO ₂	80	50	11	5	0	0	8	
						104	NO ₂	80	40	23	10	0	0	14	
8	Goa	Amona	Residence of Mr. Vasudev Sinari	633	Mining	104	PM ₁₀	100	60	79	24	0	0	55	
						104	PM _{2.5}	60	40	37	11	0	0	25	
						104	SO ₂	80	50	11	5	0	0	8	
						104	NO ₂	80	40	24	10	0	0	14	
9	Goa	Bicholim	Municipality Building	632	Mining	105	PM ₁₀	100	60	104	32	4	0	75	
						105	PM _{2.5}	60	40	49	13	0	0	34	
						105	SO ₂	80	50	14	7	0	0	11	
						105	NO ₂	80	40	28	11	0	0	17	
10	Goa	Honda	Near Ajoba temple, Honda junction	631	Mining	104	PM ₁₀	100	60	89	19	0	0	58	
						104	PM _{2.5}	60	40	44	8	0	0	26	
						104	SO ₂	80	50	11	5	0	0	8	
						104	NO ₂	80	40	25	9	0	0	15	


Assessment of AAQM data for 18 NAMP locations and one GSPCB AAQM location for the year 2025-2026 w.r.t Criteria Pollutants															
Sr. No.	State	City/ Village	Location	Station Code	Area Type	Total Days Monitored	Parameter	NAAQS - Time Weighted Average (TWA)		Max 24hrly Value in the year	Min 24hrly Value in the year	No. of exceeded days in the year	No of times Exceeding on 2 consecutive Monitoring days	Annual Avg	Percentage of days as per AQI
								24 hrs	Annual						
11	Goa	Usgao	Residence of of J. Natekar, Usgao Pale Junction	629	Mining	104	PM ₁₀	100	60	87	25	0	0	59	
						104	PM _{2.5}	60	40	43	11	0	0	27	
						104	SO ₂	80	50	13	5	0	0	8	
						104	NO ₂	80	40	25	9	0	0	15	
12	Goa	Codli	Premises of Somnath English High School,Codli Tisk	630	Mining	104	PM ₁₀	100	60	82	18	0	0	53	
						104	PM _{2.5}	60	40	38	7	0	0	24	
						104	SO ₂	80	50	11	5	0	0	7	
						104	NO ₂	80	40	23	9	0	0	14	
13	Goa	Sanguem	Rooftop of PWD office, Near Bus Stand	777	Mining	104	PM ₁₀	100	60	85	18	0	0	54	
						104	PM _{2.5}	60	40	43	8	0	0	25	
						104	SO ₂	80	50	11	5	0	0	7	
						104	NO ₂	80	40	23	10	0	0	14	
14	Goa	Tilamol	Residence of D. Rivonkar, Tilamol Junction	778	Mining	104	PM ₁₀	100	60	93	36	0	0	68	
						104	PM _{2.5}	60	40	46	15	0	0	31	
						104	SO ₂	80	50	13	6	0	0	10	
						104	NO ₂	80	40	26	12	0	0	17	
15	Goa	Curchorem	Rooftop of Electricity panel room at GSUDA market	628	Mining	104	PM ₁₀	100	60	91	22	0	0	61	
						104	PM _{2.5}	60	40	44	11	0	0	28	
						104	SO ₂	80	50	13	5	0	0	9	
						104	NO ₂	80	40	25	10	0	0	16	

Assessment of AAQM data for 18 NAMP locations and one GSPCB AAQM location for the year 2025-2026 w.r.t Criteria Pollutants															
Sr. No.	State	City/ Village	Location	Station Code	Area Type	Total Days Monitored	Parameter	NAAQS - Time Weighted Average (TWA)		Max 24hrly Value in the year	Min 24hrly Value in the year	No. of excceeded days in the year	No of times Exceeding on 2 consecutive Monitoring days	Annual Avg	Percentage of days as per AQI
								24 hrs	Annual						
Industrial AAQM Locations															
16	Goa	Cuncolim	Rooftop of Power Staion, Cuncolim Ind Estate	781	Industrial	104	PM ₁₀	100	60	87	29	0	0	66	
						104	PM _{2.5}	60	40	47	14	0	0	30	
						104	SO ₂	80	50	14	7	0	0	10	
						104	NO ₂	80	40	26	10	0	0	17	
17	Goa	Kundaim	Near IDC Office	780	Industrial	104	PM ₁₀	100	60	92	23	0	0	64	
						104	PM _{2.5}	60	40	46	10	0	0	29	
						104	SO ₂	80	50	13	5	0	0	9	
						104	NO ₂	80	40	25	10	0	0	16	
18	Goa	Tuem	Near IDC Office	779	Industrial	105	PM ₁₀	100	60	89	19	0	0	60	
						105	PM _{2.5}	60	40	43	8	0	0	28	
						105	SO ₂	80	50	12	5	0	0	9	
						105	NO ₂	80	40	24	10	0	0	16	









Comparative table for Annual average data for 2024-2025 vs 2025-2026						
Sr. No.	Area type	NAMP Station	Annual Avg PM10		Annual Avg PM2.5	
			2024-25	2025-26	2024-25	2025-26
1	Residential/ Commercial Area	Panaji	62	61	28	28
2		Mapusa	67	65	29	30
3		Baina	81	73	35	34
4		Vasco	61	72	34	36
5		Ponda	59	61	26	28
6		Margao	57	53	24	24
7	Mining Area	Assanora	58	55	25	25
8		Amona	62	55	27	25
9		Bicholim	63	75	27	34
10		Honda	56	58	24	26
11		Usgao	64	59	27	27
12		Codli	57	53	24	24
13		Sanguem	55	54	24	25
14		Curchorem	*	61	*	28
15		Tilamol	63	68	27	31
16	Industrial Area	Cuncolim	76	66	30	30
17		Kundaim	69	64	30	29
18		Tuem	63	60	27	28

* Curchorem station is operational since Novemebr 2024, hence its annual average was not considered for 2024-25.

Comparison of Annual Avg PM10
for 2024/25 vs 2025/26

■ Annual Avg PM10 2024-25

■ Annual Avg PM10 2025-26

NAAQS for Annual PM10 - 60 µg/m3

In the year 2024-25 the annual avg of PM10 was exceeding at total 11 locations out of 17 while in 2025-26 total exceeding locations are 10 out of 18. Five stations are exceeding in urban area compare to 4 in 2024-25. In Mining area 3 stations are exceeding compared to 4 in 2024-25 ,while in Industrial areas 2 stations are on exceeding side compare to 3 in 2024-25.

Comparison of Annual Avg PM2.5
for 2024/25 vs 2025/26

■ Annual Avg PM2.5 2024-25


■ Annual Avg PM2.5 2025-26

NAAQS for Annual PM2.5 - 40 µg/m3


The annual average for PM2.5 for the year 2025-26 shows similar pattern to that of 2024-25 with no station on exceeding side.

COMPARISON OF AIR QUALITY INDEX- 2024-25 vs 2025-26

Percentage of AQI Category for NAMP locations in Goa for the year 2024/2025



Percentage of AQI Category for NAMP locations in Goa for the year 2025/2026






Note: All the percentage values are rounded to nearest 0 but the mathematical total for each location is 100% only.

Comparison of Annual Air Quality for the year 2024-25 and 2025-26: The Air Quality in 2024-25 was ranging between Good to Satisfactory along with some amount of Moderate %age at all the stations. While in 2025-26 there is some improvement as the AQ is within Good to Satisfactory with Moderate at 3 locations.

Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026							
Station: Near Dempo Towers, Patto plaza -327						City: Panaji	
Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb
Standard:- Annual	60	40	50	40	NA	NA	0.5
Standard:- 24 Hrly	100	60	80	80	4 (1hr)	180 (1hr)	1
Total days monitored	116	116	116	116	116	116	116
Exceeded days	0	0	0	0	0	0	0
No of times Exceeding on 2 consecutive Monitoring days	0	0	0	0	0	0	0
Annual Average	61	28	9	15	0.61	15	BDL
Yearly Max	88	47	12	24	1.35	26	BDL
Yearly Min	22	8	5	10	0.17	4	BDL
Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							
TWA - Time Weighted Average							
SO2/NO2 Concentration Concentration in µg/m3 30 25 20 15 10 5 0 01-04-2025 11-04-2025 22-04-2025 02-05-2025 13-05-2025 23-05-2025 03-06-2025 13-06-2025 24-06-2025 04-07-2025 15-07-2025 25-07-2025 05-08-2025 14-08-2025 26-08-2025 05-09-2025 16-09-2025 26-09-2025 07-10-2025 14-10-2025 17-10-2025 20-10-2025 23-10-2025 26-10-2025 31-10-2025 11-11-2025 21-11-2025 02-12-2025 12-12-2025 23-12-2025 02-01-2026 13-01-2026 23-01-2026 03-02-2026 13-02-2026 24-02-2026 06-03-2026 17-03-2026 27-03-2026 NAAQS for 24 hrs SO2 - 80 µg/m3 NO2 - 80 µg/m3							
PM10/PM2.5 Concentration Concentration in µg/m3 140 120 100 80 60 40 20 0 01-04-2025 11-04-2025 22-04-2025 02-05-2025 13-05-2025 23-05-2025 03-06-2025 13-06-2025 24-06-2025 04-07-2025 15-07-2025 25-07-2025 05-08-2025 14-08-2025 26-08-2025 05-09-2025 16-09-2025 26-09-2025 07-10-2025 14-10-2025 17-10-2025 20-10-2025 23-10-2025 26-10-2025 31-10-2025 11-11-2025 21-11-2025 02-12-2025 12-12-2025 23-12-2025 02-01-2026 13-01-2026 23-01-2026 03-02-2026 13-02-2026 24-02-2026 06-03-2026 17-03-2026 27-03-2026 NAAQS for 24 hrs PM10 - 100 µg/m3 PM2.5 - 60 µg/m3							
Percentage of Monitoring Days as per AQI 70% 30% Good (G) Satisfactory (S) Moderate (M) Poor (P) Very Poor (VP) Severe (SEV)							
Panaji- 24 Hour TWA - PM10/ PM2.5 / SO2 / NO2 / CO / O3 / Pb concentration is within limit out of 116 DAYS Annual TWA - of PM10 is 61 µg/m3 which is exceeding the annual standard while that of PM2.5 is 28 µg/m3 which is within the permissible annual standard. Percentage of Air Quality index - for the year is GOOD - 30%, SATISFACTORY - 70%, MODERATE - NIL, POOR - NIL, VERY POOR - NIL and SEVERE - NIL							

Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026								
Station: Within the premises of Muncipal Building-775						City: Mapusa		
Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)
Standard:- Annual	60	40	50	40	NA	NA	0.5	
Standard:- 24 Hrly	100	60	80	80	4 (1hr)	180 (1hr)	1	
Total days monitored	105	105	105	105	105	105	105	
Exceeded days	0	0	0	0	0	0	0	TWA - Time Weighted Average
No of times Exceeding on 2 consecutive Monitoring days	0	0	0	0	0	0	0	
Annual Average	65	30	9	16	0.65	16	BDL	
Yearly Max	96	46	13	27	1.32	28	BDL	
Yearly Min	20	11	5	10	0.12	4	BDL	






Mapusa- 24 Hour TWA - PM₁₀/PM_{2.5} / SO₂ / NO₂ / CO / O₃ / Pb are within the 24 Hour standard out of 105 monitoring days .

Annual TWA - of PM₁₀ is 65 µg/m₃ which is exceeding the annual standard while that of PM_{2.5} is 30 µg/m₃ which is within the permissible annual standard.

Percentage of Air Quality index - for the year is GOOD - 30%, SATISFACTORY - 70%, MODERATE - NIL, POOR - NIL, VERY POOR - NIL and SEVERE - NIL

Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026						
Station: MPT Quarters -1253				City: Baina		
Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	NH ₃	Pollutants concentration in µg/m ³
Standard:- Annual	60	40	50	40		
Standard:- 24 Hrly	100	60	80	80	400	
Total days monitored	102	100	102	102	102	TWA - Time Weighted Average
Exceeded days	15	14	0	0	3	
No of times Exceeding on 2 consecutive	5	4	0	0	0	
Annual Average	73	34	3	11	20	
Yearly Max	216	108	50	46	95	
Yearly Min	20	6	2	3	10	



Baina - 24 Hour TWA - PM₁₀ has exceeded 15 times out of 102 monitoring days while that of PM_{2.5} has exceeded on 14 occasions out of 100 monitoring days. Further PM₁₀ has exceeded 5 times PM_{2.5} 4 on two consecutive monitoring days. SO₂ & NO₂ concentration is within limit.

Annual TWA - of PM₁₀ is 73 µg/m³ which is exceeding the annual std and PM_{2.5} is 34 µg/m³ which is within the permissible

Percentage of Air Quality index - for the year is GOOD - 28%, SATISFACTORY - 55%, MODERATE - 17%, POOR - NIL, VERY POOR - NIL , SEVERE - NIL

Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026						
Station: Fuse Call office-37					City: Vasco	
Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	NH ₃	Pollutants concentration in µg/m3
Standard:- Annual TWA	60	40	50	40		
Standard:- 24 Hrly TWA	100	60	80	80	400	
Total days monitored	102	100	102	102	102	TWA - Time Weighted Average
Exceeded days	23	14	0	0	0	
No of times Exceeding on 2 consecutive Monitoring	18	8	0	0	0	
Annual Average	72	36	3	13	21	
Yearly Max	194	95	10	51	51	
Yearly Min	15	8	2	3	10	

PM₁₀/PM_{2.5} Concentration

PM10/PM2.5 Concentration

Percentage of Monitoring Days as per AQI




Vasco - 24 Hour TWA - PM₁₀ has exceeded 23 times out of 102 monitoring days while that of PM_{2.5} has exceeded on 14 occasions out of 100 monitoring days. Further PM₁₀ has exceeded 18 occasions and PM_{2.5} 8 occasions on two consecutive monitoring days each. SO₂ & NO₂ concentration is within limit.

Annual TWA - of PM10 is 72 µg/m3 which is exceeding the annual std and PM2.5 is 36 µg/m3 which is within the permissible annual standard .

Percentage of Air Quality index - for the year is GOOD - 32%, SATISFACTORY - 44%, MODERATE - 24%, POOR - NIL, VERY POOR - NIL, SEVERE - NIL

City: Ponda

Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)
Standard:- Annual	60	40	50	40	NA	NA	0.5	
Standard:- 24 Hrly	100	60	80	80	4 (1hr)	180 (1hr)	1	
Total days monitored	104	104	104	104	104	104	104	
Exceeded days	0	0	0	0	0	0	0	TWA - Time Weighted Average
No of times Exceeding on 2 consecutive Monitoring days	0	0	0	0	0	0	0	
Annual Average	61	28	9	16	0.57	16	BDL	
Yearly Max	93	44	12	25	1.31	27	BDL	
Yearly Min	18	9	5	10	0.13	4	BDL	






Ponda- 24 Hour TWA - PM10/ PM2.5 / SO2 / NO2 / CO / O3 / Pb are within the 24 Hour standard out of 104 monitoring days

Annual TWA - of PM10 is 61 µg/m3 which is exceeding the annual standard while that of PM2.5 is 28 µg/m3 which is within the permissible annual standard.

Percentage of Air Quality index - for the year is GOOD - 38%, SATISFACTORY - 62%, MODERATE - NIL, POOR - NIL, VERY POOR - NIL and SEVERE - NIL

Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026								
Station: Rooftop of Ravindra Bhavan Building-775						City: Margao		
Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)
Standard:- Annual	60	40	50	40	NA	NA	0.5	
Standard:- 24 Hrly	100	60	80	80	4 (1hr)	180 (1hr)	1	
Total days monitored	104	104	104	104	104	104	104	
Exceeded days	0	0	0	0	0	0	0	TWA - Time Weighted Average
No of times Exceeding on 2 consecutive Monitoring days	0	0	0	0	0	0	0	
Annual Average	53	24	7	14	0.48	15	BDL	
Yearly Max	79	38	12	24	1.24	25	BDL	
Yearly Min	18	7	4	9	0.12	4	BDL	



Margao- 24 Hour TWA - PM10/PM2.5 / SO₂ / NO₂ / CO / O₃ / Pb are within the 24 Hour standard out of 104 monitoring days

Annual TWA - of PM10 is 53 µg/m³ while that of PM2.5 is 24 µg/m³ which is within the permissible annual standard.




Percentage of Air Quality index - for the year is GOOD - 43%, SATISFACTORY - 57%, MODERATE - NIL, POOR - NIL, VERY POOR - NIL and SEVERE - NIL

Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026

Station: Residence of Mr. Rama Naik, Assanora Junction-634

City: Assanora

Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)
Standard:- Annual	60	40	50	40	NA	NA	0.5	
Standard:- 24 Hrly	100	60	80	80	4 (1hr)	180 (1hr)	1	
Total days monitored	104	104	104	104	104	104	104	
Exceeded days	0	0	0	0	0	0	0	TWA - Time Weighted Average
No of times Exceeding on 2 consecutive Monitoring days	0	0	0	0	0	0	0	
Annual Average	55	25	8	14	0.53	15	BDL	
Yearly Max	84	41	11	23	1.29	25	BDL	
Yearly Min	20	9	5	10	0.13	4	BDL	






Assanora- 24 Hour TWA - PM10/ PM2.5 / SO2 / NO2 / CO / O3 / Pb are within the 24 Hour standard out of 104 monitoring days

Annual TWA - of PM₁₀ is 55 µg/m³ while that of PM_{2.5} is 25 µg/m³ which is within the permissible annual standard.

Percentage of Air Quality index - for the year is GOOD - 41%, SATISFACTORY - 59%, MODERATE - NIL, POOR - NIL, VERY POOR - NIL and SEVERE - NIL


Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026								
Station: Residence of Mr. Sagun Ramkrishna Fadte-633						City: Amona		
Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb	Pollutants concentration in µg/m ³ (except for *CO which is in mg/m ³)
Standard:- Annual	60	40	50	40	NA	NA	0.5	
Standard:- 24 Hrly	100	60	80	80	4 (1hr)	180 (1hr)	1	
Total days monitored	104	104	104	104	104	104	104	
Exceeded days	0	0	0	0	0	0	0	TWA - Time Weighted Average
No of times Exceeding on 2 consecutive Monitoring days	0	0	0	0	0	0	0	
Annual Average	55	25	8	14	0.51	15	BDL	
Yearly Max	79	37	11	24	1.24	26	BDL	
Yearly Min	24	11	5	10	0.15	3	BDL	





Amona- 24 Hour TWA - PM10/ PM2.5 / SO2 / NO2 / CO / O3 / Pb are within the 24 Hour standard out of 105 monitoring days

Annual TWA - of PM10 is 55 µg/m³ while that of PM2.5 is 25 µg/m³ which is within the permissible annual standard.

Percentage of Air Quality index - for the year is GOOD - 38%, SATISFACTORY - 62%, MODERATE - NIL, POOR - NIL, VERY POOR - NIL and SEVERE - NIL






Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026							
Station: Near Ajoba temple, Honda junction-631					City: Honda		
Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb
Standard:- Annual	60	40	50	40	NA	NA	0.5
Standard:- 24 Hrly	100	60	80	80	4 (1hr)	180 (1hr)	1
Total days monitored	104	104	104	104	104	104	104
Exceeded days	0	0	0	0	0	0	0
No of times Exceeding on 2 consecutive Monitoring days	0	0	0	0	0	0	0
Annual Average	58	26	8	15	0.56	16	BDL
Yearly Max	89	44	11	25	1.22	25	BDL
Yearly Min	19	8	5	9	0.15	4	BDL
Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							
TWA - Time Weighted Average							
SO2/NO2 Concentration Concentration in µg/m3 NAAQS for 24 hrs SO2 - 80 µg/m3 NO2 - 80 µg/m3  Date							
PM10/PM2.5 Concentration Concentration in µg/m3 NAAQS for 24 hrs PM10 - 100 µg/m3 PM2.5 - 60 µg/m3  Date							
Percentage of Monitoring Days as per AQI 37% 63% Good (G) Satisfactory (S) Moderate (M) Poor (P) Very Poor (VP) Severe (SEV)							
Honda- 24 Hour TWA - All the analysed parameters that is PM10 / PM2.5 / SO2 / NO2 / CO / O3 / Pb are within the 24 Hour standard out of 104 monitoring days							
Annual TWA - of PM10 is 58 µg/m3 while that of PM2.5 is 26 µg/m3 which is within the permissible annual standard.							
Percentage of Air Quality index - for the year is GOOD - 37%, SATISFACTORY - 63%, MODERATE - NIL, POOR - NIL, VERY POOR - NIL and SEVERE - NIL							

Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026

Station: Residence of J. Natekar, Usgao Junction-629

City: Usgao

Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)
Standard:- Annual	60	40	50	40	NA	NA	0.5	
Standard:- 24 Hrly	100	60	80	80	4 (1hr)	180 (1hr)	1	
Total days monitored	104	104	104	104	104	104	104	
Exceeded days	0	0	0	0	0	0	0	TWA - Time Weighted Average
No of times Exceeding on 2 consecutive Monitoring days	0	0	0	0	0	0	0	
Annual Average	59	27	8	15	0.54	15	BDL	
Yearly Max	87	43	13	25	1.34	26	BDL	
Yearly Min	25	11	5	9	0.12	4	BDL	



Usgao - 24 Hour TWA - PM10/ PM2.5 / SO2 / NO2 / CO / O3 / Pb are within the 24 Hour standard out of 104 monitoring days

Annual TWA - of PM₁₀ is 59 µg/m³ while that of PM_{2.5} is 27 µg/m³ which is within the permissible annual standard.




Percentage of Air Quality index - for the year is GOOD - 37%, SATISFACTORY - 63%, MODERATE - NIL, POOR - NIL, VERY POOR - NIL and SEVERE - NIL

Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026

Station: Premises of Somnath English High School-630

City: Codli

Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)
Standard:- Annual	60	40	50	40	NA	NA	0.5	
Standard:- 24 Hrly	100	60	80	80	4 (1hr)	180 (1hr)	1	
Total days monitored	104	104	104	104	104	104	104	
Exceeded days	0	0	0	0	0	0	0	TWA - Time Weighted Average
No of times Exceeding on 2 consecutive Monitoring days	0	0	0	0	0	0	0	
Annual Average	53	24	7	14	0.43	15	BDL	
Yearly Max	82	38	11	23	1.23	25	BDL	
Yearly Min	18	7	5	9	0.11	5	BDL	



Codli- 24 Hour TWA - PM10/ PM2.5 / SO2 / NO2 / CO / O3 / Pb are within the 24 Hour standard out of 104 monitoring days

Annual TWA - of PM₁₀ is 53 µg/m³ while that of PM_{2.5} is 24 µg/m³ which is within the permissible annual standard.

Percentage of Air Quality index - for the year is GOOD - 41%, SATISFACTORY - 59%, MODERATE - NIL, POOR - NIL, VERY POOR - NIL and SEVERE - NIL

Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026								
Station: Rooftop of PWD Office, Near Bus Stand-777							City: Sanguem	
Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb	Pollutants concentration in µg/m ³ (except for *CO which is in mg/m ³)
Standard:- Annual TWA	60	40	50	40	NA	NA	0.5	
Standard:- 24 Hrly	100	60	80	80	4 (1hr)	180 (1hr)	1	
Total days monitored	104	104	104	104	104	104	104	TWA - Time Weighted Average
Exceeded days	0	0	0	0	0	0	0	
No of times Exceeding on 2 consecutive Monitoring days	0	0	0	0	0	0	0	
Annual Average	54	25	7	14	0.50	15	BDL	
Yearly Max	85	43	11	23	1.12	26	BDL	
Yearly Min	18	8	5	10	0.16	4	BDL	

SO2/NO2 Concentration

PM10/PM2.5 Concentration

Percentage of Monitoring Days as per AQI

Sanguem - 24 Hour TWA - PM10/ PM2.5 / SO₂ / NO₂ / CO / O₃ / Pb are within the 24 Hour standard out of 104 monitoring days

Annual TWA - of PM10 is 54 µg/m³ while that of PM2.5 is 25 µg/m³ which is within the permissible annual standard.

Percentage of Air Quality index - for the year is GOOD - 37%, SATISFACTORY - 63%, MODERATE - NIL, POOR - NIL, VERY POOR - NIL and SEVERE - NIL




Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026								
Station: Residence of D. Rivonkar, Tilamol Junction-778							City: Tilamol	
Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)
Standard:- Annual TWA	60	40	50	40	NA	NA	0.5	
Standard:- 24 Hrly TWA	100	60	80	80	4 (1hr)	180 (1hr)	1	
Total days monitored	104	104	104	104	104	104	104	
Exceeded days	0	0	0	0	0	0	0	TWA - Time Weighted Average
No of times Exceeding on 2 consecutive Monitoring days	0	0	0	0	0	0	0	
Annual Average	68	31	10	17	0.61	16	BDL	
Yearly Max	93	46	13	26	1.35	26	BDL	
Yearly Min	36	15	6	12	0.17	5	BDL	
SO2/NO2 Concentration NAAQS for 24 hrs SO2 - 80 µg/m3 NO2 - 80 µg/m3								
PM10/PM2.5 Concentration NAAQS for 24 hrs PM10 - 100 µg/m3 PM2.5 - 60 µg/m3								
Percentage of Monitoring Days as per AQI Good (G) Satisfactory (S) Moderate (M) Poor (P) Very Poor (VP) Severe (SEV)								
Tilamol - 24 Hour TWA PM10/ PM2.5 / SO2 / NO2 / CO / O3 / Pb are within the 24 Hour standard out of 104 monitoring days Annual TWA - of PM10 is 68 µg/m3 which is exceeding the annual standard while that of PM2.5 is 31 µg/m3 which is within the permissible annual standard. Percentage of Air Quality index - for the year is GOOD - 12%, SATISFACTORY - 88%, MODERATE - NIL, POOR - NIL, VERY POOR - NIL and SEVERE - NIL								

Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026

Station: Rooftop of Electricity panel room at GSUDA market

City: Curchorem

Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)
Standard:- Annual	60	40	50	40	NA	NA	0.5	
Standard:- 24 Hrly	100	60	80	80	4 (1hr)	180 (1hr)	1	
Total days monitored	104	104	104	104	104	104	104	
Exceeded days	0	0	0	0	0	0	0	TWA - Time Weighted Average
No of times Exceeding on 2 consecutive Monitoring days	0	0	0	0	0	0	0	
Annual Average	61	28	9	16	0.64	17	BDL	
Yearly Max	91	44	13	25	1.38	29	BDL	
Yearly Min	22	11	5	10	0.17	3	BDL	



Curchorem - 24 Hour TWA - All the analysed parameters that is PM10 / PM2.5 / SO2 / NO2 / CO / O3 / Pb are within the 24 Hour standard out of 104 monitoring days.

Annual TWA - of PM10 is 61 µg/m3 which is exceeding the annual limit while that of PM2.5 is 28 µg/m3 which is within limit





Percentage of Air Quality index - Percentage of Air Quality index - for the year is GOOD - 32% , SATISFACTORY - 68%, MODERATE - NIL, POOR - NIL, VERY POOR - NIL, SEVERE - NIL

Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026

Station: Rooftop of Power Station, Cuncolim Ind Estate-781	City: Cuncolim
---	-----------------------

Station: Rooftop of Power Station, Cuncolim Ind Estate-781	City: Cuncolim
---	-----------------------

Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	As	Pb	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)
Standard:- Annual	60	40	50	40	NA	NA	6	0.5	
Standard:- 24 Hrly	100	60	80	80	4 (1hr)	180 (1hr)	NA	1	
Total days monitored	104	104	104	104	104	104	104	104	
Exceeded days	0	0	0	0	0	0	0	0	TWA - Time Weighted Average
No of times Exceeding on 2 consecutive Monitoring days	0	0	0	0	0	0	0	0	
Annual Average	66	30	10	17	1	17	0	BDL	
Yearly Max	87	47	14	26	1	29	1	BDL	
Yearly Min	29	14	7	10	0	4	0	BDL	






Cuncolim - 24 Hour TWA - PM10/ PM2.5 / SO2 / NO2 / CO / O3 / Pb are within the 24 Hour standard out of 104 monitoring days

Annual TWA - of PM10 is 66 µg/m3 which is exceeding the annual standard while that of PM2.5 is 30 µg/m3 which is within the permissible annual standard.

Percentage of Air Quality index - for the year is GOOD - 12%, SATISFACTORY - 80%, MODERATE - 8%, POOR - NIL, VERY POOR - NIL and SEVERE - NIL

Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026								
Station: Near IDC Office-780					City: Kundaim			
Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)
Standard:- Annual	60	40	50	40	NA	NA	0.5	
Standard:- 24 Hrly	100	60	80	80	4 (1hr)	180 (1hr)	1	
Total days monitored	104	104	104	104	104	104	104	TWA - Time Weighted Average
Exceeded days	0	0	0	0	0	0	0	
No of times Exceeding on 2 consecutive Monitoring days	0	0	0	0	0	0	0	
Annual Average	64	29	9	16	0.63	15	BDL	
Yearly Max	92	46	13	25	1.34	27	BDL	
Yearly Min	23	10	5	10	0.17	4	BDL	






Kundaim- 24 Hour TWA - PM₁₀/ PM_{2.5} / SO₂ / NO₂ / CO / O₃ / Pb are within the 24 Hour standard out of 104 monitoring days

Annual TWA - of PM₁₀ is 64 µg/m₃ which is exceeding the annual standard while that of PM_{2.5} is 29 µg/m₃ which is within the permissible annual standard.

Percentage of Air Quality index - for the year is GOOD - 27%, SATISFACTORY - 73%, MODERATE - NIL, POOR - NIL, VERY POOR - NIL and SEVERE - NIL

Interpretation / Graphical Representation of Annual NAMP data from April 2025 to March 2026								
Station: Tuem Industrial Estate Near ESIC Hospital-779							City: Tuem	
Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)
Standard:- Annual	60	40	50	40	NA	NA	0.5	
Standard:- 24 Hrly	100	60	80	80	4 (1hr)	180 (1hr)	1	
Total days monitored	105	105	105	105	105	105	105	
Exceeded days	0	0	0	0	0	0	0	TWA - Time Weighted Average
No of times Exceeding on 2 consecutive Monitoring days	0	0	0	0	0	0	0	
Annual Average	60	28	9	16	0.60	16	BDL	
Yearly Max	89	43	12	24	1.31	27	BDL	
Yearly Min	19	8	5	10	0.18	3	BDL	



Tuem- 24 Hour TWA - All the analysed parameters that is PM₁₀ / PM_{2.5} / SO₂ / NO₂ / CO / O₃ / Pb are within the 24 Hour standard out of 105 monitoring days

Annual TWA - of PM₁₀ is 60 µg/m³ while that of PM_{2.5} is 28 µg/m³ which is within the permissible annual standard.

Percentage of Air Quality index - for the year is GOOD - 35%, SATISFACTORY - 65%, MODERATE - NIL, POOR - NIL, VERY POOR - NIL and SEVERE - NIL

Mitigation strategies to control pollution levels

A. Vehicular Emission Control

Sl. No.	Mitigation Measures
i)	Launch extensive drive against polluting vehicles for ensuring strict compliance.
ii)	Launch public awareness campaign for air pollution control, vehicle maintenance, minimizing use of personal vehicles, lane discipline etc.
iii)	Prevent parking of vehicles in the non-designated areas.
iv)	Initiate steps for retrofitting of particular filters in diesel vehicles, when BS-V fuels are available.
v)	Prepare action plan to check fuel adulteration and random monitoring of fuel quality data.
vi)	Prepare plan for widening of road and improvement of infrastructure for decongestion of road.
vii)	Prepare plan for construction of expressways/ bypasses to avoid congestion due to non-destined vehicles.
viii)	Steps for promoting battery operated vehicles.
ix)	Install weigh in motion bridges at the borders of cities / towns and states to prevent overloading of vehicles.
x)	Synchronize traffic movements/Introduce intelligent traffic systems for lane- driving.
xi)	Installation of remote sensor based PUC system.

B. Re-suspension of road dust and other fugitive emissions control.

Sr. No.	Mitigation Measures
1.	Prepare plan for creation of green buffers along the traffic corridors.
2.	Maintain potholes free roads for free-flow of traffic.
3.	Introduce water fountains at major traffic intersection, wherever feasible.
4.	Greening of open areas, gardens, community places, schools and housing societies.
5.	Blacktopping of metaled road including pavement of road shoulders.

(C) Control of emissions form biomass / crop residue/garbage/municipal solid waste burning

Sl. No.	Mitigation Measures
1.	Launch extensive drive against open burning of bio-mass, crop residue, garbage, leaves etc.
2.	Regular check and control of burning of municipal solid wastes
3.	Proper collection of horticulture waste (bio-mass) and its disposal following composting – cum- gardening approach.
4.	Ensure ban on burning of agriculture waste and crop residues and its implementation.

(D) Control of industrial emissions

Sl. No.	Mitigation Measures
1.	Action against non-complying industrial units
2.	To check Air Pollution Control Devices and measures for control of Fugitive Emission and source monitoring
3.	To conduct Ambient Air Quality Monitoring system and Online stack monitoring system

(E) Control of air pollution from construction and demolition activities

Sl. No.	Mitigation Measures
1.	Enforcement of Construction and Demolition Rules.
2.	Control measures for fugitive emission from material handling, conveying and screening operations through water sprinkling, curtains, barriers and dust suppression units.
3.	Ensure carriage of construction material in closed/ covered vessels.

Other control Measures

- Construction of roads to be in compliant with the National Highways Authority of India (NHAI) standards to address pollution on highways, primarily focusing on air quality and dust control.
- Registered Vehicle Scrapping Policy of Goa, 2023 is formalized and it mandates phasing out of old diesel vehicles as per BS-VI.
- Develop pedestrian-friendly and bicycle-friendly infrastructure.
- Creation of Public Awareness about the health risks of PM10 and PM2.5 and ways to reduce exposure.
- Shifting to LPG/ PNG-Laying of PNG for household in Some of the cities such as Panjim, Ponda ,Margao are in progress.
- Industries have been mandated to comply with the Environment Sustainability Goals (ESG), Circular Economy, and Green Building.
- Use of public transport or carpooling applications instead of personal vehicles wherever and whenever possible.

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026										
Station: Near Dempo Towers, Patto plaza -327								City: Panaji		
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg		
1	01-04-2025	75	35	11	15	1.12	22.34	0.06	75	Satisfactory
2	04-04-2025	68	33	9	13	0.84	20.34	0.04	68	Satisfactory
3	08-04-2025	76	37	11	16	1.05	23.78	0.03	76	Satisfactory
4	11-04-2025	72	34	11	15	1.17	19.48	0.04	72	Satisfactory
5	15-04-2025	64	32	10	14	1.23	22.34	0.02	64	Satisfactory
6	18-04-2025	70	34	9	16	0.96	20.62	0.03	70	Satisfactory
7	22-04-2025	78	37	11	14	1.35	21.48	0.05	78	Satisfactory
8	25-04-2025	65	31	9	14	0.73	18.33	0.03	65	Satisfactory
9	29-04-2025	73	35	9	15	0.91	20.91	0.06	73	Satisfactory
10	02-05-2025	71	34	10	14	1.03	21	0.05	71	Satisfactory
11	06-05-2025	79	37	9	15	1.12	19	0.07	79	Satisfactory
12	09-05-2025	66	33	10	14	0.97	20	0.04	66	Satisfactory
13	13-05-2025	62	30	9	13	1.24	23	0.06	62	Satisfactory
14	16-05-2025	75	34	10	15	1.08	20	0.05	75	Satisfactory
15	20-05-2025	51	23	8	13	0.75	17	0.02	51	Satisfactory
16	23-05-2025	43	17	7	11	0.46	15	0.01	43	Good
17	27-05-2025	37	15	7	10	0.32	11	0.03	37	Good
18	30-05-2025	50	22	8	11	0.41	13	0.05	50	Good
19	03-06-2025	57	27	9	12	0.54	14.61	0.03	57	Satisfactory
20	06-06-2025	67	30	10	15	0.71	16.33	0.05	67	Satisfactory
21	10-06-2025	55	24	8	14	0.86	12.29	0.02	55	Satisfactory
22	13-06-2025	46	19	8	14	0.95	13.75	0.04	48	Good
23	17-06-2025	39	17	7	12	0.63	11.46	0.03	39	Good
24	20-06-2025	33	14	7	10	0.34	9.17	0.01	33	Good
25	24-06-2025	46	20	7	10	0.25	7.45	0.02	46	Good
26	27-06-2025	38	17	8	12	0.19	8.59	0.05	38	Good
27	01-07-2025	41	17	7	10	0.38	9.45	0.05	41	Good
28	04-07-2025	33	15	6	10	0.26	7.16	0.02	33	Good
29	08-07-2025	48	20	9	13	0.45	8.31	0.04	48	Good
30	11-07-2025	39	16	6	10	0.31	6.59	0.07	39	Good
31	15-07-2025	30	14	7	12	0.27	5	0.053	30	Good
32	18-07-2025	45	18	9	13	0.49	8	0.033	45	Good

33	22-07-2025	26	10	6	10	0.36	6	0.023	26	Good
34	25-07-2025	53	24	9	13	0.24	9	0.053	53	Satisfactory
35	29-07-2025	38	17	7	12	0.59	7	0.033	38	Good
36	01-08-2025	49	21	9	13	0.42	11	0.073	49	Good
37	05-08-2025	36	14	7	11	0.31	9	0.047	36	Good
38	08-08-2025	28	12	7	11	0.26	9	0.030	28	Good
39	12-08-2025	22	8	5	10	0.17	5	0.057	22	Good
40	14-08-2025	44	20	9	14	0.55	6	0.090	44	Good
41	19-08-2025	31	13	6	10	0.29	7	0.070	31	Good
42	22-08-2025	38	15	5	11	0.34	4	0.053	38	Good
43	26-08-2025	26	11	5	10	0.25	5	0.023	26	Good
44	29-08-2025	40	17	6	10	0.47	7	0.057	40	Good
45	02-09-2025	35	16	8	14	0.52	10	0.04	35	Good
46	05-09-2025	45	19	9	15	0.69	12	0.08	45	Good
47	09-09-2025	40	16	9	13	0.37	11	0.11	40	Good
48	12-09-2025	52	24	7	14	0.46	9	0.14	52	Satisfactory
49	16-09-2025	58	27	10	15	0.65	11	0.17	58	Satisfactory
50	19-09-2025	41	17	8	12	0.41	9	0.13	41	Good
51	23-09-2025	55	25	11	15	0.58	11	0.15	55	Satisfactory
52	26-09-2025	61	28	10	14	0.62	11	0.12	61	Satisfactory
53	30-09-2025	46	21	7	12	0.34	7	0.09	46	Good
54	03-10-2025	43	19	9	13	0.73	11	0.08	43	Good
55	07-10-2025	54	25	11	14	0.52	9	0.15	54	Satisfactory
56	10-10-2025	48	22	9	13	0.46	11	0.11	48	Good
57	13-10-2025	79	36	11	16	0.79	13	0.23	79	Satisfactory
58	14-10-2025	64	25	8	14	0.51	11	0.05	64	Satisfactory
59	15-10-2025	82	39	11	17	0.83	14	0.24	82	Satisfactory
60	16-10-2025	57	25	7	13	0.54	10	0.06	57	Satisfactory
61	17-10-2025	72	31	10	14	0.70	12	0.19	72	Satisfactory
62	18-10-2025	81	36	10	17	0.86	15	0.12	81	Satisfactory
63	19-10-2025	77	34	10	13	0.65	11	0.09	77	Satisfactory
64	20-10-2025	53	23	6	11	0.41	9	0.04	53	Satisfactory
65	21-10-2025	59	27	8	14	0.56	10	0.05	59	Satisfactory
66	22-10-2025	51	21	7	13	0.38	11	0.04	51	Satisfactory
67	23-10-2025	70	31	9	14	0.59	14	0.04	70	Satisfactory
68	24-10-2025	54	21	6	11	0.31	7	0.01	54	Satisfactory
69	25-10-2025	58	25	7	12	0.46	7	0.02	58	Satisfactory

70	26-10-2025	50	19	6	10	0.25	4	0.02	50	Good
71	27-10-2025	45	17	6	10	0.31	5	0.02	45	Good
72	28-10-2025	62	26	11	15	0.30	8	0.08	62	Satisfactory
73	31-10-2025	50	22	7	11	0.39	5	0.10	50	Satisfactory
74	04-11-2025	54	21	8	12	0.37	9	0.07	54	Satisfactory
75	07-11-2025	49	23	9	13	0.51	11	0.11	49	Good
76	11-11-2025	55	27	10	14	0.68	11	0.08	55	Satisfactory
77	14-11-2025	67	33	9	15	0.76	13	0.10	67	Satisfactory
78	18-11-2025	77	36	11	17	0.51	16	0.13	77	Satisfactory
79	21-11-2025	84	41	11	17	0.64	15	0.17	84	Satisfactory
80	25-11-2025	81	37	11	16	0.39	13	0.11	81	Satisfactory
81	28-11-2025	77	34	9	19	0.58	15	0.19	77	Satisfactory
82	02-12-2025	74	33	11	17	0.63	17	0.16	74	Satisfactory
83	05-12-2025	79	39	9	18	0.71	16	0.20	79	Satisfactory
84	09-12-2025	65	30	7	16	0.58	15	0.23	65	Satisfactory
85	12-12-2025	82	37	10	19	0.83	17	0.26	82	Satisfactory
86	16-12-2025	57	26	6	14	0.67	21	0.15	57	Satisfactory
87	18-12-2025	71	32	8	17	0.72	23	0.18	71	Satisfactory
88	23-12-2025	78	35	10	19	0.58	21	0.23	78	Satisfactory
89	26-12-2025	86	41	12	22	0.81	20	0.25	86	Satisfactory
90	30-12-2025	81	39	10	19	0.74	23	0.21	81	Satisfactory
91	02-01-2026	74	35	8	18	0.54	22	0.20	74	Satisfactory
92	06-01-2026	82	40	11	22	0.79	24	0.27	82	Satisfactory
93	09-01-2026	78	37	9	20	0.71	20	0.17	78	Satisfactory
94	13-01-2026	85	42	12	22	0.84	26	0.32	85	Satisfactory
95	17-01-2026	73	35	10	21	0.56	22	0.24	73	Satisfactory
96	20-01-2026	80	38	10	20	0.68	21	0.27	80	Satisfactory
97	23-01-2026	70	34	9	23	0.53	24	0.21	70	Satisfactory
98	27-01-2026	85	41	10	24	0.47	21	0.23	85	Satisfactory
99	30-01-2026	72	32	8	21	0.6	18	0.19	72	Satisfactory
100	03-02-2026	79	37	9	21	0.63	19	0.22	79	Satisfactory
101	06-02-2026	68	33	6	18	0.41	23	0.17	68	Satisfactory
102	10-02-2026	84	41	6	22	0.59	24	0.24	84	Satisfactory
103	13-02-2026	70	33	7	17	0.75	22	0.20	70	Satisfactory
104	17-02-2026	65	32	9	23	0.62	24	0.23	65	Satisfactory
105	20-02-2026	78	36	8	20	0.81	23	0.26	78	Satisfactory
106	24-02-2026	62	28	6	24	0.7	20	0.31	62	Satisfactory

107	27-02-2026	72	35	10	22	0.56	26	0.23	72	Satisfactory
108	03-03-2026	81	38	8	20	0.71	22	0.21	81	Satisfactory
109	06-03-2026	77	35	7	17	0.49	23	0.19	77	Satisfactory
110	10-03-2026	85	43	9	22	0.55	25	0.16	85	Satisfactory
111	13-03-2026	88	47	10	24	0.69	23	0.17	88	Satisfactory
112	17-03-2026	75	35	6	21	0.84	26	0.22	75	Satisfactory
113	20-03-2026	80	38	8	22	0.71	26	0.21	80	Satisfactory
114	24-03-2026	88	43	9	24	0.54	24	0.19	88	Satisfactory
115	27-03-2026	72	37	7	20	0.79	24	0.15	72	Satisfactory
116	31-03-2026	85	43	8	20	0.63	26	0.23	85	Satisfactory
* No Monitoring										

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026										
Station: Within the premises of Muncipal Building-775								City: Mapusa		
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg		
1	01-04-2025	78	40	11	16	1.19	19.48	0.05	78	Satisfactory
2	05-04-2025	75	34	13	17	1.03	21.77	0.07	75	Satisfactory
3	08-04-2025	72	34	11	18	1.32	20.91	0.05	72	Satisfactory
4	11-04-2025	83	38	11	17	1.10	18.62	0.03	83	Satisfactory
5	15-04-2025	67	30	10	15	1.25	20.34	0.06	67	Satisfactory
6	19-04-2025	75	37	12	15	1.17	22.92	0.04	75	Satisfactory
7	22-04-2025	81	39	9	15	0.92	19.77	0.05	81	Satisfactory
8	26-04-2025	87	43	10	17	1.06	21.48	0.07	87	Satisfactory
9	29-04-2025	79	37	11	15	1.21	20.05	0.04	79	Satisfactory
10	02-05-2025	76	35	12	16	1.24	21.20	0.06	76	Satisfactory
11	06-05-2025	69	33	11	16	1.17	23.20	0.04	69	Satisfactory
12	09-05-2025	63	31	9	15	1.05	20.34	0.03	63	Satisfactory
13	13-05-2025	73	34	11	14	0.93	22.06	0.05	73	Satisfactory
14	16-05-2025	78	38	11	17	1.14	21.77	0.03	78	Satisfactory
15	20-05-2025	56	22	9	12	0.78	17.19	0.02	56	Satisfactory
16	23-05-2025	45	18	7	12	0.65	15.75	0.01	45	Good
17	27-05-2025	33	15	6	11	0.54	13.46	0.03	33	Good
18	30-05-2025	49	21	9	12	0.42	11.74	0.04	49	Good
19	03-06-2025	60	26	7	13	0.82	14.61	0.03	60	Satisfactory
20	06-06-2025	69	32	9	15	0.97	16.89	0.02	69	Satisfactory
21	10-06-2025	53	23	8	13	0.75	15.32	0.05	53	Satisfactory
22	13-06-2025	46	19	8	12	0.69	12.89	0.02	46	Good
23	17-06-2025	40	16	9	12	0.48	10.31	0.03	40	Good
24	20-06-2025	33	13	6	11	0.36	8.59	0.02	33	Good
25	24-06-2025	42	15	8	12	0.29	10.60	0.04	42	Good
26	27-06-2025	35	13	6	11	0.41	9.74	0.02	35	Good
27	01-07-2025	48	18	8	12	0.35	8.31	0.01	48	Good
28	04-07-2025	39	15	7	12	0.49	7.45	0.03	39	Good
29	08-07-2025	51	22	6	11	0.27	9.17	0.02	51	Satisfactory
30	11-07-2025	42	19	9	13	0.58	6.30	0.05	42	Good
31	15-07-2025	36	14	6	10	0.31	5	0.030	36	Good
32	18-07-2025	29	11	8	11	0.43	7	0.057	29	Good

33	22-07-2025	44	16	7	13	0.19	5	0.040	44	Good
34	25-07-2025	32	13	6	10	0.25	7	0.023	32	Good
35	29-07-2025	37	15	10	13	0.48	6	0.047	37	Good
36	01-08-2025	37	13	10	15	0.22	9	0.050	37	Good
37	05-08-2025	49	17	13	15	0.36	9	0.017	49	Good
38	08-08-2025	43	20	9	14	0.28	7	0.063	43	Good
39	12-08-2025	32	15	8	12	0.47	7	0.027	32	Good
40	16-08-2025	55	24	11	14	0.25	5	0.080	55	Satisfactory
41	19-08-2025	30	14	6	11	0.33	5	0.070	30	Good
42	22-08-2025	26	12	5	10	0.29	6	0.053	26	Good
43	26-08-2025	39	16	6	11	0.16	5	0.033	39	Good
44	29-08-2025	20	12	5	10	0.12	4	0.013	21	Good
45	02-09-2025	42	19	8	13	0.63	8	0.07	42	Good
46	05-09-2025	53	25	9	15	0.37	9	0.10	53	Satisfactory
47	09-09-2025	63	27	11	16	0.59	11	0.13	63	Satisfactory
48	12-09-2025	57	23	8	14	0.48	9	0.11	57	Satisfactory
49	16-09-2025	66	29	10	14	0.51	10	0.14	66	Satisfactory
50	19-09-2025	71	33	11	16	0.64	12	0.12	71	Satisfactory
51	23-09-2025	59	27	7	12	0.42	10	0.09	59	Satisfactory
52	26-09-2025	65	30	10	15	0.60	11	0.11	65	Satisfactory
53	30-09-2025	76	36	11	17	0.73	12	0.15	76	Satisfactory
54	03-10-2025	53	23	8	13	0.52	11	0.11	53	Satisfactory
55	07-10-2025	63	28	11	15	0.64	11	0.16	63	Satisfactory
56	10-10-2025	47	23	9	15	0.41	10	0.13	47	Good
57	14-10-2025	60	30	10	16	0.59	12	0.17	60	Satisfactory
58	17-10-2025	68	29	9	14	0.68	8	0.14	68	Satisfactory
59	22-10-2025	50	22	10	13	0.75	11	0.10	50	Satisfactory
60	24-10-2025	42	18	8	13	0.34	8	0.07	42	Good
61	28-10-2025	37	16	6	12	0.51	11	0.05	37	Good
62	31-10-2025	30	14	5	10	0.27	6	0.02	30	Good
63	04-11-2025	37	15	8	11	0.34	9	0.08	37	Good
64	07-11-2025	45	21	9	14	0.41	12	0.11	45	Good
65	11-11-2025	52	24	11	14	0.29	11	0.09	52	Satisfactory
66	14-11-2025	61	29	7	12	0.57	14	0.13	61	Satisfactory
67	18-11-2025	55	23	6	10	0.34	15	0.11	55	Satisfactory
68	21-11-2025	73	32	8	14	0.68	18	0.15	73	Satisfactory
69	25-11-2025	77	35	9	15	0.52	22	0.18	77	Satisfactory

70	28-11-2025	82	38	10	17	0.76	24	0.21	82	Satisfactory
71	02-12-2025	94	41	9	19	0.86	26	0.24	94	Satisfactory
72	05-12-2025	87	39	9	21	0.71	23	0.19	87	Satisfactory
73	09-12-2025	91	44	10	22	0.84	26	0.21	91	Satisfactory
74	12-12-2025	75	37	10	25	0.6	23	0.16	75	Satisfactory
75	16-12-2025	96	45	9	22	0.77	20	0.25	96	Satisfactory
76	18-12-2025	89	43	10	24	0.89	23	0.22	89	Satisfactory
77	23-12-2025	85	41	9	18	0.63	27	0.19	85	Satisfactory
78	26-12-2025	92	37	11	22	0.75	24	0.26	92	Satisfactory
79	30-12-2025	88	43	8	17	0.82	27	0.24	88	Satisfactory
80	02-01-2026	82	38	8	20	0.59	20	0.26	82	Satisfactory
81	06-01-2026	95	45	11	24	0.71	23	0.35	95	Satisfactory
82	09-01-2026	88	41	9	22	0.89	24	0.29	88	Satisfactory
83	13-01-2026	79	35	8	19	0.43	17	0.23	79	Satisfactory
84	16-01-2026	85	39	11	24	0.54	20	0.20	85	Satisfactory
85	20-01-2026	90	42	9	21	0.62	18	0.28	90	Satisfactory
86	23-01-2026	78	37	10	20	0.85	22	0.23	78	Satisfactory
87	27-01-2026	85	40	10	21	0.78	24	0.25	85	Satisfactory
88	30-01-2026	92	44	11	22	0.61	20	0.21	92	Satisfactory
89	03-02-2026	92	44	9	22	0.93	23	0.21	92	Satisfactory
90	06-02-2026	87	41	8	20	0.54	22	0.24	87	Satisfactory
91	10-02-2026	95	45	11	25	0.76	25	0.27	95	Satisfactory
92	13-02-2026	80	37	10	22	0.68	23	0.18	80	Satisfactory
93	17-02-2026	85	39	11	23	0.53	20	0.21	85	Satisfactory
94	20-02-2026	94	44	12	25	0.71	28	0.25	94	Satisfactory
95	24-02-2026	79	37	9	22	0.85	24	0.17	79	Satisfactory
96	27-02-2026	89	41	8	19	0.68	23	0.29	89	Satisfactory
97	03-03-2026	96	45	11	23	0.88	25	0.17	96	Satisfactory
98	06-03-2026	79	38	8	27	0.95	23	0.25	79	Satisfactory
99	10-03-2026	85	40	10	23	0.81	24	0.22	85	Satisfactory
100	13-03-2026	94	46	10	20	0.63	26	0.31	94	Satisfactory
101	17-03-2026	90	42	11	25	0.52	24	0.29	90	Satisfactory
102	20-03-2026	82	38	10	22	0.96	26	0.25	82	Satisfactory
103	24-03-2026	88	44	11	25	0.71	25	0.30	88	Satisfactory
104	27-03-2026	92	45	12	26	0.83	26	0.32	92	Satisfactory
105	31-03-2026	74	36	9	22	0.55	24	0.27	74	Satisfactory
* No Monitoring										

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026								
Station:MPT Quarters-1253							City: Baina	
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)					AQI	AIR QLTY
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	NH ₃		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	24-hr avg		
1	02-04-2025	68	27	4	7	10	68	Satisfactory
2	04-04-2025	58	36	8	11	10	60	Satisfactory
3	09-04-2025	26	21	2	5	10	35	Good
4	11-04-2025	47	32	5	5	10	53	Satisfactory
5	15-04-2025	47	32	2	5	21	53	Satisfactory
6	17-04-2025	26	21	2	5	10	35	Good
7	23-04-2025	31	16	2	5	10	31	Good
8	25-04-2025	32	13	2	5	10	32	Good
9	29-04-2025	42	19	2	5	22	42	Good
10	02-05-2025	54	18	2	3	35	54	Satisfactory
11	07-05-2025	42	19	2	3	10	42	Good
12	09-05-2025	68	21	4	3	10	68	Satisfactory
13	14-05-2025	37	6	2	8	22	37	Good
14	16-05-2025	41	13	2	8	24	41	Good
15	23-05-2025	84	16	2	3	46	84	Satisfactory
16	30-05-2025	93	29	2	3	84	93	Satisfactory
17	04-06-2025	148	30	4	7	10	132	Moderate
18	06-06-2025	99	29	4	11	20	99	Satisfactory
19	11-06-2025	79	16	2	6	37	79	Satisfactory
20	13-06-2025	20	29	2	3	94	48	Good
21	18-06-2025	99	22	2	3	29	99	Satisfactory
22	20-06-2025	27	19	2	3	95	32	Good
23	25-06-2025	55	21	8	3	22	55	Satisfactory
24	27-06-2025	42	25	2	3	30	42	Good
25	02-07-2025	21	12	2	3	10	21	Good
26	04-07-2025	39	21	4	3	77	39	Good
27	09-07-2025	105	21	2	3	27	103	Moderate
28	11-07-2025	67	16	4	12	10	67	Satisfactory
29	16-07-2025	48	20	4	3	23	48	Good
30	18-07-2025	50	23	2	3	10	50	Good
31	23-07-2025	43	MB	2	3	78	43	Good

32	25-07-2025	47	MB	2	3	48	47	Good
33	30-07-2025	99	37	2	19	10	99	Satisfactory
34	01-08-2025	60	19	2	4	10	60	Satisfactory
35	06-08-2025	60	19	2	11	10	60	Satisfactory
36	08-08-2025	47	34	2	6	28	57	Satisfactory
37	12-08-2025	216	27	7	3	10	177	Moderate
38	14-08-2025	44	34	2	3	10	57	Satisfactory
39	20-08-2025	124	45	2	3	10	116	Moderate
40	22-08-2025	81	28	2	3	40	81	Satisfactory
41	25-08-2025	56	13	4	3	10	56	Satisfactory
42	29-08-2025	27	17	2	3	28	28	Good
43	03-09-2025	100	29	5	5	31	100	Satisfactory
44	05-09-2025	96	40	6	5	21	96	Satisfactory
45	10-09-2025	68	19	2	5	28	68	Satisfactory
46	12-09-2025	48	17	2	9	10	48	Good
47	17-09-2025	36	14	2	5	25	36	Good
48	19-09-2025	38	24	4	5	10	40	Good
49	24-09-2025	57	14	2	5	25	57	Satisfactory
50	26-09-2025	57	21	4	5	27	57	Satisfactory
51	29-09-2025	35	26	2	5	39	43	Good
52	08-10-2025	170	16	2	10	21	147	Moderate
53	10-10-2025	46	27	4	5	20	46	Good
54	15-10-2025	90	38	2	5	10	90	Satisfactory
55	17-10-2025	55	36	5	11	29	60	Satisfactory
56	22-10-2025	31	9	2	13	27	31	Good
57	24-10-2025	32	15	4	5	27	32	Good
58	29-10-2025	73	30	50	9	50	58	Satisfactory
59	31-10-2025	61	19	2	5	46	66	Satisfactory
60	05-11-2025	50	30	2	5	10	61	Satisfactory
61	07-11-2025	120	34	4	9	10	71	Satisfactory
62	12-11-2025	130	61	2	20	26	37	Good
63	14-11-2025	88	59	7	5	10	97	Satisfactory
64	19-11-2025	60	20	4	5	10	71	Satisfactory
65	21-11-2025	59	35	2	10	10	111	Moderate
66	26-11-2025	95	65	2	16	10	107	Moderate
67	28-11-2025	196	108	5	38	10	73	Satisfactory

68	02-12-2025	69	58	2	13	10	45	Good
69	05-12-2025	90	69	2	22	15	147	Moderate
70	10-12-2025	123	69	2	42	10	143	Moderate
71	12-12-2025	90	50	2	34	10	130	Moderate
72	16-12-2025	127	73	2	33	10	95	Satisfactory
73	18-12-2025	102	37	2	46	10	52	Satisfactory
74	22-12-2025	115	68	2	36	10	55	Satisfactory
75	26-12-2025	110	66	2	35	27	120	Moderate
76	30-12-2025	130	83	2	24	10	177	Moderate
77	02-01-2026	94	10	2	19	10	94	Satisfactory
78	07-01-2026	65	42	2	14	13	70	Satisfactory
79	09-01-2026	94	62	2	22	10	107	Moderate
80	14-01-2026	87	30	2	24	10	87	Satisfactory
81	16-01-2026	94	60	2	16	10	100	Satisfactory
82	21-01-2026	99	64	2	5	25	113	Moderate
83	23-01-2026	96	23	2	5	10	96	Satisfactory
84	28-01-2026	69	38	2	12	10	69	Satisfactory
85	30-01-2026	114	71	2	17	10	135	Moderate
86	04-02-2026	96	66	2	12	10	120	Moderate
87	06-02-2026	89	59	2	11	10	98	Satisfactory
88	11-02-2026	79	49	2	11	10	82	Satisfactory
89	13-02-2026	90	51	2	13	10	90	Satisfactory
90	18-02-2026	85	56	2	5	12	93	Satisfactory
91	20-02-2026	84	41	2	31	10	84	Satisfactory
92	25-02-2026	82	41	2	23	10	82	Satisfactory
93	27-02-2026	60	16	2	22	10	60	Satisfactory
94	04-03-2026	85	57	2	20	10	96	Satisfactory
95	06-03-2026	84	69	2	8	10	128	Moderate
96	11-03-2026	57	48	2	13	10	80	Satisfactory
97	13-03-2026	45	43	2	5	10	72	Satisfactory
98	17-03-2026	30	10	2	11	10	30	Good
99	20-03-2026	58	12	2	19	10	58	Satisfactory
100	24-03-2026	44	37	2	16	10	62	Satisfactory
101	27-03-2026	51	42	2	12	10	70	Satisfactory
102	31-03-2026	29	24	2	14	10	40	Good
* No Monitoring MB-Machine Breakdown								

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026								
Station: Fuse Call Office-37						City: Vasco		
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)					AQI	AIR QLTY
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	NH ₃		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	24-hr avg		
1	02-04-2025	94	27	2	9	21	94	Satisfactory
2	04-04-2025	82	27	2	11	36	82	Satisfactory
3	09-04-2025	38	16	2	5	24	38	Good
4	11-04-2025	37	30	2	5	10	50	Good
5	15-04-2025	66	35	2	12	10	66	Satisfactory
6	17-04-2025	60	27	2	10	10	60	Satisfactory
7	23-04-2025	40	25	2	5	51	42	Good
8	25-04-2025	39	18	2	5	24	39	Good
9	29-04-2025	85	27	2	10	25	85	Satisfactory
10	02-05-2025	71	59	2	3	10	98	Satisfactory
11	07-05-2025	65	28	2	10	21	65	Satisfactory
12	09-05-2025	43	13	5	3	10	43	Good
13	14-05-2025	36	11	2	3	10	36	Good
14	16-05-2025	36	21	4	3	10	36	Good
15	23-05-2025	50	10	4	16	49	50	Good
16	30-05-2025	111	35	2	11	50	107	Moderate
17	04-06-2025	100	42	2	16	10	100	Satisfactory
18	06-06-2025	63	44	2	7	41	73	Satisfactory
19	11-06-2025	77	28	2	18	47	77	Satisfactory
20	13-06-2025	25	16	2	3	10	27	Good
21	18-06-2025	46	27	2	15	23	46	Good
22	20-06-2025	20	20	2	3	32	33	Good
23	25-06-2025	58	27	5	3	24	58	Satisfactory
24	27-06-2025	22	16	2	3	10	27	Good
25	02-07-2025	27	15	7	3	10	27	Good
26	04-07-2025	33	31	2	3	25	52	Satisfactory
27	09-07-2025	44	20	2	3	10	44	Good
28	11-07-2025	35	25	2	3	27	42	Good
29	16-07-2025	62	30	2	3	28	62	Satisfactory
30	18-07-2025	81	26	4	3	25	81	Satisfactory
31	23-07-2025	77	MB	2	3	26	77	Satisfactory

32	25-07-2025	42	MB	2	3	21	42	Good
33	30-07-2025	39	29	2	14	10	48	Good
34	01-08-2025	43	20	7	18	10	43	Good
35	06-08-2025	57	20	2	10	10	57	Satisfactory
36	08-08-2025	48	32	4	9	10	53	Satisfactory
37	12-08-2025	43	20	2	10	10	43	Good
38	14-08-2025	39	23	2	12	10	39	Good
39	20-08-2025	68	31	5	10	39	68	Satisfactory
40	22-08-2025	15	18	2	10	36	30	Good
41	25-08-2025	26	10	4	3	10	26	Good
42	29-08-2025	19	8	10	8	51	19	Good
43	03-09-2025	51	17	2	5	21	51	Satisfactory
44	05-09-2025	42	22	5	10	48	42	Good
45	10-09-2025	67	20	2	10	33	67	Satisfactory
46	12-09-2025	67	18	4	5	32	67	Satisfactory
47	17-09-2025	47	26	5	10	42	47	Good
48	19-09-2025	24	14	6	5	21	24	Good
49	24-09-2025	70	15	2	5	33	70	Satisfactory
50	26-09-2025	57	21	4	5	31	57	Satisfactory
51	29-09-2025	48	13	2	5	25	48	Good
52	08-10-2025	49	16	2	5	31	49	Good
53	10-10-2025	60	33	2	5	10	60	Satisfactory
54	15-10-2025	55	37	2	5	31	62	Satisfactory
55	17-10-2025	50	40	4	10	50	66	Satisfactory
56	22-10-2025	18	11	2	5	41	18	Good
57	24-10-2025	35	18	2	5	37	35	Good
58	29-10-2025	32	23	5	5	10	38	Good
59	31-10-2025	31	17	5	5	22	31	Satisfactory
60	05-11-2025	44	37	2	5	22	62	Good
61	07-11-2025	80	40	2	16	38	80	Satisfactory
62	12-11-2025	129	64	2	29	51	119	Satisfactory
63	14-11-2025	100	54	2	22	32	100	Good
64	19-11-2025	39	19	2	12	10	39	Satisfactory
65	21-11-2025	70	37	2	25	10	70	Moderate
66	26-11-2025	194	53	7	29	21	163	Moderate
67	28-11-2025	163	95	2	34	10	217	Moderate

68	02-12-2025	118	57	2	13	10	112	Moderate
69	05-12-2025	124	39	2	17	12	116	Moderate
70	10-12-2025	154	30	2	32	10	136	Moderate
71	12-12-2025	121	44	2	39	10	114	Moderate
72	16-12-2025	132	71	2	32	10	137	Moderate
73	18-12-2025	125	69	2	51	33	130	Moderate
74	22-12-2025	143	82	2	19	23	173	Moderate
75	26-12-2025	126	80	2	36	16	167	Moderate
76	30-12-2025	138	76	2	39	31	153	Moderate
77	02-01-2026	121	58	2	18	10	114	Moderate
78	07-01-2026	85	41	2	14	21	85	Satisfactory
79	09-01-2026	97	58	2	14	10	97	Satisfactory
80	14-01-2026	88	48	2	16	10	88	Satisfactory
81	16-01-2026	97	59	2	11	10	99	Satisfactory
82	21-01-2026	103	51	2	12	10	102	Moderate
83	23-01-2026	100	49	2	10	10	100	Moderate
84	28-01-2026	95	46	2	14	20	95	Satisfactory
85	30-01-2026	115	71	2	20	10	136	Moderate
86	04-02-2026	110	65	2	24	10	117	Moderate
87	06-02-2026	113	66	2	25	10	120	Moderate
88	11-02-2026	124	58	2	27	23	116	Moderate
89	13-02-2026	82	57	2	25	10	95	Satisfactory
90	18-02-2026	97	62	2	10	10	107	Moderate
91	20-02-2026	99	78	2	13	10	160	Moderate
92	25-02-2026	100	36	4	15	10	100	Satisfactory
93	27-02-2026	79	59	2	17	10	98	Satisfactory
94	04-03-2026	110	72	2	9	24	141	Moderate
95	06-03-2026	109	72	2	16	10	140	Moderate
96	11-03-2026	70	45	2	15	10	75	Satisfactory
97	13-03-2026	59	44	2	18	10	73	Satisfactory
98	17-03-2026	66	10	2	7	10	66	Satisfactory
99	20-03-2026	58	12	2	19	10	58	Satisfactory
100	24-03-2026	52	19	2	13	10	52	Satisfactory
101	27-03-2026	51	44	2	11	10	73	Satisfactory
102	31-03-2026	95	10	2	20	10	95	Satisfactory
* No Monitoring MB-Machine Breakdown								

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026										
Station: Roof top of Municipal market -776								City: Ponda		
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg		
1	03-04-2025	73	33	12	16	1.27	23.78	0.05	73	Satisfactory
2	07-04-2025	81	38	9	15	1.08	21.20	0.08	81	Satisfactory
3	10-04-2025	84	41	11	14	1.31	24.35	0.06	84	Satisfactory
4	14-04-2025	76	36	11	17	1.14	22.34	0.05	76	Satisfactory
5	17-04-2025	69	34	10	14	0.97	20.62	0.07	69	Satisfactory
6	21-04-2025	77	37	11	17	1.12	23.20	0.05	77	Satisfactory
7	24-04-2025	83	39	8	13	0.85	21.77	0.06	83	Satisfactory
8	28-04-2025	72	35	10	15	1.23	20.34	0.04	72	Satisfactory
9	02-05-2025	78	37	10	14	1.12	23	0.05	78	Satisfactory
10	05-05-2025	86	40	12	17	0.94	21	0.07	86	Satisfactory
11	08-05-2025	64	31	10	14	1.23	21	0.04	64	Satisfactory
12	12-05-2025	80	38	12	15	0.87	22	0.08	80	Satisfactory
13	15-05-2025	74	35	11	15	1.06	20	0.09	74	Satisfactory
14	19-05-2025	60	26	8	13	0.79	19	0.03	60	Satisfactory
15	22-05-2025	46	23	8	12	0.65	18	0.02	46	Good
16	26-05-2025	32	14	7	11	0.52	15	0.01	32	Good
17	29-05-2025	38	17	6	11	0.38	13	0.03	38	Good
18	02-06-2025	59	28	9	13	0.74	15.18	0.02	59	Satisfactory
19	05-06-2025	57	26	10	14	0.91	16.61	0.05	57	Satisfactory
20	09-06-2025	46	22	8	13	0.53	13.73	0.03	46	Good
21	12-06-2025	63	28	10	15	0.86	11.74	0.02	63	Satisfactory
22	16-06-2025	51	22	8	13	0.67	12.32	0.04	51	Satisfactory
23	19-06-2025	45	21	8	12	0.42	9.17	0.01	45	Good
24	23-06-2025	32	13	6	11	0.35	10.03	0.03	32	Good
25	26-06-2025	42	17	7	11	0.29	8.59	0.04	42	Good
26	30-06-2025	36	15	5	11	0.18	7.45	0.01	36	Good
27	03-07-2025	44	17	8	12	0.31	6.30	0.05	44	Good
28	07-07-2025	37	15	6	10	0.24	7.16	0.02	37	Good
29	10-07-2025	30	10	6	10	0.16	5.73	0.01	30	Good
30	14-07-2025	31	13	7	11	0.27	5.44	0.02	31	Good
31	17-07-2025	46	18	8	13	0.35	5	0.040	46	Good
32	21-07-2025	28	12	6	10	0.48	6	0.013	28	Good

33	24-07-2025	36	15	8	11	0.21	5	0.033	36	Good
34	28-07-2025	49	14	5	11	0.29	7	0.047	49	Good
35	31-07-2025	34	17	7	12	0.36	9	0.023	34	Good
36	04-08-2025	33	14	6	10	0.38	8	0.070	33	Good
37	07-08-2025	26	12	9	11	0.21	5	0.053	26	Good
38	11-08-2025	38	15	7	10	0.13	8	0.030	38	Good
39	14-08-2025	30	12	5	10	0.29	7	0.063	30	Good
40	18-08-2025	23	9	5	12	0.41	4	0.017	23	Good
41	21-08-2025	34	15	9	10	0.47	8	0.070	34	Good
42	25-08-2025	26	11	7	10	0.35	4	0.043	26	Good
43	29-08-2025	18	10	5	11	0.24	6	0.020	18	Good
44	01-09-2025	39	18	8	13	0.45	9	0.04	39	Good
45	04-09-2025	47	21	9	15	0.19	7	0.09	47	Good
46	08-09-2025	52	23	9	13	0.27	11	0.12	52	Satisfactory
47	11-09-2025	41	18	10	15	0.36	12	0.07	41	Good
48	15-09-2025	36	16	9	13	0.52	10	0.09	36	Good
49	18-09-2025	45	19	7	12	0.41	11	0.12	45	Good
50	22-09-2025	53	23	10	14	0.59	9	0.08	53	Satisfactory
51	25-09-2025	50	17	8	12	0.30	11	0.12	50	Good
52	29-09-2025	33	14	7	10	0.22	8	0.07	33	Good
53	03-10-2025	45	20	7	11	0.53	10	0.11	45	Good
54	06-10-2025	57	26	9	14	0.42	9	0.17	57	Satisfactory
55	09-10-2025	48	23	7	11	0.28	9	0.15	48	Good
56	13-10-2025	53	25	8	12	0.67	11	0.14	53	Satisfactory
57	16-10-2025	67	31	9	15	0.39	10	0.17	67	Satisfactory
58	20-10-2025	41	19	7	11	0.64	7	0.12	41	Good
59	23-10-2025	36	15	8	13	0.25	10	0.08	36	Good
60	27-10-2025	30	13	6	11	0.21	7	0.05	30	Good
61	30-10-2025	39	16	6	11	0.16	5	0.02	39	Good
62	03-11-2025	47	22	7	12	0.41	8	0.11	47	Good
63	06-11-2025	42	17	9	12	0.53	11	0.14	42	Good
64	10-11-2025	55	22	7	12	0.37	12	0.09	55	Satisfactory
65	13-11-2025	62	27	8	15	0.49	14	0.12	62	Satisfactory
66	17-11-2025	69	31	10	15	0.56	18	0.17	69	Satisfactory
67	20-11-2025	81	37	9	17	0.71	20	0.13	81	Satisfactory
68	24-11-2025	76	35	9	16	0.48	24	0.11	76	Satisfactory
69	27-11-2025	83	40	11	19	0.63	23	0.16	83	Satisfactory

70	01-12-2025	77	32	8	16	0.66	22	0.19	77	Satisfactory
71	04-12-2025	86	41	9	18	0.75	24	0.22	86	Satisfactory
72	08-12-2025	80	38	8	17	0.43	26	0.16	80	Satisfactory
73	11-12-2025	82	39	7	20	0.61	22	0.20	82	Satisfactory
74	15-12-2025	76	35	10	22	0.70	24	0.15	76	Satisfactory
75	18-12-2025	87	41	8	24	0.59	21	0.23	87	Satisfactory
76	22-12-2025	80	38	10	20	0.66	25	0.19	80	Satisfactory
77	24-12-2025	88	43	11	23	0.43	23	0.23	88	Satisfactory
78	29-12-2025	84	40	9	19	0.71	20	0.20	84	Satisfactory
79	01-01-2026	91	44	9	20	0.68	22	0.23	91	Satisfactory
80	06-01-2026	84	40	10	24	0.75	24	0.30	84	Satisfactory
81	08-01-2026	77	36	8	19	0.51	23	0.25	77	Satisfactory
82	12-01-2026	86	41	11	22	0.44	23	0.21	86	Satisfactory
83	15-01-2026	93	44	11	23	0.79	26	0.29	93	Satisfactory
84	19-01-2026	80	37	9	19	0.63	22	0.22	80	Satisfactory
85	22-01-2026	75	33	8	21	0.50	24	0.18	75	Satisfactory
86	27-01-2026	69	31	10	23	0.42	21	0.21	69	Satisfactory
87	29-01-2026	85	39	12	24	0.59	23	0.24	85	Satisfactory
88	02-02-2026	82	37	10	23	0.54	22	0.27	82	Satisfactory
89	05-02-2026	75	34	9	21	0.37	20	0.23	75	Satisfactory
90	09-02-2026	84	40	10	21	0.42	23	0.16	84	Satisfactory
91	12-02-2026	77	36	7	20	0.31	21	0.14	77	Satisfactory
92	16-02-2026	69	33	9	23	0.59	24	0.19	69	Satisfactory
93	19-02-2026	86	40	11	20	0.67	23	0.23	86	Satisfactory
94	23-02-2026	72	36	8	17	0.52	20	0.18	72	Satisfactory
95	26-02-2026	81	38	10	22	0.73	25	0.21	81	Satisfactory
96	02-03-2026	86	42	10	25	0.68	25	0.22	86	Satisfactory
97	05-03-2026	79	37	9	23	0.53	22	0.29	79	Satisfactory
98	09-03-2026	81	41	11	24	0.71	26	0.17	81	Satisfactory
99	12-03-2026	73	36	7	20	0.49	23	0.20	73	Satisfactory
100	16-03-2026	66	31	9	23	0.83	27	0.26	66	Satisfactory
101	19-03-2026	78	36	9	24	0.75	24	0.18	78	Satisfactory
102	23-03-2026	61	28	7	20	0.62	21	0.21	61	Satisfactory
103	26-03-2026	84	41	10	22	0.70	23	0.17	84	Satisfactory
104	30-03-2026	76	37	11	24	0.89	26	0.24	76	Satisfactory
* No Monitoring										

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026										
Station: Rooftop of Ravindra Bhavan Building-775								City: Margao		
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg		
1	02-04-2025	75	36	9	15	1.05	20.62	0.06	75	Satisfactory
2	04-04-2025	67	32	11	15	0.89	22.34	0.06	67	Satisfactory
3	09-04-2025	71	35	10	15	1.12	19.48	0.03	71	Satisfactory
4	11-04-2025	77	36	10	16	0.97	21.77	0.02	77	Satisfactory
5	16-04-2025	63	33	11	15	1.09	23.78	0.05	63	Satisfactory
6	18-04-2025	68	31	9	15	1.24	18.62	0.03	68	Satisfactory
7	23-04-2025	78	35	10	15	0.85	20.34	0.04	78	Satisfactory
8	25-04-2025	66	32	9	13	1.17	19.19	0.06	66	Satisfactory
9	30-04-2025	72	33	10	15	0.79	18.91	0.04	72	Satisfactory
10	03-05-2025	69	32	9	14	0.94	21.48	0.05	69	Satisfactory
11	07-05-2025	78	38	12	16	0.71	20.62	0.03	78	Satisfactory
12	10-05-2025	71	33	9	16	1.03	18.33	0.06	71	Satisfactory
13	14-05-2025	64	31	10	15	0.89	20.91	0.08	64	Satisfactory
14	17-05-2025	56	27	9	13	0.75	18.62	0.07	56	Satisfactory
15	21-05-2025	50	23	9	12	0.62	16.33	0.02	50	Good
16	24-05-2025	43	17	7	11	0.44	14.61	0.01	43	Good
17	28-05-2025	36	15	7	11	0.31	10.31	0.03	36	Good
18	31-05-2025	32	12	5	9	0.39	13.75	0.02	32	Good
19	04-06-2025	48	22	9	13	0.68	15	0.03	48	Good
20	07-06-2025	56	25	10	16	0.59	13	0.02	56	Satisfactory
21	11-06-2025	63	27	9	13	0.74	15	0.02	63	Satisfactory
22	14-06-2025	43	19	8	12	0.61	12	0.03	43	Good
23	18-06-2025	35	14	6	11	0.33	8	0.01	35	Good
24	21-06-2025	30	12	6	10	0.19	11	0.01	30	Good
25	25-06-2025	39	15	7	10	0.24	10	0.03	39	Good
26	28-06-2025	44	18	7	11	0.37	9	0.01	44	Good
27	02-07-2025	33	14	7	10	0.21	6.59	0.02	33	Good
28	05-07-2025	42	17	8	12	0.37	5.73	0.01	42	Good
29	09-07-2025	26	13	5	11	0.29	7.45	0.04	26	Good
30	12-07-2025	36	15	6	11	0.18	6.30	0.02	36	Good
31	16-07-2025	49	21	8	13	0.13	5.44	0.013	49	Good
32	19-07-2025	27	9	6	10	0.17	7.16	0.013	27	Good

33	23-07-2025	33	13	4	10	0.25	4.58	0.030	33	Good
34	26-07-2025	46	20	7	11	0.34	6.87	0.017	46	Good
35	30-07-2025	37	16	6	12	0.19	8.59	0.040	37	Good
36	02-08-2025	41	17	7	12	0.28	8	0.033	41	Good
37	06-08-2025	29	12	7	11	0.31	9	0.050	29	Good
38	09-08-2025	36	15	5	10	0.37	8	0.017	36	Good
39	13-08-2025	26	11	8	11	0.15	6	0.037	26	Good
40	16-08-2025	24	8	5	11	0.24	6	0.027	24	Good
41	20-08-2025	18	7	5	10	0.12	4	0.013	18	Good
42	23-08-2025	27	12	6	11	0.29	7	0.060	27	Good
43	26-08-2025	33	15	5	10	0.17	5	0.010	33	Good
44	30-08-2025	35	17	6	11	0.25	7	0.017	35	Good
45	03-09-2025	37	12	6	11	0.32	9	0.05	37	Good
46	06-09-2025	45	19	7	12	0.26	10	0.07	45	Good
47	10-09-2025	33	15	6	10	0.41	9	0.04	33	Good
48	13-09-2025	41	18	9	13	0.29	9	0.06	41	Good
49	17-09-2025	28	11	7	10	0.35	10	0.09	28	Good
50	20-09-2025	36	15	7	12	0.24	7	0.12	36	Good
51	24-09-2025	50	23	6	10	0.46	10	0.10	50	Good
52	27-09-2025	31	14	6	11	0.15	6	0.13	31	Good
53	01-10-2025	42	17	6	12	0.54	9	0.07	42	Good
54	04-10-2025	39	16	7	11	0.69	8	0.12	39	Good
55	08-10-2025	50	22	7	13	0.73	10	0.16	50	Satisfactory
56	11-10-2025	46	18	8	13	0.48	10	0.11	46	Good
57	15-10-2025	57	23	7	10	0.61	8	0.08	57	Satisfactory
58	18-10-2025	48	21	10	15	0.75	11	0.06	48	Good
59	22-10-2025	41	18	7	12	0.58	11	0.10	41	Good
60	25-10-2025	36	17	6	11	0.26	7	0.05	36	Good
61	29-10-2025	29	13	5	10	0.15	5	0.07	29	Good
62	01-11-2025	38	19	6	10	0.27	8	0.09	38	Good
63	05-11-2025	45	21	8	12	0.34	10	0.11	45	Good
64	08-11-2025	51	25	8	12	0.41	11	0.08	51	Satisfactory
65	12-11-2025	59	25	7	11	0.56	14	0.13	59	Satisfactory
66	15-11-2025	54	23	6	11	0.73	17	0.15	54	Satisfactory
67	19-11-2025	60	28	6	12	0.41	14	0.11	60	Satisfactory
68	22-11-2025	68	33	7	12	0.69	13	0.14	68	Satisfactory
69	26-11-2025	75	37	6	11	0.35	16	0.10	75	Satisfactory

70	29-11-2025	65	30	8	14	0.47	19	0.15	65	Satisfactory
71	03.12.2025	67	33	6	15	0.47	19	0.14	67	Satisfactory
72	06.12.2025	60	27	5	14	0.51	22	0.11	60	Satisfactory
73	10.12.2025	73	35	8	17	0.22	23	0.18	73	Satisfactory
74	13.12.2025	66	31	6	15	0.18	20	0.15	66	Satisfactory
75	17.12.2025	58	26	8	16	0.35	17	0.09	58	Satisfactory
76	20.12.2025	71	34	7	15	0.61	22	0.20	71	Satisfactory
77	24.12.2025	64	30	5	17	0.42	24	0.13	64	Satisfactory
78	27.12.2025	56	25	9	14	0.27	21	0.07	56	Satisfactory
79	31.12.2025	61	28	7	13	0.59	24	0.12	61	Satisfactory
80	03-01-2026	61	28	7	16	0.65	18	0.15	61	Satisfactory
81	07-01-2026	71	34	9	17	0.71	16	0.20	71	Satisfactory
82	10-01-2026	59	26	7	16	0.83	16	0.13	59	Satisfactory
83	14-01-2026	65	30	7	15	0.62	19	0.17	65	Satisfactory
84	17-01-2026	77	37	6	17	0.54	17	0.20	77	Satisfactory
85	21-01-2026	70	32	7	18	0.40	21	0.14	70	Satisfactory
86	24-01-2026	62	29	6	15	0.51	18	0.17	62	Satisfactory
87	28-01-2026	57	25	8	21	0.36	17	0.12	57	Satisfactory
88	31-01-2026	66	32	9	19	0.42	20	0.15	66	Satisfactory
89	04-02-2026	70	33	8	19	0.34	21	0.15	70	Satisfactory
90	07-02-2026	76	35	7	18	0.35	17	0.17	76	Satisfactory
91	11-02-2026	61	29	6	21	0.47	23	0.10	61	Satisfactory
92	14-02-2026	73	37	6	18	0.29	18	0.13	73	Satisfactory
93	18-02-2026	59	27	8	21	0.51	21	0.10	59	Satisfactory
94	21-02-2026	64	31	6	19	0.63	19	0.14	64	Satisfactory
95	25-02-2026	71	35	7	21	0.42	24	0.17	71	Satisfactory
96	28-02-2026	55	27	5	22	0.23	22	0.20	55	Satisfactory
97	04-03-2026	63	30	7	21	0.28	24	0.11	63	Satisfactory
98	07-03-2026	79	37	6	19	0.45	21	0.15	79	Satisfactory
99	11-03-2026	55	25	8	24	0.57	25	0.13	55	Satisfactory
100	14-03-2026	69	34	5	17	0.31	21	0.06	69	Satisfactory
101	18-03-2026	60	28	7	18	0.64	24	0.17	60	Satisfactory
102	21-03-2026	56	25	9	22	0.50	22	0.21	56	Satisfactory
103	25-03-2026	64	30	6	20	0.32	20	0.10	64	Satisfactory
104	28-03-2026	58	26	8	17	0.46	25	0.14	58	Satisfactory
* No Monitoring										

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026										
Station: Residence of Mr. Rama Naik, Assanora Junction-634								City: Assanora		
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg		
1	04-04-2025	62	31	9	13	1.12	20.91	0.02	62	Satisfactory
2	08-04-2025	71	33	9	15	1.04	19.77	0.05	71	Satisfactory
3	11-04-2025	74	35	8	13	0.69	21.20	0.03	74	Satisfactory
4	01-04-2025	67	34	9	14	0.83	18.62	0.04	67	Satisfactory
5	15-04-2025	62	29	10	14	1.18	18.62	0.04	62	Satisfactory
6	18-04-2025	66	33	9	13	0.87	20.62	0.02	66	Satisfactory
7	22-04-2025	76	35	9	14	1.29	22.34	0.03	76	Satisfactory
8	25-04-2025	64	31	8	14	0.75	19.48	0.02	64	Satisfactory
9	29-04-2025	72	34	10	14	0.92	18.91	0.05	72	Satisfactory
10	02-05-2025	65	32	8	14	0.89	21.48	0.04	65	Satisfactory
11	06-05-2025	73	34	9	15	1.07	18.62	0.03	73	Satisfactory
12	09-05-2025	63	29	10	14	1.13	20.34	0.02	63	Satisfactory
13	13-05-2025	70	33	9	12	1.24	22.92	0.04	70	Satisfactory
14	16-05-2025	75	36	11	15	0.96	20.91	0.06	75	Satisfactory
15	20-05-2025	49	23	7	11	0.55	16.33	0.01	49	Good
16	23-05-2025	43	17	6	11	0.72	15.75	0.02	43	Good
17	27-05-2025	30	14	5	10	0.43	13.46	0.01	30	Good
18	30-05-2025	39	15	7	11	0.38	10.89	0.03	39	Good
19	03-06-2025	46	19	8	12	0.54	17.68	0.06	46	Good
20	06-06-2025	57	26	8	14	1.17	19.48	0.03	59	Satisfactory
21	10-06-2025	54	23	11	15	0.89	16.21	0.05	54	Satisfactory
22	13-06-2025	41	18	8	13	0.63	11.74	0.02	41	Good
23	17-06-2025	48	21	9	11	0.92	13.18	0.04	48	Good
24	20-06-2025	38	16	8	11	0.46	10.31	0.01	38	Good
25	24-06-2025	32	13	6	11	0.21	8.59	0.02	32	Good
26	27-06-2025	43	18	7	11	0.35	7.73	0.05	43	Good
27	01-07-2025	37	15	6	10	0.40	6.59	0.05	37	Good
28	04-07-2025	45	18	7	12	0.58	8.31	0.07	45	Good
29	08-07-2025	30	13	6	12	0.36	7.16	0.04	30	Good
30	11-07-2025	36	15	5	10	0.21	6.30	0.01	36	Good
31	15-07-2025	26	10	7	12	0.18	6	0.027	26	Good
32	18-07-2025	42	17	6	10	0.13	7	0.047	42	Good

33	22-07-2025	28	14	6	11	0.25	6	0.023	28	Good
34	25-07-2025	35	15	7	12	0.17	9	0.037	35	Good
35	29-07-2025	47	20	9	14	0.34	10	0.013	47	Good
36	01-08-2025	33	12	5	10	0.25	8	0.020	33	Good
37	05-08-2025	25	11	5	10	0.42	9	0.047	25	Good
38	08-08-2025	42	15	8	12	0.17	8	0.013	42	Good
39	12-08-2025	28	13	6	10	0.14	5	0.030	28	Good
40	14-08-2025	20	9	5	10	0.36	6	0.063	20	Good
41	19-08-2025	35	14	7	12	0.29	5	0.040	35	Good
42	22-08-2025	39	17	5	10	0.16	4	0.073	39	Good
43	26-08-2025	25	12	5	10	0.31	6	0.013	25	Good
44	29-08-2025	36	13	5	11	0.19	5	0.030	36	Good
45	02-09-2025	42	19	7	11	0.34	7	0.05	42	Good
46	05-09-2025	34	14	8	14	0.48	9	0.08	34	Good
47	09-09-2025	47	20	7	11	0.59	7	0.06	47	Good
48	12-09-2025	52	22	10	13	0.41	9	0.09	52	Satisfactory
49	16-09-2025	39	16	9	14	0.53	9	0.05	39	Good
50	19-09-2025	57	25	10	14	0.64	10	0.11	57	Satisfactory
51	23-09-2025	49	21	9	13	0.39	7	0.08	49	Good
52	26-09-2025	35	14	7	12	0.25	5	0.05	35	Good
53	30-09-2025	51	19	10	13	0.57	10	0.12	51	Satisfactory
54	03-10-2025	47	21	7	13	0.51	9	0.09	47	Good
55	07-10-2025	55	23	10	14	0.40	10	0.16	55	Satisfactory
57	10-10-2025	41	19	7	12	0.32	9	0.12	41	Good
58	14-10-2025	58	27	8	13	0.69	10	0.08	58	Satisfactory
59	17-10-2025	50	22	10	15	0.78	8	0.13	50	Good
59	22-10-2025	40	18	8	12	0.25	7	0.06	40	Good
60	24-10-2025	32	13	6	10	0.34	6	0.04	32	Good
61	28-10-2025	26	12	7	12	0.19	7	0.03	26	Good
62	31-10-2025	35	15	6	11	0.42	6	0.07	35	Good
63	04-11-2025	41	18	8	12	0.38	9	0.08	41	Good
64	07-11-2025	46	22	6	11	0.53	11	0.05	46	Good
65	11-11-2025	51	24	9	12	0.69	8	0.07	51	Satisfactory
66	14-11-2025	57	27	8	14	0.57	13	0.10	57	Satisfactory
67	18-11-2025	65	31	8	14	0.69	16	0.13	65	Satisfactory
68	21-11-2025	61	29	7	13	0.51	19	0.11	61	Satisfactory
69	25-11-2025	68	32	9	14	0.67	16	0.15	68	Satisfactory

70	28-11-2025	57	26	8	16	0.73	18	0.12	57	Satisfactory
71	02-12-2025	70	34	7	15	0.51	18	0.16	70	Satisfactory
72	05-12-2025	63	31	8	14	0.46	21	0.12	63	Satisfactory
73	09-12-2025	75	35	6	16	0.73	20	0.18	75	Satisfactory
74	12-12-2025	81	38	7	14	0.68	25	0.22	81	Satisfactory
75	16-12-2025	69	33	9	15	0.71	20	0.14	69	Satisfactory
76	18-12-2025	78	40	8	18	0.62	18	0.19	78	Satisfactory
77	23-12-2025	61	28	6	16	0.45	22	0.12	61	Satisfactory
78	26-12-2025	73	36	9	18	0.58	24	0.20	73	Satisfactory
79	30-12-2025	60	27	7	17	0.41	20	0.15	60	Satisfactory
80	02-01-2026	67	33	7	18	0.68	19	0.14	67	Satisfactory
81	06-01-2026	76	36	9	19	0.73	22	0.17	76	Satisfactory
82	09-01-2026	62	28	6	16	0.61	17	0.12	62	Satisfactory
83	13-01-2026	70	34	8	18	0.52	23	0.15	70	Satisfactory
84	16-01-2026	58	27	7	15	0.45	20	0.18	58	Satisfactory
85	20-01-2026	66	31	7	18	0.39	24	0.23	66	Satisfactory
86	23-01-2026	74	36	6	15	0.58	19	0.27	74	Satisfactory
87	27-01-2026	70	30	6	16	0.67	22	0.19	70	Satisfactory
88	30-01-2026	78	37	7	18	0.41	19	0.21	78	Satisfactory
89	03-02-2026	64	28	6	18	0.27	15	0.19	64	Satisfactory
90	06-02-2026	71	34	8	21	0.34	23	0.14	71	Satisfactory
91	10-02-2026	80	36	6	22	0.31	21	0.11	80	Satisfactory
92	13-02-2026	66	33	7	20	0.46	19	0.15	66	Satisfactory
93	17-02-2026	60	28	7	17	0.59	22	0.18	60	Satisfactory
94	20-02-2026	78	35	8	20	0.40	20	0.22	78	Satisfactory
95	24-02-2026	84	41	9	23	0.29	23	0.15	84	Satisfactory
96	26-02-2026	71	33	8	21	0.23	20	0.20	71	Satisfactory
97	03-02-2026	64	28	6	18	0.27	15	0.19	64	Satisfactory
98	06-02-2026	71	34	8	21	0.34	23	0.14	71	Satisfactory
99	10-02-2026	80	36	6	22	0.31	21	0.11	80	Satisfactory
100	13-02-2026	66	33	7	20	0.46	19	0.15	66	Satisfactory
101	17-02-2026	60	28	7	17	0.59	22	0.18	60	Satisfactory
102	20-02-2026	78	35	8	20	0.40	20	0.22	78	Satisfactory
103	24-02-2026	84	41	9	23	0.29	23	0.15	84	Satisfactory
104	26-02-2026	71	33	8	21	0.23	20	0.20	71	Satisfactory
* No Monitoring										

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026										
Station: Residence of Mr. Sagun Ramkrishna Fadte-633								City: Amona		
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg		
1	03-04-2025	66	31	11	17	0.95	21.77	0.07	66	Satisfactory
2	07-04-2025	69	34	10	16	0.83	19.48	0.05	69	Satisfactory
3	10-04-2025	77	37	9	13	1.17	23.20	0.06	77	Satisfactory
4	14-04-2025	73	32	11	16	1.24	20.62	0.09	73	Satisfactory
5	17-04-2025	64	34	11	15	1.06	18.91	0.05	64	Satisfactory
6	21-04-2025	70	33	9	16	0.91	21.48	0.07	70	Satisfactory
7	24-04-2025	79	36	8	15	1.12	19.77	0.04	79	Satisfactory
8	28-04-2025	67	33	11	16	0.87	20.34	0.06	67	Satisfactory
9	02-05-2025	72	35	10	16	0.81	19.19	0.08	72	Satisfactory
10	05-05-2025	76	37	11	16	0.95	21.20	0.05	76	Satisfactory
11	08-05-2025	66	33	9	15	0.79	20.91	0.07	66	Satisfactory
12	12-05-2025	61	28	9	16	1.08	22.34	0.06	61	Satisfactory
13	15-05-2025	78	37	10	17	0.86	20.62	0.08	78	Satisfactory
14	19-05-2025	59	27	8	12	0.74	18.62	0.04	59	Satisfactory
15	22-05-2025	47	21	8	11	0.52	15.47	0.02	47	Good
16	26-05-2025	35	16	7	11	0.38	13.46	0.01	35	Good
17	29-05-2025	42	18	6	11	0.27	11.17	0.03	42	Good
18	02-06-2025	58	27	8	12	0.63	14.61	0.02	58	Satisfactory
19	05-06-2025	64	30	9	15	0.71	16.33	0.05	64	Satisfactory
20	09-06-2025	54	24	8	14	0.85	15.02	0.03	54	Satisfactory
21	12-06-2025	45	21	8	11	0.69	12.32	0.02	45	Good
22	16-06-2025	51	22	6	10	0.54	10.89	0.04	51	Satisfactory
23	19-06-2025	42	17	5	11	0.38	9.45	0.01	42	Good
24	23-06-2025	50	17	9	12	0.26	7.16	0.03	50	Good
25	26-06-2025	37	15	8	13	0.19	9.74	0.02	37	Good
26	30-06-2025	30	12	7	10	0.15	6.59	0.01	30	Good
27	03-07-2025	33	15	5	10	0.34	7	0.04	33	Good
28	07-07-2025	46	18	7	13	0.52	9	0.07	46	Good
29	10-07-2025	28	12	7	11	0.23	6	0.05	28	Good
30	14-07-2025	36	15	6	10	0.47	9	0.03	36	Good
31	17-07-2025	25	11	8	11	0.15	5	0.01	25	Good
32	21-07-2025	30	13	6	11	0.28	5	0.04	30	Good

33	24-07-2025	44	18	8	12	0.36	8	0.02	44	Good
34	28-07-2025	38	15	6	10	0.19	5	0.05	38	Good
35	31-07-2025	31	17	8	13	0.24	7	0.03	31	Good
36	04-08-2025	28	12	5	10	0.43	7	0.05	28	Good
37	07-08-2025	39	15	7	10	0.37	8	0.03	39	Good
38	11-08-2025	32	13	5	11	0.19	6	0.08	32	Good
39	14.08.2025	24	11	5	10	0.25	4	0.01	24	Good
40	18-08-2025	36	15	6	11	0.46	7	0.03	36	Good
41	21-08-2025	43	19	7	12	0.31	3	0.08	43	Good
42	25-08-2025	29	14	5	11	0.57	6	0.06	29	Good
43	29-08-2025	34	12	5	11	0.23	6	0.03	34	Good
44	01-09-2025	39	16	6	11	0.49	10	0.08	39	Good
45	04-09-2025	47	19	7	13	0.42	8	0.05	47	Good
46	08-09-2025	57	24	7	11	0.27	11	0.11	57	Satisfactory
47	11-09-2025	44	16	8	13	0.38	9	0.09	44	Good
48	15-09-2025	35	14	7	11	0.31	12	0.07	35	Good
49	18-09-2025	32	13	6	11	0.25	9	0.04	32	Good
50	22-09-2025	45	19	8	12	0.39	10	0.09	45	Good
51	25-09-2025	52	24	9	14	0.56	12	0.13	52	Satisfactory
52	29-09-2025	36	18	6	11	0.20	7	0.06	36	Good
53	03-10-2025	46	18	7	11	0.74	10	0.13	46	Good
54	06-10-2025	40	17	8	14	0.56	8	0.09	40	Good
55	09-10-2025	57	25	8	13	0.48	9	0.15	57	Satisfactory
56	13-10-2025	67	31	9	14	0.63	11	0.12	67	Satisfactory
57	16-10-2025	53	26	8	13	0.27	11	0.09	53	Satisfactory
58	20-10-2025	42	19	6	12	0.39	9	0.11	42	Good
59	23-10-2025	37	15	6	10	0.46	10	0.13	37	Good
60	27-10-2025	30	12	7	12	0.21	6	0.10	30	Good
61	30-10-2025	42	16	6	10	0.35	5	0.08	42	Good
62	03-11-2025	47	22	6	10	0.51	9	0.13	47	Good
63	06-11-2025	53	25	7	13	0.46	11	0.15	53	Satisfactory
64	10-11-2025	44	19	7	12	0.62	13	0.14	44	Good
65	13-11-2025	58	26	8	14	0.48	15	0.11	58	Satisfactory
66	17-11-2025	66	31	11	15	0.67	18	0.13	66	Satisfactory
67	20-11-2025	70	33	7	14	0.52	20	0.15	70	Satisfactory
68	24-11-2025	64	27	8	15	0.71	18	0.18	64	Satisfactory
69	27-11-2025	74	35	10	17	0.59	23	0.21	74	Satisfactory

70	01-12-2025	71	33	7	15	0.43	23	0.19	71	Satisfactory
71	04-12-2025	77	36	7	15	0.65	26	0.23	77	Satisfactory
72	08-12-2025	69	33	8	14	0.4	20	0.17	69	Satisfactory
73	11-12-2025	65	30	6	13	0.64	21	0.15	65	Satisfactory
74	15-12-2025	75	34	7	17	0.34	19	0.21	75	Satisfactory
75	18-12-2025	59	27	9	14	0.61	23	0.13	59	Satisfactory
76	22-12-2025	62	29	10	19	0.49	18	0.17	62	Satisfactory
77	26-12-2025	54	24	8	16	0.63	20	0.10	54	Satisfactory
78	29-12-2025	68	34	6	17	0.55	25	0.21	68	Satisfactory
79	01-01-2026	65	32	7	16	0.40	22	0.17	65	Satisfactory
80	05-01-2026	59	26	8	16	0.69	24	0.15	59	Satisfactory
81	08-01-2026	73	33	8	19	0.57	23	0.21	73	Satisfactory
82	12-01-2026	62	28	6	17	0.45	19	0.13	62	Satisfactory
83	15-01-2026	77	35	8	19	0.62	24	0.20	77	Satisfactory
84	19-01-2026	69	33	7	17	0.41	21	0.17	69	Satisfactory
85	22-01-2026	63	30	8	15	0.36	23	0.13	63	Satisfactory
86	27-01-2026	70	33	7	17	0.58	20	0.18	70	Satisfactory
87	29-01-2026	60	27	6	19	0.73	25	0.15	60	Satisfactory
88	02-02-2026	68	32	6	17	0.51	20	0.19	68	Satisfactory
89	05-02-2026	74	35	8	21	0.47	18	0.24	74	Satisfactory
90	09-02-2026	60	29	6	17	0.32	23	0.21	60	Satisfactory
91	12-02-2026	66	31	7	19	0.59	25	0.17	66	Satisfactory
92	16-02-2026	53	26	8	18	0.68	22	0.09	53	Satisfactory
93	19-02-2026	76	35	6	22	0.53	23	0.15	76	Satisfactory
94	23-02-2026	60	27	6	16	0.40	21	0.19	60	Satisfactory
95	26-02-2026	67	31	8	20	0.61	24	0.22	67	Satisfactory
96	02-03-2026	76	37	7	19	0.36	23	0.18	76	Satisfactory
97	05-03-2026	66	32	9	23	0.25	22	0.12	66	Satisfactory
98	09-03-2026	72	34	8	21	0.41	25	0.15	72	Satisfactory
99	12-03-2026	65	29	6	18	0.19	21	0.13	65	Satisfactory
100	16-03-2026	77	36	9	21	0.30	23	0.10	77	Satisfactory
101	19-03-2026	59	28	8	24	0.21	18	0.15	59	Satisfactory
102	23-03-2026	66	30	7	17	0.45	22	0.11	66	Satisfactory
103	26-03-2026	74	36	7	15	0.37	23	0.14	74	Satisfactory
104	30-03-2026	62	27	10	18	0.24	19	0.10	62	Satisfactory
* No Monitoring										

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026										
Station: Municipality Building-632								City: Bicholim		
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg		
1	01-04-2025	91	43	13	18	1.39	20.91	0.19	91	Satisfactory
2	04-04-2025	84	41	11	16	1.15	23.49	0.22	84	Satisfactory
3	08-04-2025	89	45	13	17	1.07	22.06	0.17	89	Satisfactory
4	11-04-2025	77	38	13	17	1.24	20.62	0.15	77	Satisfactory
5	15-04-2025	95	45	14	18	1.18	24.35	0.13	95	Satisfactory
6	18-04-2025	86	42	12	18	1.02	22.34	0.16	86	Satisfactory
7	22-04-2025	91	45	11	16	1.11	23.20	0.20	91	Satisfactory
8	25-04-2025	81	36	13	19	1.29	21.48	0.17	81	Satisfactory
9	29-04-2025	88	41	10	16	1.08	20.05	0.15	88	Satisfactory
10	02-05-2025	86	40	12	16	1.26	23	0.17	86	Satisfactory
11	06-05-2025	93	43	13	18	1.10	24	0.20	93	Satisfactory
12	09-05-2025	95	47	11	16	0.94	23	0.15	95	Satisfactory
13	13-05-2025	81	38	12	16	1.33	22	0.13	81	Satisfactory
14	16-05-2025	88	41	12	17	1.05	21	0.16	88	Satisfactory
15	20-05-2025	62	28	9	14	0.79	18	0.09	62	Satisfactory
16	23-05-2025	58	24	8	11	0.62	17	0.05	58	Satisfactory
17	27-05-2025	51	23	9	13	0.58	15	0.08	51	Satisfactory
18	30-05-2025	60	26	11	15	0.74	13	0.12	60	Satisfactory
19	03-06-2025	67	29	12	16	0.83	16.33	0.11	67	Satisfactory
20	06-06-2025	74	32	11	14	1.17	19.48	0.14	74	Satisfactory
21	10-06-2025	61	27	9	13	0.75	15.95	0.09	61	Satisfactory
22	13-06-2025	70	30	10	14	0.69	12.32	0.12	70	Satisfactory
23	17-06-2025	54	23	11	15	0.92	14.61	0.09	54	Satisfactory
24	20-06-2025	47	20	9	14	0.54	11.74	0.07	47	Good
25	24-06-2025	63	25	9	14	0.68	9.45	0.04	63	Satisfactory
26	27-06-2025	50	22	7	12	0.43	10.89	0.06	50	Satisfactory
27	01-07-2025	64	25	11	14	0.51	11.46	0.08	64	Satisfactory
28	04-07-2025	57	23	8	12	0.72	9.17	0.13	57	Satisfactory
29	08-07-2025	71	30	11	15	0.69	10.31	0.10	71	Satisfactory
30	11-07-2025	61	27	9	12	0.58	8.59	0.15	61	Satisfactory
31	15-07-2025	53	21	11	14	0.43	6	0.063	53	Satisfactory
32	18-07-2025	70	29	12	15	0.37	5	0.080	70	Satisfactory

33	22-07-2025	64	25	10	14	0.62	7	0.107	64	Satisfactory
34	25-07-2025	50	24	10	15	0.49	8	0.093	50	Satisfactory
35	29-07-2025	73	30	9	13	0.31	7	0.123	73	Satisfactory
36	01-08-2025	67	28	12	14	0.46	10	0.160	67	Satisfactory
37	05-08-2025	56	24	9	13	0.53	11	0.203	56	Satisfactory
38	08-08-2025	63	30	11	15	0.62	8	0.127	63	Satisfactory
39	12-08-2025	48	22	8	14	0.39	7	0.093	48	Good
40	16-08-2025	37	16	10	13	0.58	9	0.113	37	Good
41	19-08-2025	45	20	11	14	0.41	7	0.133	45	Good
42	22-08-2025	69	31	10	16	0.30	8	0.100	69	Satisfactory
43	26-08-2025	51	25	10	13	0.24	6	0.140	51	Satisfactory
44	29-08-2025	44	21	11	16	0.38	8	0.090	44	Good
45	02-09-2025	65	27	11	15	0.43	9	0.20	65	Satisfactory
46	05-09-2025	57	24	11	17	0.71	11	0.14	57	Satisfactory
47	09-09-2025	70	31	10	15	0.59	10	0.19	70	Satisfactory
48	12-09-2025	56	21	10	13	0.43	12	0.17	56	Satisfactory
49	16-09-2025	62	26	12	16	0.62	10	0.15	62	Satisfactory
50	19-09-2025	49	22	9	14	0.35	10	0.18	49	Good
51	23-09-2025	58	26	11	15	0.57	12	0.14	58	Satisfactory
52	26-09-2025	47	20	8	12	0.41	9	0.17	47	Good
53	30-09-2025	65	30	11	16	0.76	14	0.15	65	Satisfactory
54	03-10-2025	72	33	10	14	0.68	10	0.17	72	Satisfactory
55	07-10-2025	66	25	11	15	0.49	12	0.20	66	Satisfactory
57	10-10-2025	79	36	12	17	0.85	11	0.15	79	Satisfactory
58	14-10-2025	84	42	11	14	0.73	14	0.18	84	Satisfactory
59	17-10-2025	61	28	9	13	0.64	12	0.13	61	Satisfactory
59	22-10-2025	54	25	11	14	0.51	10	0.10	54	Satisfactory
60	24-10-2025	37	16	9	12	0.36	8	0.08	37	Good
61	28-10-2025	46	20	10	14	0.47	6	0.11	46	Good
62	31-10-2025	32	13	7	12	0.52	5	0.06	32	Good
63	04-11-2025	49	21	8	13	0.72	9	0.13	49	Good
64	07-11-2025	57	24	10	14	0.51	11	0.16	57	Satisfactory
65	11-11-2025	65	32	11	15	0.64	9	0.10	65	Satisfactory
66	14-11-2025	79	38	11	16	0.87	14	0.19	79	Satisfactory
67	18-11-2025	72	33	9	15	0.71	18	0.16	72	Satisfactory
68	21-11-2025	85	41	10	17	0.84	22	0.22	85	Satisfactory
69	25-11-2025	92	44	11	19	0.57	19	0.19	92	Satisfactory

70	28-11-2025	87	37	12	19	0.69	23	0.23	87	Satisfactory
71	02-12-2025	102	49	11	22	0.94	25	0.29	101	Moderate
72	05-12-2025	97	44	10	20	0.73	20	0.25	97	Satisfactory
73	09-12-2025	94	48	11	23	0.81	25	0.23	94	Satisfactory
74	12-12-2025	88	40	9	18	0.65	27	0.20	88	Satisfactory
75	16-12-2025	91	43	12	21	0.89	26	0.26	91	Satisfactory
76	18-12-2025	83	39	10	24	0.75	28	0.23	83	Satisfactory
77	23-12-2025	96	45	12	21	0.63	25	0.29	96	Satisfactory
78	26-12-2025	84	36	10	20	0.88	24	0.21	84	Satisfactory
79	30-12-2025	91	44	12	23	0.94	27	0.27	91	Satisfactory
80	02-01-2026	92	44	11	23	0.90	25	0.29	92	Satisfactory
81	06-01-2026	87	41	10	22	0.73	25	0.17	87	Satisfactory
82	09-01-2026	97	45	12	24	0.97	22	0.32	97	Satisfactory
83	13-01-2026	104	48	13	25	0.92	27	0.35	102	Moderate
84	16-01-2026	89	42	10	20	0.68	24	0.27	89	Satisfactory
85	20-01-2026	95	46	12	24	0.81	25	0.31	95	Satisfactory
86	23-01-2026	92	43	10	25	0.54	22	0.26	92	Satisfactory
87	27-01-2026	86	40	8	21	0.72	21	0.23	86	Satisfactory
88	30-01-2026	81	37	11	24	0.60	23	0.20	81	Satisfactory
89	03-02-2026	94	45	11	22	0.58	21	0.28	94	Satisfactory
90	06-02-2026	82	38	10	23	0.81	19	0.21	82	Satisfactory
91	10-02-2026	96	42	12	25	0.93	24	0.33	96	Satisfactory
92	13-02-2026	90	41	9	19	0.64	27	0.29	90	Satisfactory
93	17-02-2026	98	46	12	23	0.76	22	0.20	98	Satisfactory
94	20-02-2026	93	43	11	22	0.52	25	0.25	93	Satisfactory
95	24-02-2026	96	47	10	24	0.69	25	0.31	96	Satisfactory
96	27-02-2026	87	41	9	22	0.43	23	0.27	87	Satisfactory
97	03-03-2026	89	43	11	23	0.62	25	0.25	89	Satisfactory
98	06-03-2026	96	46	10	20	0.81	26	0.28	96	Satisfactory
99	10-03-2026	102	49	13	25	0.75	22	0.31	101	Moderate
100	13-03-2026	91	43	10	22	0.69	25	0.24	91	Satisfactory
101	17-03-2026	83	38	9	19	0.88	27	0.19	83	Satisfactory
102	20-03-2026	94	42	11	24	0.65	24	0.30	94	Satisfactory
103	24-03-2026	78	36	8	19	0.73	21	0.25	78	Satisfactory
104	27-03-2026	98	47	12	26	0.86	25	0.29	98	Satisfactory
105	31-03-2026	103	49	13	28	0.92	23	0.33	102	Moderate
* No Monitoring										

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026										
Station: Near Ajoba temple, Honda junction-631									City: Honda	
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg		
1	03-04-2025	66	32	9	14	1.05	20.91	0.04	66	Satisfactory
2	07-04-2025	72	35	10	15	1.17	22.34	0.06	72	Satisfactory
3	10-04-2025	77	39	8	14	0.94	21.48	0.03	77	Satisfactory
4	14-04-2025	69	34	10	16	0.89	23.78	0.05	69	Satisfactory
5	17-04-2025	64	32	9	15	1.22	20.34	0.04	64	Satisfactory
6	21-04-2025	76	37	9	13	0.76	22.06	0.07	76	Satisfactory
7	24-04-2025	79	38	10	15	1.10	19.48	0.06	79	Satisfactory
8	28-04-2025	72	35	10	15	0.83	21.20	0.04	72	Satisfactory
9	02-05-2025	65	31	8	14	0.96	19.77	0.05	65	Satisfactory
10	05-05-2025	76	37	10	16	0.87	22.06	0.08	76	Satisfactory
11	08-05-2025	68	34	8	13	1.05	20.62	0.04	68	Satisfactory
12	12-05-2025	77	36	9	15	0.72	18.62	0.07	77	Satisfactory
13	15-05-2025	71	32	9	14	1.07	21.77	0.08	71	Satisfactory
14	19-05-2025	58	27	8	11	0.63	18.05	0.04	58	Satisfactory
15	22-05-2025	48	22	7	11	0.49	16.90	0.02	48	Good
16	26-05-2025	40	17	7	11	0.37	13.75	0.01	40	Good
17	29-05-2025	32	14	7	12	0.28	11.17	0.03	32	Good
18	02-06-2025	46	21	7	11	0.61	13.46	0.03	46	Good
19	05-06-2025	59	23	10	15	0.45	15.18	0.05	59	Satisfactory
20	09-06-2025	52	23	7	12	0.73	12.93	0.02	52	Satisfactory
21	12-06-2025	44	18	8	14	0.59	11.74	0.01	44	Good
22	16-06-2025	36	16	7	11	0.38	10.60	0.03	36	Good
23	19-06-2025	41	17	9	13	0.47	9.45	0.05	41	Good
24	23-06-2025	32	14	7	11	0.26	8.59	0.02	32	Good
25	26-06-2025	38	15	8	12	0.19	7.73	0.04	38	Good
26	30-06-2025	45	13	7	11	0.35	9.45	0.02	45	Good
27	03-07-2025	35	12	6	9	0.31	8.31	0.02	35	Good
28	07-07-2025	43	16	7	11	0.27	6.87	0.05	43	Good
29	10-07-2025	27	13	6	11	0.24	5.73	0.04	27	Good
30	14-07-2025	39	18	7	12	0.38	7.16	0.02	39	Good
31	17-07-2025	31	14	8	10	0.16	6	0.060	31	Good
32	21-07-2025	24	10	6	9	0.35	5	0.027	24	Good

33	24-07-2025	40	15	7	12	0.23	8	0.047	40	Good
34	28-07-2025	47	18	7	11	0.42	5	0.023	47	Good
35	31-07-2025	35	14	6	11	0.19	9	0.037	35	Good
36	04-08-2025	29	13	7	11	0.28	8	0.030	29	Good
37	07-08-2025	36	15	6	10	0.39	5	0.063	36	Good
38	11-08-2025	26	10	7	12	0.45	7	0.083	26	Good
39	14-08-2025	22	8	5	10	0.17	4	0.047	22	Good
40	18-08-2025	31	13	7	10	0.36	6	0.073	31	Good
41	21-08-2025	43	19	8	12	0.21	7	0.047	43	Good
42	25-08-2025	35	14	6	10	0.15	5	0.023	35	Good
43	29-08-2025	19	10	5	10	0.32	6	0.027	19	Good
44	01-09-2025	45	19	7	12	0.51	8	0.05	45	Good
45	04-09-2025	32	13	7	11	0.43	11	0.02	32	Good
46	08-09-2025	48	21	6	12	0.36	10	0.11	48	Good
47	11-09-2025	53	24	8	12	0.28	10	0.09	53	Satisfactory
48	15-09-2025	44	20	6	11	0.49	9	0.13	44	Good
49	18-09-2025	38	15	7	12	0.36	9	0.10	38	Good
50	22-09-2025	51	23	9	14	0.54	11	0.15	51	Satisfactory
51	25-09-2025	58	25	11	15	0.63	12	0.18	58	Satisfactory
52	29-09-2025	36	16	7	11	0.31	7	0.13	36	Good
53	03-10-2025	49	20	8	12	0.58	9	0.09	49	Good
54	06-10-2025	62	28	9	14	0.73	12	0.13	62	Satisfactory
55	09-10-2025	54	24	9	11	0.46	11	0.16	54	Satisfactory
56	13-10-2025	67	30	10	15	0.79	10	0.12	67	Satisfactory
57	16-10-2025	55	27	10	14	0.85	11	0.14	55	Satisfactory
58	20-10-2025	41	18	7	12	0.62	7	0.09	41	Good
59	23-10-2025	36	15	7	11	0.74	6	0.07	37	Good
60	27-10-2025	30	12	6	12	0.51	6	0.11	30	Good
61	30-10-2025	36	16	6	10	0.43	5	0.08	36	Good
62	03-11-2025	43	18	8	12	0.62	8	0.11	43	Good
63	06-11-2025	51	23	8	13	0.51	9	0.15	51	Satisfactory
64	10-11-2025	57	27	6	12	0.48	12	0.17	57	Satisfactory
65	13-11-2025	69	34	9	15	0.65	14	0.13	69	Satisfactory
66	17-11-2025	55	25	6	12	0.79	17	0.15	55	Satisfactory
67	20-11-2025	65	31	8	14	0.51	21	0.11	65	Satisfactory
68	24-11-2025	71	34	9	15	0.43	22	0.14	71	Satisfactory
69	27-11-2025	63	30	11	17	0.68	24	0.17	63	Satisfactory

70	01-12-2025	76	32	8	16	0.75	21	0.18	76	Satisfactory
71	04-12-2025	68	26	6	16	0.49	24	0.22	68	Satisfactory
72	08-12-2025	72	34	8	18	0.56	22	0.25	72	Satisfactory
73	11-12-2025	62	27	8	18	0.70	19	0.19	62	Satisfactory
74	15-12-2025	74	36	9	21	0.43	24	0.23	74	Satisfactory
75	18-12-2025	65	31	8	18	0.68	25	0.18	65	Satisfactory
76	22-12-2025	71	35	10	16	0.51	22	0.25	71	Satisfactory
77	26-12-2025	79	38	7	14	0.64	24	0.23	79	Satisfactory
78	29-12-2025	68	33	10	19	0.79	25	0.20	68	Satisfactory
79	01-01-2026	70	34	9	17	0.58	22	0.21	70	Satisfactory
80	05-01-2026	64	29	7	16	0.35	21	0.18	64	Satisfactory
81	08-01-2026	82	38	9	18	0.73	24	0.27	82	Satisfactory
81	12-01-2026	77	35	8	17	0.51	22	0.29	77	Satisfactory
83	15-01-2026	67	32	9	18	0.64	23	0.21	67	Satisfactory
84	19-01-2026	73	34	8	21	0.49	20	0.18	73	Satisfactory
85	22-01-2026	81	38	9	19	0.57	19	0.23	81	Satisfactory
86	27-01-2026	75	35	7	21	0.41	24	0.19	75	Satisfactory
87	29-01-2026	70	31	10	17	0.26	22	0.14	70	Satisfactory
88	02-02-2026	78	37	8	21	0.38	19	0.25	78	Satisfactory
89	05-02-2026	66	32	7	19	0.62	22	0.22	66	Satisfactory
90	09-02-2026	81	38	9	17	0.51	23	0.30	81	Satisfactory
91	12-02-2026	72	33	5	20	0.43	19	0.24	72	Satisfactory
92	16-02-2026	84	42	9	19	0.55	22	0.27	84	Satisfactory
93	19-02-2026	70	30	10	23	0.79	20	0.21	70	Satisfactory
94	23-02-2026	76	37	9	21	0.60	25	0.16	76	Satisfactory
95	26-02-2026	81	39	11	23	0.73	22	0.23	81	Satisfactory
96	02-03-2026	81	38	9	24	0.47	21	0.18	81	Satisfactory
97	05-03-2026	77	35	8	21	0.69	24	0.21	77	Satisfactory
98	09-03-2026	72	34	7	18	0.75	20	0.27	72	Satisfactory
99	12-03-2026	83	38	8	21	0.52	24	0.24	83	Satisfactory
100	16-03-2026	89	44	7	16	0.68	24	0.18	89	Satisfactory
101	19-03-2026	74	36	6	18	0.81	23	0.21	74	Satisfactory
102	23-03-2026	79	38	9	25	0.75	21	0.17	79	Satisfactory
103	26-03-2026	86	43	8	23	0.63	25	0.20	86	Satisfactory
104	30-03-2026	73	34	9	24	0.49	23	0.16	73	Satisfactory
* No Monitoring										

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026										
Station: Residence of J. Natekar, Usgao Junction-629									City: Usgao	
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg		
1	03-04-2025	78	38	11	16	0.92	21	0.06	78	Satisfactory
2	07-04-2025	70	34	10	17	1.15	23	0.04	70	Satisfactory
3	10-04-2025	85	39	10	15	1.29	20	0.03	85	Satisfactory
4	14-04-2025	73	35	11	17	1.04	21	0.05	73	Satisfactory
5	17-04-2025	68	33	9	15	0.87	20	0.04	68	Satisfactory
6	21-04-2025	77	36	12	16	1.23	22	0.07	77	Satisfactory
7	24-04-2025	64	31	10	15	1.10	21	0.06	64	Satisfactory
8	28-04-2025	73	36	10	14	1.34	23	0.04	73	Satisfactory
9	02-05-2025	66	32	10	15	1.07	22	0.06	66	Satisfactory
10	05-05-2025	74	36	11	15	0.86	20	0.03	74	Satisfactory
11	08-05-2025	69	33	12	18	1.08	22	0.07	69	Satisfactory
12	12-05-2025	77	38	12	15	0.93	19	0.05	77	Satisfactory
13	15-05-2025	83	40	13	17	1.19	23	0.08	83	Satisfactory
14	19-05-2025	62	28	9	13	0.81	18	0.04	62	Satisfactory
15	22-05-2025	45	20	8	12	0.72	16	0.02	45	Good
16	26-05-2025	39	16	6	12	0.53	14	0.01	39	Good
17	29-05-2025	31	15	6	11	0.46	12	0.03	31	Good
18	02-06-2025	50	23	9	12	0.73	14.32	0.02	50	Good
19	05-06-2025	63	25	11	17	0.86	15.47	0.04	63	Satisfactory
20	09-06-2025	55	22	10	14	0.59	12.89	0.03	55	Satisfactory
21	12-06-2025	46	18	7	12	0.42	10.60	0.02	46	Good
22	16-06-2025	40	16	7	11	0.28	9.45	0.03	40	Good
23	19-06-2025	50	22	8	13	0.35	10.31	0.01	50	Satisfactory
24	23-06-2025	40	15	6	12	0.21	8.02	0.03	40	Good
25	26-06-2025	47	20	8	10	0.39	9.17	0.05	47	Good
26	30-06-2025	36	16	7	11	0.27	7.16	0.03	36	Good
27	03-07-2025	40	19	7	12	0.45	6.87	0.05	40	Good
28	07-07-2025	33	14	6	10	0.26	8.59	0.02	33	Good
29	10-07-2025	37	13	6	10	0.37	7.16	0.04	37	Good
30	14-07-2025	28	11	5	11	0.41	6.30	0.01	28	Good
31	17-07-2025	44	18	5	10	0.19	4.01	0.030	44	Good
32	21-07-2025	31	12	7	11	0.12	5.44	0.047	31	Good

33	24-07-2025	47	21	7	11	0.30	4.58	0.020	47	Good
34	28-07-2025	39	15	6	9	0.24	6.02	0.043	39	Good
35	31-07-2025	31	13	9	13	0.36	5.73	0.030	31	Good
36	04-08-2025	35	16	7	10	0.18	7	0.020	35	Good
37	07-08-2025	44	19	5	10	0.24	9	0.053	44	Good
38	11-08-2025	30	13	8	12	0.15	7	0.027	30	Good
39	14.08.2025	37	17	7	10	0.36	5	0.023	37	Good
40	18-08-2025	25	12	5	10	0.20	7	0.063	25	Good
41	21-08-2025	42	18	7	12	0.27	6	0.083	42	Good
42	25-08-2025	30	15	6	10	0.14	4	0.027	30	Good
43	29-08-2025	26	11	5	10	0.21	6	0.013	26	Good
44	01-09-2025	41	18	8	13	0.43	9	0.04	41	Good
45	04-09-2025	35	16	7	12	0.39	9	0.07	35	Good
46	08-09-2025	48	23	9	14	0.27	11	0.05	48	Good
47	11-09-2025	58	26	9	13	0.51	11	0.08	58	Satisfactory
48	15-09-2025	44	20	10	15	0.24	10	0.11	44	Good
49	18-09-2025	51	22	7	11	0.36	9	0.14	51	Satisfactory
50	22-09-2025	59	26	9	15	0.20	10	0.17	59	Satisfactory
51	25-09-2025	43	17	8	12	0.47	10	0.12	43	Good
52	29-09-2025	35	14	7	10	0.18	7	0.09	35	Good
53	03-10-2025	54	23	8	14	0.49	11	0.10	54	Satisfactory
54	06-10-2025	62	27	10	14	0.62	14	0.14	62	Satisfactory
55	09-10-2025	55	24	7	13	0.75	12	0.11	55	Satisfactory
56	13-10-2025	47	21	11	15	0.81	9	0.15	47	Good
57	16-10-2025	59	28	9	13	0.93	11	0.17	59	Satisfactory
58	20-10-2025	43	20	7	11	0.56	8	0.13	43	Good
59	23-10-2025	49	23	10	13	0.64	8	0.08	49	Good
60	27-10-2025	31	15	7	11	0.42	6	0.05	31	Good
61	30-10-2025	39	12	6	11	0.25	5	0.07	39	Good
62	03-11-2025	45	21	8	12	0.31	8	0.10	45	Good
63	06-11-2025	54	25	8	14	0.47	11	0.13	54	Satisfactory
64	10-11-2025	61	29	7	12	0.55	12	0.09	61	Satisfactory
65	13-11-2025	67	33	8	14	0.43	15	0.12	67	Satisfactory
66	17-11-2025	58	26	7	11	0.68	11	0.15	58	Satisfactory
67	20-11-2025	71	34	7	13	0.51	16	0.18	71	Satisfactory
68	24-11-2025	79	37	8	14	0.73	20	0.15	79	Satisfactory
69	27-11-2025	68	33	10	16	0.60	24	0.11	68	Satisfactory

70	01-12-2025	75	37	7	15	0.54	21	0.15	75	Satisfactory
71	04-12-2025	82	39	8	17	0.71	22	0.19	82	Satisfactory
72	08-12-2025	79	35	7	19	0.79	20	0.17	79	Satisfactory
73	11-12-2025	77	32	6	14	0.44	22	0.22	77	Satisfactory
74	15-12-2025	69	31	8	16	0.59	19	0.19	69	Satisfactory
75	18-12-2025	81	38	10	20	0.75	21	0.23	81	Satisfactory
76	22-12-2025	74	36	8	18	0.68	18	0.20	74	Satisfactory
77	26-12-2025	68	32	8	17	0.51	22	0.17	68	Satisfactory
78	29-12-2025	82	40	7	15	0.73	25	0.24	82	Satisfactory
79	01-01-2026	66	32	7	17	0.46	20	0.17	66	Satisfactory
80	05-01-2026	78	36	8	19	0.31	24	0.21	78	Satisfactory
81	08-01-2026	59	28	6	17	0.57	19	0.15	59	Satisfactory
82	13-01-2026	73	33	7	19	0.65	22	0.28	73	Satisfactory
83	15-01-2026	62	30	7	16	0.43	25	0.20	62	Satisfactory
84	20-01-2026	79	36	8	19	0.32	22	0.23	79	Satisfactory
85	22-01-2026	82	34	9	22	0.51	21	0.19	82	Satisfactory
86	27-01-2026	71	33	9	20	0.29	23	0.26	71	Satisfactory
87	29-01-2026	84	39	10	19	0.46	22	0.21	84	Satisfactory
88	02-02-2026	72	34	8	21	0.58	22	0.17	72	Satisfactory
89	05-02-2026	85	42	9	20	0.42	21	0.21	85	Satisfactory
90	09-02-2026	71	33	7	19	0.27	25	0.15	71	Satisfactory
91	12-02-2026	66	32	6	22	0.51	20	0.28	66	Satisfactory
92	16-02-2026	79	36	8	23	0.39	23	0.20	79	Satisfactory
93	19-02-2026	84	41	7	20	0.26	21	0.23	84	Satisfactory
94	23-02-2026	71	33	9	22	0.45	17	0.19	71	Satisfactory
95	26-02-2026	79	37	8	24	0.73	25	0.26	79	Satisfactory
96	02-03-2026	80	37	7	24	0.47	21	0.12	80	Satisfactory
97	05-03-2026	87	43	9	24	0.59	24	0.15	87	Satisfactory
98	09-03-2026	65	30	6	21	0.36	23	0.20	65	Satisfactory
99	12-03-2026	72	33	8	22	0.74	26	0.17	72	Satisfactory
100	16-03-2026	63	29	9	22	0.42	22	0.22	63	Satisfactory
101	19-03-2026	83	38	8	25	0.59	20	0.14	83	Satisfactory
102	23-03-2026	75	35	8	20	0.32	22	0.11	75	Satisfactory
103	26-03-2026	68	31	9	24	0.84	21	0.20	68	Satisfactory
104	30-03-2026	71	35	7	20	0.67	25	0.16	71	Satisfactory
* No Monitoring										

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026										
Station: Premises of Somnath English High School-630								City: Codli		
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg		
1	02-04-2025	72	34	9	15	1.12	22	0.06	72	Satisfactory
2	05-04-2025	67	30	10	14	0.74	19	0.05	67	Satisfactory
3	09-04-2025	59	35	8	15	1.09	24	0.03	59	Satisfactory
4	12-04-2025	71	33	10	15	0.88	21	0.06	71	Satisfactory
5	16-04-2025	77	36	10	16	1.23	23	0.03	77	Satisfactory
6	19-04-2025	64	32	9	12	1.15	22	0.07	64	Satisfactory
7	23-04-2025	61	28	9	14	0.93	21	0.05	61	Satisfactory
8	26-04-2025	74	35	10	16	1.02	21	0.06	74	Satisfactory
9	30-04-2025	65	31	9	14	0.71	20	0.04	65	Satisfactory
10	03-05-2025	67	33	8	14	0.95	20.91	0.06	67	Satisfactory
11	07-05-2025	72	36	11	14	1.12	22.06	0.03	72	Satisfactory
12	10-05-2025	65	30	10	14	0.87	21.77	0.08	65	Satisfactory
13	14-05-2025	69	33	9	13	1.06	19.19	0.04	69	Satisfactory
14	17-05-2025	58	28	8	12	0.74	17.47	0.02	58	Satisfactory
15	21-05-2025	52	21	7	11	0.52	15.75	0.04	52	Satisfactory
16	24-05-2025	38	15	7	11	0.45	13.46	0.02	38	Good
17	28-05-2025	33	14	6	10	0.27	11.17	0.03	33	Good
18	31-05-2025	41	17	6	12	0.38	14.61	0.02	41	Good
19	04-06-2025	55	22	7	12	0.83	17.76	0.02	55	Satisfactory
20	07-06-2025	65	29	9	16	0.95	15.32	0.05	65	Satisfactory
21	11-06-2025	57	24	9	13	0.61	12.94	0.04	57	Satisfactory
22	14-06-2025	50	22	7	11	0.44	11.74	0.04	50	Good
23	18-06-2025	36	15	5	9	0.32	9.45	0.03	36	Good
24	21-06-2025	45	18	6	12	0.21	7.16	0.01	45	Good
25	25-06-2025	33	14	6	10	0.37	8.59	0.03	33	Good
26	28-06-2025	37	16	7	12	0.25	9.17	0.05	37	Good
27	02-07-2025	42	19	6	10	0.46	7.45	0.04	42	Good
28	05-07-2025	36	15	5	10	0.29	5.73	0.02	36	Good
29	09-07-2025	29	12	7	12	0.35	8.02	0.05	29	Good
30	12-07-2025	45	17	5	10	0.51	6.59	0.07	45	Good
31	16-07-2025	32	13	6	11	0.24	5.44	0.013	32	Good
32	19-07-2025	26	9	5	9	0.16	7.16	0.040	26	Good

33	23-07-2025	39	15	6	10	0.28	4.87	0.023	39	Good
34	26-07-2025	23	11	5	11	0.40	7.45	0.050	23	Good
35	30-07-2025	45	19	7	12	0.31	6.30	0.030	45	Good
36	02-08-2025	33	13	5	11	0.17	5	0.017	33	Good
37	06-08-2025	26	10	5	10	0.24	8	0.047	26	Good
38	09-08-2025	38	16	6	10	0.20	10	0.017	38	Good
39	13-08-2025	29	13	6	12	0.15	7	0.040	29	Good
40	16-08-2025	23	9	6	12	0.38	5	0.047	23	Good
41	20-08-2025	36	16	7	13	0.46	5	0.033	36	Good
42	23-08-2025	28	13	6	10	0.17	7	0.060	28	Good
43	26-08-2025	18	7	5	10	0.29	5	0.023	18	Good
44	30-08-2025	32	15	6	10	0.35	7	0.040	32	Good
45	03-09-2025	30	14	6	10	0.35	7	0.03	30	Good
46	06-09-2025	42	17	7	11	0.21	7	0.06	42	Good
47	10-09-2025	36	14	6	10	0.29	9	0.02	36	Good
48	13-09-2025	46	21	8	12	0.42	11	0.07	46	Good
49	17-09-2025	28	12	6	11	0.37	8	0.03	28	Good
50	20-09-2025	42	18	8	12	0.30	10	0.08	42	Good
51	24-09-2025	34	16	8	11	0.26	10	0.05	34	Good
52	27-09-2025	26	13	6	10	0.19	7	0.03	26	Good
53	01-10-2025	47	19	7	11	0.46	9	0.06	47	Good
54	04-10-2025	53	22	8	13	0.35	8	0.12	53	Satisfactory
55	08-10-2025	43	18	7	11	0.28	11	0.10	43	Good
56	11-10-2025	38	15	10	13	0.49	7	0.13	38	Good
57	15-10-2025	51	23	7	11	0.51	10	0.16	51	Satisfactory
58	18-10-2025	57	29	9	12	0.27	12	0.10	57	Satisfactory
59	22-10-2025	45	21	9	14	0.34	8	0.06	45	Good
60	25-10-2025	35	15	7	11	0.30	6	0.11	35	Good
61	29-10-2025	27	12	5	11	0.23	5	0.05	27	Good
62	01-11-2025	34	15	7	13	0.17	7	0.07	34	Good
63	05-11-2025	42	18	6	11	0.28	9	0.09	42	Good
64	08-11-2025	49	24	8	11	0.36	11	0.05	49	Good
65	12-11-2025	62	30	9	15	0.45	14	0.09	62	Satisfactory
66	15-11-2025	55	25	7	14	0.28	17	0.13	55	Satisfactory
67	19-11-2025	66	28	9	15	0.41	18	0.10	66	Satisfactory
68	22-11-2025	59	26	8	14	0.65	16	0.15	59	Satisfactory
69	26-11-2025	72	34	9	16	0.53	19	0.17	72	Satisfactory

70	29-11-2025	65	31	8	15	0.71	18	0.16	65	Satisfactory
71	03-12-2025	56	27	6	15	0.17	20	0.48	56	Satisfactory
72	06-12-2025	62	29	8	16	0.20	24	0.63	62	Satisfactory
73	10-12-2025	67	33	8	17	0.15	19	0.59	67	Satisfactory
74	13-12-2025	58	26	7	16	0.11	23	0.25	58	Satisfactory
75	17-12-2025	54	25	9	18	0.16	19	0.63	54	Satisfactory
76	20-12-2025	60	29	8	15	0.21	21	0.51	60	Satisfactory
77	24-12-2025	69	33	10	17	0.25	17	0.44	69	Satisfactory
78	27-12-2025	51	24	7	15	0.15	23	0.30	51	Satisfactory
79	31-12-2025	65	32	6	14	0.23	20	0.56	65	Satisfactory
80	03-01-2026	64	30	7	16	0.35	21	0.17	64	Satisfactory
81	07-01-2026	72	33	9	18	0.51	23	0.20	72	Satisfactory
82	10-01-2026	60	27	6	15	0.30	19	0.14	60	Satisfactory
83	14-01-2026	67	31	8	17	0.48	20	0.16	67	Satisfactory
84	17-01-2026	73	34	8	15	0.59	23	0.20	73	Satisfactory
85	21-01-2026	66	31	6	18	0.42	20	0.17	66	Satisfactory
86	24-01-2026	79	37	8	17	0.35	22	0.24	79	Satisfactory
87	29-01-2026	58	26	8	15	0.47	18	0.11	58	Satisfactory
88	31-01-2026	67	32	9	19	0.29	23	0.18	67	Satisfactory
89	04-02-2026	75	36	6	18	0.37	19	0.23	75	Satisfactory
90	07-02-2026	71	32	7	19	0.46	21	0.19	71	Satisfactory
91	11-02-2026	63	29	6	16	0.19	24	0.14	63	Satisfactory
92	14-02-2026	59	27	8	15	0.26	20	0.10	59	Satisfactory
93	18-02-2026	72	35	6	18	0.35	23	0.08	72	Satisfactory
94	21-02-2026	82	36	5	15	0.21	25	0.12	82	Satisfactory
95	25-02-2026	67	32	7	18	0.49	21	0.16	67	Satisfactory
96	28-02-2026	78	38	8	16	0.42	24	0.11	78	Satisfactory
97	04-03-2026	69	34	8	22	0.28	23	0.18	69	Satisfactory
98	07-03-2026	74	35	7	18	0.36	21	0.15	74	Satisfactory
99	11-03-2026	79	38	7	17	0.25	20	0.20	79	Satisfactory
100	14-03-2026	71	32	6	15	0.31	22	0.13	71	Satisfactory
101	18-03-2026	64	31	7	21	0.47	25	0.17	64	Satisfactory
102	21-03-2026	69	34	7	22	0.29	21	0.11	69	Satisfactory
103	25-03-2026	77	37	7	20	0.38	18	0.19	77	Satisfactory
104	28-03-2026	66	32	9	23	0.52	23	0.16	66	Satisfactory
* No Monitoring										

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026										
Station: Rooftop of PWD Office, Near Bus Stand-777							City: Sanguem			
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg		
1	02-04-2025	65	34	8	13	0.94	21.20	0.04	65	Satisfactory
2	05-04-2025	71	31	10	14	0.69	18.33	0.02	71	Satisfactory
3	09-04-2025	62	29	9	13	0.82	20.34	0.03	62	Satisfactory
4	12-04-2025	68	34	10	15	0.77	19.19	0.02	68	Satisfactory
5	16-04-2025	61	30	9	12	1.04	20.91	0.04	61	Satisfactory
6	19-04-2025	74	35	9	14	0.98	18.62	0.02	74	Satisfactory
7	23-04-2025	59	28	9	14	0.63	21.48	0.04	59	Satisfactory
8	26-04-2025	68	32	10	15	0.71	19.77	0.03	68	Satisfactory
9	30-04-2025	60	27	9	15	1.12	22.06	0.05	60	Satisfactory
10	03-05-2025	66	32	10	14	0.82	19.48	0.07	66	Satisfactory
11	07-05-2025	75	34	8	14	0.94	17.47	0.04	75	Satisfactory
12	10-05-2025	61	30	11	15	0.75	21.48	0.06	61	Satisfactory
13	14-05-2025	69	32	10	13	0.89	20.62	0.03	69	Satisfactory
14	17-05-2025	55	27	8	12	0.68	17.19	0.02	55	Satisfactory
15	21-05-2025	42	17	8	12	0.51	15.47	0.02	42	Good
16	24-05-2025	36	15	6	11	0.38	14.32	0.01	36	Good
17	28-05-2025	29	14	5	10	0.25	11.46	0.03	29	Good
18	31-05-2025	45	20	7	12	0.46	13.18	0.02	45	Good
19	04-06-2025	59	25	8	14	0.91	15.18	0.04	59	Satisfactory
20	07-06-2025	68	30	10	14	0.76	17.53	0.02	68	Satisfactory
21	11.06-2025	62	27	8	13	0.64	16.29	0.01	62	Satisfactory
22	14-06-2025	54	23	9	14	0.82	12.32	0.02	54	Satisfactory
23	18-06-2025	67	19	7	12	0.45	10.03	0.06	67	Satisfactory
24	21-06-2025	41	16	7	11	0.31	8.02	0.03	41	Good
25	25-06-2025	48	21	8	11	0.27	9.74	0.05	48	Good
26	28-06-2025	36	14	8	13	0.19	7.45	0.03	36	Good
27	02-07-2025	30	13	7	11	0.35	8.59	0.02	30	Good
28	05-07-2025	43	16	7	12	0.49	7.16	0.04	43	Good
29	09-07-2025	37	15	6	11	0.21	9.45	0.03	37	Good
30	12-07-2025	26	10	7	12	0.58	6.02	0.05	29	Good
31	16-07-2025	45	18	9	12	0.37	8	0.023	45	Good
32	19-07-2025	32	14	6	10	0.16	6	0.060	32	Good

33	23-07-2025	27	9	5	10	0.24	4	0.033	27	Good
34	26-07-2025	42	11	5	12	0.31	7	0.053	42	Good
35	30-07-2025	33	13	7	11	0.19	8	0.023	33	Good
36	02-08-2025	28	10.4	6	10	0.27	7	0.03	28	Good
37	06-08-2025	35	13.7	7	11	0.36	9	0.05	35	Good
38	09-08-2025	31	11.2	5	10	0.18	5	0.02	31	Good
39	13-08-2025	21	8.5	6	10	0.25	7	0.04	21	Good
40	16-08-2025	28	9.7	5	10	0.21	7	0.02	28	Good
41	20-08-2025	38	14.1	7	12	0.30	7	0.05	38	Good
42	23-08-2025	26	12.3	6	11	0.23	5	0.08	26	Good
43	26-08-2025	18	7.8	5	10	0.34	9	0.01	18	Good
44	30-08-2025	27	11.4	5	10	0.21	6	0.04	27	Good
45	03-09-2025	32	15	6	11	0.39	7	0.06	32	Good
46	06-09-2025	46	19	5	12	0.25	9	0.10	46	Good
47	10-09-2025	40	17	8	12	0.46	9	0.05	40	Good
48	13-09-2025	53	23	9	13	0.51	10	0.12	53	Satisfactory
49	17-09-2025	35	16	7	11	0.43	9	0.08	35	Good
50	20-09-2025	41	18	8	12	0.32	11	0.11	41	Good
51	24-09-2025	55	22	8	12	0.68	9	0.13	55	Satisfactory
52	27-09-2025	37	16	6	10	0.40	8	0.10	37	Good
53	01-10-2025	42	18	8	11	0.35	10	0.09	42	Good
54	04-10-2025	51	23	10	14	0.46	10	0.13	51	Satisfactory
55	08-10-2025	62	27	8	12	0.51	11	0.10	62	Satisfactory
56	11-10-2025	50	25	10	14	0.78	11	0.17	50	Good
57	15-10-2025	57	26	8	12	0.46	11	0.15	57	Satisfactory
58	18-10-2025	40	17	8	13	0.57	11	0.11	40	Good
59	22-10-2025	38	15	6	11	0.83	10	0.08	42	Good
60	25-10-2025	32	15	9	12	0.70	7	0.04	35	Good
61	29-10-2025	26	12	6	10	0.32	5	0.03	26	Good
62	01-11-2025	40	15	7	12	0.21	7	0.10	40	Good
63	05-11-2025	45	22	6	11	0.16	9	0.08	45	Good
64	08-11-2025	54	24	7	12	0.32	11	0.05	54	Satisfactory
65	12-11-2025	69	32	8	14	0.27	12	0.11	69	Satisfactory
66	15-11-2025	56	28	6	12	0.41	14	0.13	56	Satisfactory
67	19-11-2025	64	30	7	13	0.63	18	0.16	64	Satisfactory
68	22-11-2025	72	34	8	15	0.49	19	0.18	72	Satisfactory
69	26-11-2025	77	31	9	16	0.35	22	0.21	77	Satisfactory

70	29-11-2025	66	28	7	14	0.61	18	0.18	66	Satisfactory
71	03-12-2025	60	27	7	16	0.65	20	0.17	60	Satisfactory
72	06-12-2025	67	33	7	16	0.73	23	0.13	67	Satisfactory
73	06-12-2025	59	24	7	18	0.36	20	0.16	59	Satisfactory
74	13-12-2025	71	31	9	17	0.40	16	0.20	71	Satisfactory
75	17-12-2025	65	29	8	17	0.55	20	0.17	65	Satisfactory
76	20-12-2025	76	36	7	18	0.43	23	0.23	76	Satisfactory
77	24-12-2025	68	31	9	16	0.29	17	0.20	68	Satisfactory
78	27-12-2025	74	34	7	17	0.38	17	0.25	74	Satisfactory
79	31-12-2025	62	29	9	15	0.71	19	0.16	62	Satisfactory
80	03-01-2026	72	33	8	18	0.63	19	0.17	72	Satisfactory
81	07-01-2026	64	30	6	15	0.41	18	0.14	64	Satisfactory
82	10-01-2026	76	36	9	19	0.75	22	0.22	76	Satisfactory
83	14-01-2026	61	28	6	16	0.36	22	0.16	61	Satisfactory
84	17-01-2026	54	25	7	17	0.58	19	0.20	54	Satisfactory
85	21-01-2026	68	32	8	19	0.73	24	0.26	68	Satisfactory
86	24-01-2026	63	29	6	19	0.49	22	0.21	63	Satisfactory
87	28-01-2026	75	37	5	17	0.68	24	0.17	75	Satisfactory
88	31-01-2026	82	40	7	18	0.41	23	0.15	82	Satisfactory
89	04-02-2026	68	43	7	19	0.52	17	0.18	72	Satisfactory
90	07-02-2026	73	34	8	21	0.38	21	0.26	73	Satisfactory
91	11-02-2026	62	28	6	17	0.31	24	0.15	62	Satisfactory
92	14-02-2026	77	37	8	20	0.49	19	0.22	77	Satisfactory
93	18-02-2026	85	40	11	23	0.37	24	0.30	85	Satisfactory
94	21-02-2026	70	34	9	22	0.41	23	0.19	70	Satisfactory
95	25-02-2026	64	30	7	19	0.53	20	0.25	64	Satisfactory
96	28-02-2026	75	36	8	20	0.34	21	0.20	75	Satisfactory
97	04-03-2026	71	33	7	18	0.48	20	0.14	71	Satisfactory
98	07-03-2026	60	27	8	21	0.53	24	0.18	60	Satisfactory
99	11-03-2026	76	37	6	16	0.67	26	0.11	76	Satisfactory
100	14-03-2026	58	25	6	15	0.45	23	0.17	58	Satisfactory
101	18-03-2026	64	31	9	23	0.79	26	0.25	64	Satisfactory
102	21-03-2026	69	35	5	15	0.31	24	0.16	69	Satisfactory
103	25-03-2026	62	28	8	21	0.40	22	0.13	62	Satisfactory
104	28-03-2026	65	31	6	19	0.59	26	0.20	65	Satisfactory
* No Monitoring										

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026										
Station: Rooftop of Electricity panel room at GSUDA market - 628								City: Curchorem		
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg		
1	02-04-2025	73	35	12	17	1.38	23	0.04	73	Satisfactory
2	05-04-2025	65	32	11	16	0.86	22	0.05	65	Satisfactory
3	09-04-2025	77	37	12	17	1.19	22	0.03	77	Satisfactory
4	12-04-2025	61	29	10	16	1.24	20	0.06	62	Satisfactory
5	16-04-2025	78	37	11	16	1.25	23	0.05	78	Satisfactory
6	19-04-2025	83	39	12	17	1.04	24	0.03	83	Satisfactory
7	23-04-2025	76	34	13	16	1.31	21	0.06	76	Satisfactory
8	26-04-2025	66	33	11	16	0.95	20	0.04	66	Satisfactory
9	30-04-2025	73	36	12	17	1.08	23	0.07	73	Satisfactory
10	03-05-2025	78	35	12	17	1.31	22	0.06	78	Satisfactory
11	07-05-2025	72	32	10	15	0.92	21	0.04	72	Satisfactory
12	10-05-2025	80	37	12	16	1.15	22	0.07	80	Satisfactory
13	14-05-2025	64	32	11	15	1.29	23	0.09	65	Satisfactory
14	17-05-2025	58	26	9	15	1.07	22	0.06	58	Satisfactory
15	21-05-2025	48	21	8	13	0.63	17	0.02	48	Good
16	24-05-2025	36	15	7	11	0.48	14	0.01	36	Good
17	28-05-2025	28	12	5	11	0.51	11	0.03	28	Good
18	31-05-2025	40	17	8	12	0.76	13	0.05	40	Good
19	04-06-2025	59	24	9	13	0.74	17	0.04	59	Satisfactory
20	07-06-2025	67	31	10	16	0.96	18	0.07	67	Satisfactory
21	11-06-2025	52	22	9	15	0.82	17	0.05	52	Satisfactory
22	14-06-2025	45	19	8	13	0.65	11	0.03	45	Good
23	18-06-2025	55	22	8	13	0.51	11	0.05	55	Satisfactory
24	21-06-2025	44	18	6	11	0.43	8	0.01	44	Good
25	25-06-2025	38	15	7	12	0.38	9	0.03	38	Good
26	28-06-2025	48	22	8	12	0.25	7	0.02	48	Good
27	02-07-2025	44	17	8	12	0.49	9	0.05	44	Good
28	05-07-2025	36	14	7	12	0.35	7	0.09	36	Good
29	09-07-2025	50	20	10	14	0.51	8	0.07	50	Good
30	12-07-2025	57	24	10	15	0.62	5	0.04	57	Satisfactory
31	16-07-2025	39	17	7	11	0.43	8	0.06	39	Good
32	19-07-2025	43	20	9	13	0.38	5	0.03	43	Good

33	23-07-2025	55	24	11	15	0.57	6	0.07	55	Satisfactory
34	26-07-2025	47	19	9	12	0.69	7	0.05	47	Good
35	30-07-2025	40	15	8	11	0.74	9	0.03	40	Good
36	02-08-2025	32	13	7	12	0.51	10	0.06	32	Good
37	06-08-2025	45	17	9	13	0.29	9	0.02	45	Good
38	09-08-2025	37	16	8	10	0.34	7	0.05	37	Good
39	13-08-2025	40	18	10	12	0.22	10	0.03	40	Good
40	16-08-2025	28	12	5	10	0.46	8	0.08	28	Good
41	20-08-2025	52	21	7	12	0.58	8	0.06	52	Satisfactory
42	23-08-2025	35	15	10	13	0.17	5	0.04	35	Good
43	26-08-2025	22	11	6	11	0.25	3	0.07	22	Good
44	30-08-2025	31	14	5	10	0.41	6	0.03	31	Good
45	03-09-2025	39	17	7	12	0.48	8	0.07	39	Good
46	06-09-2025	46	21	10	14	0.31	10	0.10	46	Good
47	10-09-2025	52	23	9	14	0.56	10	0.09	52	Satisfactory
48	13-09-2025	58	27	7	11	0.73	11	0.12	58	Satisfactory
49	17-09-2025	44	19	9	15	0.34	9	0.15	44	Good
50	20-09-2025	52	23	9	13	0.62	10	0.10	52	Satisfactory
51	24-09-2025	41	17	8	13	0.41	12	0.07	41	Good
52	27-09-2025	36	15	6	11	0.30	10	0.05	36	Good
53	01-10-2025	53	24	8	14	0.59	11	0.09	53	Satisfactory
54	04-10-2025	67	31	10	16	0.46	9	0.14	67	Satisfactory
55	08-10-2025	56	26	10	12	0.67	11	0.11	56	Satisfactory
56	11-10-2025	49	22	9	12	0.78	10	0.15	49	Good
57	15-10-2025	60	26	10	14	0.53	9	0.09	60	Satisfactory
58	18-10-2025	52	25	7	12	0.71	9	0.12	52	Satisfactory
59	22-10-2025	44	19	9	13	0.65	11	0.07	44	Good
60	25-10-2025	37	16	7	11	0.34	8	0.09	37	Good
61	29-10-2025	43	17	7	13	0.42	5	0.05	43	Good
62	01-11-2025	48	21	6	11	0.31	9	0.12	48	Good
63	05-11-2025	54	24	8	14	0.49	10	0.09	54	Satisfactory
64	08-11-2025	61	28	7	13	0.56	12	0.14	61	Satisfactory
65	12-11-2025	71	33	10	15	0.38	15	0.11	71	Satisfactory
66	15-11-2025	59	27	7	13	0.47	19	0.13	59	Satisfactory
67	19-11-2025	67	32	9	15	0.61	21	0.15	67	Satisfactory
68	22-11-2025	74	34	9	13	0.73	19	0.18	74	Satisfactory
69	26-11-2025	70	31	11	17	0.58	20	0.15	70	Satisfactory

70	29-11-2025	83	31	10	15	0.66	24	0.13	83	Satisfactory
71	03-12-2025	76	33	8	17	0.56	26	0.20	76	Satisfactory
72	06-12-2025	83	38	9	20	0.61	24	0.21	83	Satisfactory
73	10-12-2025	87	43	11	19	0.73	21	0.18	87	Satisfactory
74	13-12-2025	79	37	10	22	0.45	20	0.24	79	Satisfactory
75	17-12-2025	85	40	12	23	0.51	26	0.16	85	Satisfactory
76	20-12-2025	91	44	10	21	0.58	28	0.28	91	Satisfactory
77	24-12-2025	74	36	8	17	0.69	23	0.16	74	Satisfactory
78	27-12-2025	88	42	10	20	0.71	29	0.13	88	Satisfactory
79	31-12-2025	81	39	9	22	0.63	24	0.17	81	Satisfactory
80	03-01-2026	82	39	9	19	0.61	23	0.22	82	Satisfactory
81	07-01-2026	74	35	7	16	0.85	22	0.25	74	Satisfactory
82	10-01-2026	88	43	10	22	0.87	25	0.28	88	Satisfactory
83	14-01-2026	68	32	6	17	0.51	22	0.16	68	Satisfactory
84	17-01-2026	74	29	9	20	0.73	24	0.23	74	Satisfactory
85	21-01-2026	80	38	11	23	0.62	21	0.28	80	Satisfactory
86	24-01-2026	69	31	8	18	0.54	23	0.20	69	Satisfactory
87	28-01-2026	58	27	9	19	0.46	21	0.25	58	Satisfactory
88	31-01-2026	87	41	10	21	0.61	25	0.29	87	Satisfactory
89	04-02-2026	69	33	8	22	0.79	22	0.21	69	Satisfactory
90	07-02-2026	78	37	7	23	0.48	21	0.26	78	Satisfactory
91	11-02-2026	72	34	9	19	0.53	24	0.23	72	Satisfactory
92	14-02-2026	81	38	7	23	0.60	27	0.17	81	Satisfactory
93	18-02-2026	77	35	8	21	0.71	24	0.23	77	Satisfactory
94	21-02-2026	85	40	9	23	0.54	25	0.19	85	Satisfactory
95	25-02-2026	69	32	8	20	0.39	26	0.25	69	Satisfactory
96	28-02-2026	78	36	8	21	0.47	23	0.30	78	Satisfactory
97	04-03-2026	79	36	6	19	0.73	27	0.17	79	Satisfactory
98	07-03-2026	63	31	10	23	0.59	26	0.24	63	Satisfactory
99	11-03-2026	75	36	8	25	0.65	22	0.19	75	Satisfactory
100	14-03-2026	85	41	6	20	0.78	27	0.22	85	Satisfactory
101	18-03-2026	71	33	7	18	0.59	22	0.28	71	Satisfactory
102	21-03-2026	66	30	6	21	0.88	26	0.17	66	Satisfactory
103	25-03-2026	79	34	8	24	0.75	20	0.21	79	Satisfactory
104	28-03-2026	86	42	8	22	0.63	24	0.30	86	Satisfactory
* No Monitoring										

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026										
Station: Residence of D. Rivonkar, Tilamol Junction-778						City: Tilamol				
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg		
1	02-04-2025	81	37	10	16	1.20	21	0.06	81	Satisfactory
2	05-04-2025	75	35	10	16	1.04	18	0.04	75	Satisfactory
3	09-04-2025	78	40	11	17	0.96	23	0.07	78	Satisfactory
4	12-04-2025	82	36	11	16	1.27	19	0.05	82	Satisfactory
5	16-04-2025	87	43	13	19	1.35	23	0.08	87	Satisfactory
6	19-04-2025	77	35	12	17	1.12	21	0.06	77	Satisfactory
7	23-04-2025	71	33	12	17	1.31	24	0.04	71	Satisfactory
8	26-04-2025	83	38	13	18	1.15	21	0.05	83	Satisfactory
9	30-04-2025	76	34	11	15	0.87	22	0.07	76	Satisfactory
10	03-05-2025	84	41	13	18	1.34	23	0.06	84	Satisfactory
11	07-05-2025	90	43	12	17	1.12	21	0.08	90	Satisfactory
12	10-05-2025	93	46	13	18	1.25	22	0.05	93	Satisfactory
13	14-05-2025	86	40	12	16	1.17	21	0.07	86	Satisfactory
14	17-05-2025	75	34	11	15	1.03	19	0.09	75	Satisfactory
15	21-05-2025	60	29	9	14	0.81	16	0.04	60	Satisfactory
16	24-05-2025	55	24	8	13	0.69	15	0.01	55	Satisfactory
17	28-05-2025	68	31	11	15	0.76	11	0.03	68	Satisfactory
18	31-05-2025	77	36	10	15	0.54	13	0.05	77	Satisfactory
19	04-06-2025	80	37	11	15	0.86	16	0.03	80	Satisfactory
20	07-06-2025	87	40	12	17	1.05	19	0.09	87	Satisfactory
21	11-06-2025	76	34	12	16	0.59	17	0.05	76	Satisfactory
22	14-06-2025	70	27	10	15	0.73	13	0.07	70	Satisfactory
23	18-06-2025	56	21	9	14	0.46	11	0.05	56	Satisfactory
24	21-06-2025	50	22	11	16	0.62	9	0.02	50	Good
25	25-06-2025	61	28	9	15	0.53	10	0.05	61	Satisfactory
26	28-06-2025	55	24	10	16	0.48	9	0.03	55	Satisfactory
27	02-07-2025	47	21	10	13	0.67	8	0.05	47	Good
28	05-07-2025	56	24	10	16	0.75	7	0.08	56	Satisfactory
29	09-07-2025	39	17	9	12	0.42	5	0.02	39	Good
30	12-07-2025	67	30	10	16	0.61	7	0.03	67	Satisfactory
31	16-07-2025	53	23	10	14	0.54	9	0.067	53	Satisfactory
32	19-07-2025	44	19	7	12	0.38	6	0.043	44	Good

33	23-07-2025	60	25	10	17	0.26	5	0.063	60	Satisfactory
34	26-07-2025	55	22	8	14	0.49	7	0.030	55	Satisfactory
35	30-07-2025	66	27	12	16	0.52	9	0.067	66	Satisfactory
36	02-08-2025	58	26	11	15	0.46	11	0.07	58	Satisfactory
37	06-08-2025	64	29	10	13	0.59	9	0.11	64	Satisfactory
38	09-08-2025	52	23	11	14	0.67	8	0.08	52	Satisfactory
39	13-08-2025	39	15	8	13	0.42	7	0.10	39	Good
40	16-08-2025	44	18	8	12	0.25	6	0.05	44	Good
41	20-08-2025	58	25	12	15	0.38	9	0.08	58	Satisfactory
42	23-08-2025	48	22	10	13	0.54	6	0.10	48	Good
43	26-08-2025	36	16	10	15	0.36	5	0.07	36	Good
44	30-08-2025	45	22	10	14	0.41	7	0.04	45	Good
45	03-09-2025	55	25	9	14	0.41	8	0.07	55	Satisfactory
46	06-09-2025	69	31	10	15	0.64	9	0.13	69	Satisfactory
47	10-09-2025	75	35	9	13	0.53	10	0.11	75	Satisfactory
48	13-09-2025	61	27	11	15	0.78	9	0.14	61	Satisfactory
49	17-09-2025	50	24	10	14	0.46	11	0.10	50	Satisfactory
50	20-09-2025	64	28	10	14	0.57	11	0.13	64	Satisfactory
51	24-09-2025	70	32	12	16	0.34	12	0.15	70	Satisfactory
52	27-09-2025	46	20	10	13	0.45	10	0.09	46	Good
53	01-10-2025	63	28	10	15	0.59	11	0.11	63	Satisfactory
54	04-10-2025	71	34	12	16	0.73	9	0.16	71	Satisfactory
55	08-10-2025	59	25	10	13	0.81	12	0.14	59	Satisfactory
56	11-10-2025	66	30	11	15	0.64	10	0.19	66	Satisfactory
57	15-10-2025	75	36	8	13	0.45	10	0.23	75	Satisfactory
58	18-10-2025	61	29	11	15	0.52	9	0.15	61	Satisfactory
59	22-10-2025	55	24	9	13	0.38	12	0.18	55	Satisfactory
60	25-10-2025	43	20	9	12	0.47	7	0.10	43	Good
61	29-10-2025	38	17	8	13	0.32	6	0.05	38	Good
62	01-11-2025	46	22	10	14	0.21	5	0.09	46	Good
63	05-11-2025	52	24	11	15	0.38	8	0.14	52	Satisfactory
64	08-11-2025	63	28	11	16	0.63	12	0.17	63	Satisfactory
65	12-11-2025	81	39	10	16	0.47	16	0.13	81	Satisfactory
66	15-11-2025	68	33	9	13	0.56	14	0.17	68	Satisfactory
67	19-11-2025	83	41	11	16	0.71	18	0.14	83	Satisfactory
68	22-11-2025	78	36	9	15	0.63	15	0.18	78	Satisfactory
69	26-11-2025	69	33	10	16	0.78	18	0.21	69	Satisfactory

70	29-11-2025	81	36	9	18	0.60	20	0.15	81	Satisfactory
71	03-12-2025	70	33	8	18	0.48	22	0.21	70	Satisfactory
72	06-12-2025	67	30	9	18	0.56	25	0.17	67	Satisfactory
73	10-12-2025	78	37	8	17	0.61	21	0.24	78	Satisfactory
74	13-12-2025	80	39	10	20	0.42	19	0.22	80	Satisfactory
75	17-12-2025	65	33	9	18	0.37	17	0.16	65	Satisfactory
76	20-12-2025	86	42	9	16	0.59	17	0.25	86	Satisfactory
77	24-12-2025	73	36	11	20	0.61	16	0.18	73	Satisfactory
78	27-12-2025	83	38	10	17	0.73	19	0.29	83	Satisfactory
79	31-12-2025	68	33	11	22	0.55	23	0.20	68	Satisfactory
80	03-01-2026	77	36	7	19	0.22	21	0.42	77	Satisfactory
81	07-01-2026	85	42	10	21	0.26	24	0.61	85	Satisfactory
82	10-01-2026	73	35	6	17	0.19	21	0.57	73	Satisfactory
83	14-01-2026	81	39	9	18	0.24	23	0.69	81	Satisfactory
84	17-01-2026	64	31	7	16	0.17	19	0.78	64	Satisfactory
85	21-01-2026	77	35	8	19	0.25	21	0.85	77	Satisfactory
86	24-01-2026	83	39	9	21	0.21	18	0.53	83	Satisfactory
87	28-01-2026	70	33	9	21	0.17	20	0.67	70	Satisfactory
88	31-01-2026	80	36	10	24	0.25	23	0.41	80	Satisfactory
89	04-02-2026	73	35	9	21	0.36	22	0.19	73	Satisfactory
90	07-02-2026	82	39	8	18	0.41	20	0.30	82	Satisfactory
91	11-02-2026	78	35	11	22	0.65	24	0.26	78	Satisfactory
92	14-02-2026	84	42	9	23	0.72	25	0.21	84	Satisfactory
93	18-02-2026	81	39	8	19	0.58	24	0.17	81	Satisfactory
94	21-02-2026	72	35	6	22	0.67	26	0.21	72	Satisfactory
95	25-02-2026	76	38	7	20	0.45	22	0.26	76	Satisfactory
96	28-02-2026	86	42	6	19	0.61	21	0.23	86	Satisfactory
97	04-03-2026	75	36	10	24	0.45	24	0.15	75	Satisfactory
98	07-03-2026	64	31	9	20	0.59	21	0.23	64	Satisfactory
99	11-03-2026	70	33	12	26	0.71	19	0.27	70	Satisfactory
100	14-03-2026	66	30	9	19	0.86	24	0.12	66	Satisfactory
101	18-03-2026	80	37	8	17	0.63	22	0.29	80	Satisfactory
102	21-03-2026	84	42	6	16	0.75	25	0.25	84	Satisfactory
103	25-03-2026	61	27	9	23	0.49	18	0.11	61	Satisfactory
104	28-03-2026	76	36	7	20	0.53	22	0.20	76	Satisfactory
* No Monitoring										

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026											
Station: Rooftop of Power Station, Cuncolim Ind Estate-781										City: Cuncolim	
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	As	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg	24-hr avg		
1	02-04-2025	74	32	11	16	1.13	23	0.55	0.12	74	Satisfactory
2	05-04-2025	81	37	14	18	0.97	20	0.48	0.15	81	Satisfactory
3	09-04-2025	68	31	11	16	1.05	23	0.29	0.11	68	Satisfactory
4	12-04-2025	63	35	13	17	1.19	21	0.32	0.13	63	Satisfactory
5	16-04-2025	75	38	13	18	1.27	24	0.44	0.10	75	Satisfactory
6	19-04-2025	66	32	12	18	1.34	24	0.37	0.14	67	Satisfactory
7	23-04-2025	85	40	11	17	1.08	21	0.41	0.11	85	Satisfactory
8	26-04-2025	77	36	12	17	0.86	24	0.28	0.13	77	Satisfactory
9	30-04-2025	69	33	12	16	1.16	22	0.21	0.09	69	Satisfactory
10	03-05-2025	75	35	11	17	1.01	21	0.28	0.13	75	Satisfactory
11	07-05-2025	84	37	11	15	0.84	20	0.33	0.11	84	Satisfactory
12	10-05-2025	66	33	10	16	0.97	21	0.40	0.16	66	Satisfactory
13	14-05-2025	79	38	11	17	1.15	23	0.27	0.09	79	Satisfactory
14	17-05-2025	71	34	10	15	0.78	19	0.35	0.14	71	Satisfactory
15	21-05-2025	58	27	8	13	0.61	15	0.26	0.10	58	Satisfactory
16	24-05-2025	42	19	7	11	0.43	14	0.12	0.06	42	Good
17	28-05-2025	50	16	9	13	0.59	12	0.24	0.09	50	Good
18	31-05-2025	60	26	7	14	0.72	13	0.16	0.13	60	Satisfactory
19	04-06-2025	71	33	9	16	0.65	16.04	0.18	0.09	71	Satisfactory
20	07-06-2025	66	29	12	17	0.92	18.71	0.25	0.13	66	Satisfactory
21	11-06-2025	54	23	11	14	0.73	15.39	0.12	0.07	54	Satisfactory
22	14-06-2025	69	32	10	15	0.84	12.6	0.19	0.08	69	Satisfactory
23	18-06-2025	64	28	10	16	0.62	10.89	0.15	0.12	64	Satisfactory
24	21-06-2025	52	21	9	13	0.49	8.31	0.11	0.09	52	Satisfactory
25	25-06-2025	58	24	10	13	0.37	11.46	0.14	0.07	58	Satisfactory
26	28-06-2025	67	31	11	15	0.28	9.45	0.16	0.08	67	Satisfactory
27	02-07-2025	47	21	8	12	0.26	8.59	0.12	0.09	47	Good
28	05-07-2025	50	25	10	14	0.39	10.31	0.17	0.07	50	Satisfactory
29	09-07-2025	68	31	10	15	0.54	7.73	0.15	0.13	68	Satisfactory
30	12-07-2025	53	26	11	16	0.68	9.45	0.10	0.10	53	Satisfactory
31	16-07-2025	61	29	10	15	0.47	6.87	0.13	0.0833	61	Satisfactory
32	19-07-2025	49	20	9	13	0.32	5.44	0.08	0.050	49	Good

33	23-07-2025	57	23	8	10	0.56	8.31	0.05	0.030	57	Satisfactory
34	26-07-2025	42	18	9	14	0.44	9.17	0.03	0.063	42	Good
35	30-07-2025	63	30	11	14	0.61	7.45	0.10	0.040	63	Satisfactory
36	02-08-2025	55	23	10	14	0.43	8.02	0.15	0.120	55	Satisfactory
37	06-08-2025	47	19	12	15	0.57	11.74	0.12	0.090	47	Good
38	09-08-2025	38	16	10	14	0.31	9.17	0.09	0.070	38	Good
39	13-08-2025	32	14	8	12	0.49	7.16	0.07	0.110	32	Good
40	16-08-2025	62	27	12	15	0.79	6.93	0.16	0.063	62	Satisfactory
41	20-08-2025	57	24	10	13	0.52	8.45	0.11	0.103	57	Satisfactory
42	23-08-2025	44	20	10	14	0.38	6.08	0.08	0.123	44	Good
43	26-08-2025	29	18	9	13	0.26	4.37	0.04	0.043	29	Good
44	30-08-2025	35	15	10	16	0.47	5.61	0.12	0.023	35	Good
45	03-09-2025	42	19	10	15	0.58	7	0.16	0.08	42	Good
46	06-09-2025	58	24	13	16	0.46	8	0.09	0.15	58	Satisfactory
47	10-09-2025	65	26	11	15	0.32	11	0.16	0.12	65	Satisfactory
48	13-09-2025	59	22	10	13	0.51	10	0.11	0.17	59	Satisfactory
49	17-09-2025	46	18	10	15	0.73	12	0.15	0.14	46	Good
50	20-09-2025	52	21	12	16	0.65	12	0.13	0.11	52	Satisfactory
51	24-09-2025	61	24	11	15	0.49	10	0.15	0.18	61	Satisfactory
52	27-09-2025	55	23	9	13	0.57	9	0.11	0.15	55	Satisfactory
53	01-10-2025	58	25	12	15	0.53	11	0.09	0.15	58	Satisfactory
54	04-10-2025	66	32	10	13	0.71	9	0.13	0.18	66	Satisfactory
55	08-10-2025	54	23	10	16	0.64	11	0.17	0.15	54	Satisfactory
56	11-10-2025	44	21	10	12	0.48	11	0.12	0.19	44	Good
57	15-10-2025	60	27	11	14	0.69	8	0.07	0.17	60	Satisfactory
58	18-10-2025	71	33	10	16	0.82	12	0.09	0.20	71	Satisfactory
59	22-10-2025	52	23	10	13	0.51	9	0.15	0.12	52	Satisfactory
60	25-10-2025	49	21	8	12	0.47	8	0.12	0.08	49	Good
61	29-10-2025	56	25	9	14	0.38	5	0.08	0.13	56	Satisfactory
62	01-11-2025	62	27	9	14	0.47	8	0.13	0.11	62	Satisfactory
63	05-11-2025	54	25	11	15	0.68	11	0.09	0.15	54	Satisfactory
64	08-11-2025	66	31	11	16	0.51	12	0.11	0.13	66	Satisfactory
65	12-11-2025	71	33	10	15	0.63	15	0.14	0.17	71	Satisfactory
66	15-11-2025	80	38	11	16	0.78	17	0.12	0.20	80	Satisfactory
67	19-11-2025	77	35	11	17	0.51	20	0.15	0.16	77	Satisfactory
68	22-11-2025	84	41	10	17	0.63	24	0.13	0.22	84	Satisfactory
69	26-11-2025	79	38	12	18	0.77	22	0.09	0.24	79	Satisfactory

70	29-11-2025	70	33	11	16	0.58	25	0.13	0.19	70	Satisfactory
71	03-12-2025	78	37	10	21	0.79	27	0.15	0.19	78	Satisfactory
72	06-12-2025	73	33	7	18	0.86	28	0.17	0.21	73	Satisfactory
73	10-12-2025	82	41	11	23	0.91	26	0.14	0.23	82	Satisfactory
74	13-12-2025	75	32	9	20	0.72	23	0.18	0.26	75	Satisfactory
75	17-12-2025	69	35	10	22	0.61	29	0.10	0.18	69	Satisfactory
76	20-12-2025	81	37	12	25	0.75	26	0.13	0.27	81	Satisfactory
77	24-12-2025	65	30	10	23	0.83	24	0.18	0.13	65	Satisfactory
78	27-12-2025	79	36	8	18	0.88	23	0.13	0.26	79	Satisfactory
79	31-12-2025	72	33	10	24	0.95	26	0.15	0.17	72	Satisfactory
80	03-01-2026	81	37	11	21	0.79	21	0.19	0.27	81	Satisfactory
81	07-01-2026	74	33	10	19	0.86	24	0.14	0.20	74	Satisfactory
82	10-01-2026	85	41	12	24	0.91	19	0.23	0.32	85	Satisfactory
83	14-01-2026	67	33	8	19	0.72	21	0.11	0.24	67	Satisfactory
84	17-01-2026	78	36	11	22	0.61	24	0.15	0.28	78	Satisfactory
85	21-01-2026	86	42	9	25	0.75	22	0.20	0.35	86	Satisfactory
86	24-01-2026	80	38	12	20	0.83	25	0.13	0.26	80	Satisfactory
87	28-01-2026	73	34	10	22	0.88	26	0.18	0.21	73	Satisfactory
88	31-01-2026	86	42	11	24	0.95	24	0.14	0.28	86	Satisfactory
89	04-02-2026	82	38	9	20	0.69	23	0.15	0.32	82	Satisfactory
90	07-02-2026	71	34	9	23	0.65	24	0.09	0.27	71	Satisfactory
91	11-02-2026	75	31	11	25	0.81	25	0.17	0.31	75	Satisfactory
92	14-02-2026	87	47	9	22	0.53	22	0.13	0.22	87	Satisfactory
93	18-02-2026	79	37	10	23	0.79	27	0.08	0.32	79	Satisfactory
94	21-02-2026	66	31	8	21	0.42	23	0.14	0.27	66	Satisfactory
95	24-02-2026	86	43	11	22	0.61	25	0.09	0.31	86	Satisfactory
96	28-02-2026	74	35	9	19	0.38	26	0.11	0.25	74	Satisfactory
97	04-03-2026	86	40	10	23	0.71	27	0.06	0.27	86	Satisfactory
98	07-03-2026	77	37	10	20	0.88	25	0.07	0.29	77	Satisfactory
99	11-03-2026	82	35	13	26	0.73	27	0.10	0.22	82	Satisfactory
100	14-03-2026	69	33	11	19	0.66	24	0.05	0.25	69	Satisfactory
101	18-03-2026	73	36	8	17	0.81	21	0.04	0.29	73	Satisfactory
102	21-03-2026	81	33	10	21	0.63	23	0.02	0.27	81	Satisfactory
103	25-03-2026	68	30	11	24	0.84	28	0.06	0.18	68	Satisfactory
104	28-03-2026	71	35	10	25	0.79	24	0.04	0.26	71	Satisfactory
* No Monitoring											

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026										
Station: Near IDC Office-780								City: Kundaim		
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg		
1	03-04-2025	85	42	13	17	1.18	20.62	0.22	85	Satisfactory
2	07-04-2025	78	37	13	18	1.02	23.49	0.31	78	Satisfactory
3	10-04-2025	73	33	11	17	0.95	21.48	0.24	73	Satisfactory
4	14-04-2025	82	40	13	18	1.21	22.63	0.29	82	Satisfactory
5	17-04-2025	85	40	10	16	0.86	20.91	0.29	85	Satisfactory
6	21-04-2025	92	44	12	16	1.15	23.78	0.24	92	Satisfactory
7	24-04-2025	76	38	10	15	1.27	21.77	0.26	76	Satisfactory
8	28-04-2025	88	42	12	18	1.34	22.34	0.33	88	Satisfactory
9	02-05-2025	76	35	10	17	0.97	23.20	0.17	76	Satisfactory
10	05-05-2025	83	40	13	18	1.25	21.20	0.15	83	Satisfactory
11	08-05-2025	77	38	11	16	1.08	22.06	0.26	77	Satisfactory
12	12-05-2025	70	34	11	15	1.17	24.06	0.20	70	Satisfactory
13	15-05-2025	81	38	13	17	0.93	21.48	0.18	81	Satisfactory
14	19-05-2025	65	31	9	14	0.75	19.19	0.20	65	Satisfactory
15	22-05-2025	52	24	8	12	0.48	15.75	0.09	52	Satisfactory
16	26-05-2025	45	19	8	12	0.69	13.75	0.06	45	Good
17	29-05-2025	38	16	7	11	0.41	11.74	0.05	38	Good
18	02-06-2025	65	31	9	14	0.81	16.33	0.06	65	Satisfactory
19	05-06-2025	71	36	11	16	0.73	18.33	0.08	71	Satisfactory
20	09-06-2025	66	30	10	15	0.59	15.75	0.05	66	Satisfactory
21	12-06-2025	58	27	10	14	0.64	13.18	0.09	58	Satisfactory
22	16-06-2025	47	21	8	12	0.42	10.31	0.03	47	Good
23	19-06-2025	61	25	9	13	0.55	9.74	0.08	61	Satisfactory
24	23-06-2025	52	23	7	10	0.31	10.60	0.06	52	Satisfactory
25	26-06-2025	46	19	8	11	0.24	9.45	0.03	46	Good
26	30-06-2025	39	15	10	13	0.49	10.31	0.01	39	Good
27	03-07-2025	36	13	7	11	0.31	8.88	0.03	36	Good
28	07-07-2025	43	17	6	10	0.28	10.31	0.02	43	Good
29	10-07-2025	31	14	5	10	0.46	6.59	0.05	31	Good
30	14-07-2025	28	10	7	12	0.39	7.45	0.03	28	Good
31	17-07-2025	40	18	7	11	0.17	6	0.057	40	Good
32	21-07-2025	26	11	5	11	0.22	6	0.023	26	Good

33	24-07-2025	38	15	7	10	0.35	5	0.047	38	Good
34	28-07-2025	47	20	9	13	0.48	7	0.033	47	Good
35	31-07-2025	55	24	8	12	0.56	6	0.060	55	Satisfactory
36	04-08-2025	49	18	9	13	0.24	9	0.063	49	Good
37	07-08-2025	36	14	8	12	0.41	8	0.033	36	Good
38	11-08-2025	43	17	10	14	0.37	5	0.070	43	Good
39	14-08-2025	29	12	7	11	0.19	5	0.023	29	Good
40	18-08-2025	23	11	6	10	0.28	6	0.040	23	Good
41	21-08-2025	38	16	7	11	0.31	9	0.067	38	Good
42	25-08-2025	45	18	6	11	0.36	6	0.087	45	Good
43	29-08-2025	31	10	6	10	0.25	7	0.020	31	Good
44	01-09-2025	54	23	11	14	0.84	10	0.09	54	Satisfactory
45	04-09-2025	49	21	8	13	0.67	8	0.12	49	Good
46	08-09-2025	61	26	11	15	0.51	12	0.15	61	Satisfactory
47	11-09-2025	55	24	10	14	0.43	11	0.11	55	Satisfactory
48	15-09-2025	68	31	11	15	0.58	13	0.16	68	Satisfactory
49	18-09-2025	52	25	8	13	0.62	11	0.13	52	Satisfactory
50	22-09-2025	70	33	11	15	0.73	13	0.10	70	Satisfactory
51	25-09-2025	56	26	9	13	0.50	9	0.08	56	Satisfactory
52	29-09-2025	39	17	7	11	0.29	6	0.05	39	Good
53	03-10-2025	49	24	10	14	0.56	10	0.15	49	Good
54	06-10-2025	61	28	10	16	0.73	11	0.19	61	Satisfactory
55	09-10-2025	57	26	8	13	0.42	11	0.17	57	Satisfactory
56	13-10-2025	53	21	10	14	0.61	9	0.14	53	Satisfactory
57	16-10-2025	64	29	11	15	0.84	11	0.16	64	Satisfactory
58	20-10-2025	49	22	8	13	0.59	7	0.11	49	Good
59	23-10-2025	40	18	6	11	0.64	7	0.07	40	Good
60	27-10-2025	36	15	6	11	0.47	5	0.05	36	Good
61	30-10-2025	43	18	8	13	0.38	4	0.03	43	Good
62	03-11-2025	58	22	10	13	0.51	7	0.12	58	Satisfactory
63	06-11-2025	64	28	10	13	0.64	11	0.15	64	Satisfactory
64	10-11-2025	72	35	11	15	0.59	8	0.18	72	Satisfactory
65	13-11-2025	66	31	8	14	0.67	13	0.15	66	Satisfactory
66	17-11-2025	79	34	11	16	0.42	15	0.17	79	Satisfactory
67	20-11-2025	74	36	9	15	0.31	19	0.13	74	Satisfactory
68	24-11-2025	81	39	9	16	0.75	20	0.10	81	Satisfactory
69	27-11-2025	88	46	10	18	0.91	23	0.16	88	Satisfactory

70	01-12-2025	81	34	9	18	0.63	22	0.23	81	Satisfactory
71	04-12-2025	77	30	7	15	0.45	24	0.20	77	Satisfactory
72	08-12-2025	85	41	10	19	0.68	19	0.24	85	Satisfactory
73	11-12-2025	74	36	8	16	0.84	22	0.21	74	Satisfactory
74	15-12-2025	68	33	11	18	0.60	24	0.17	68	Satisfactory
75	18-12-2025	74	36	10	16	0.51	21	0.23	74	Satisfactory
76	22-12-2025	62	29	11	20	0.79	23	0.19	62	Satisfactory
77	26-12-2025	84	39	10	19	0.44	20	0.15	84	Satisfactory
78	29-12-2025	78	34	12	22	0.56	24	0.18	78	Satisfactory
79	01-01-2026	85	41	11	19	0.73	23	0.27	85	Satisfactory
80	05-01-2026	74	35	9	18	0.61	25	0.19	74	Satisfactory
81	08-01-2026	90	43	11	21	0.84	23	0.34	90	Satisfactory
82	12-01-2026	78	36	7	16	0.58	22	0.26	78	Satisfactory
83	15-01-2026	82	39	9	20	0.77	25	0.30	82	Satisfactory
84	19-01-2026	71	34	8	17	0.52	19	0.22	71	Satisfactory
85	22-01-2026	65	32	9	21	0.36	22	0.25	65	Satisfactory
86	27-01-2026	78	37	10	24	0.49	22	0.23	78	Satisfactory
87	29-01-2026	81	38	10	24	0.58	25	0.18	81	Satisfactory
88	02-02-2026	76	34	8	20	0.65	10	0.29	76	Satisfactory
89	05-02-2026	86	39	9	23	0.54	11	0.21	86	Satisfactory
90	09-02-2026	79	36	7	19	0.71	9	0.24	79	Satisfactory
91	12-02-2026	82	41	11	22	0.49	11	0.19	82	Satisfactory
92	16-02-2026	88	44	9	18	0.62	9	0.27	88	Satisfactory
93	19-02-2026	66	31	11	21	0.83	11	0.20	66	Satisfactory
94	23-02-2026	73	35	7	17	0.59	8	0.26	73	Satisfactory
95	26-02-2026	85	42	9	22	0.77	11	0.32	85	Satisfactory
96	02-03-2026	84	41	9	24	0.84	24	0.22	84	Satisfactory
97	05-03-2026	72	34	10	25	0.71	23	0.17	72	Satisfactory
98	09-03-2026	88	43	8	23	0.83	27	0.23	88	Satisfactory
99	12-03-2026	81	38	11	22	0.67	24	0.15	81	Satisfactory
100	16-03-2026	75	35	7	19	0.84	27	0.21	75	Satisfactory
101	19-03-2026	84	40	9	23	0.75	24	0.16	84	Satisfactory
102	23-03-2026	76	37	9	21	0.63	23	0.20	76	Satisfactory
103	26-03-2026	69	32	10	24	0.81	25	0.23	69	Satisfactory
104	30-03-2026	82	40	9	25	0.62	24	0.16	82	Satisfactory
* No Monitoring										

ANNUAL AAQM DATA OF NAMP STATION FROM APRIL 2025 to MARCH 2026										
Station: Tuem Industrial Estate Near ESIC Hospital-779								City: Tuem		
		Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)							AQI	AIR QLTY
	Parameters	PM10	PM2.5	SO2	NO2	*CO	O3	Pb		
Sr.No	Date	24-hr avg	24-hr avg	24-hr avg	24-hr avg	1-hr avg	1-hr avg	24-hr avg		
1	01-04-2025	70	35	10	15	1.26	21.48	0.05	70	Satisfactory
2	04-04-2025	76	39	11	17	1.10	23.78	0.07	76	Satisfactory
3	08-04-2025	65	32	9	15	0.84	20.91	0.06	65	Satisfactory
4	11-04-2025	74	36	11	17	1.17	22.34	0.05	74	Satisfactory
5	15-04-2025	77	33	9	14	1.31	19.48	0.03	77	Satisfactory
6	18-04-2025	83	38	12	17	1.04	23.49	0.05	83	Satisfactory
7	22-04-2025	72	34	11	15	1.29	21.20	0.07	72	Satisfactory
8	25-04-2025	64	32	11	16	0.93	18.62	0.05	64	Satisfactory
9	29-04-2025	70	33	10	15	1.15	20.34	0.03	70	Satisfactory
10	02-05-2025	75	33	10	17	0.96	22.63	0.06	75	Satisfactory
11	06-05-2025	83	37	9	14	1.18	20.05	0.08	83	Satisfactory
12	09-05-2025	77	36	11	16	0.75	23.20	0.04	77	Satisfactory
13	13-05-2025	68	32	10	15	1.22	21.48	0.05	68	Satisfactory
14	16-05-2025	72	35	9	14	0.87	22.34	0.08	72	Satisfactory
15	20-05-2025	54	23	8	11	0.73	18.33	0.02	54	Satisfactory
16	23-05-2025	44	19	8	12	0.59	16.33	0.01	44	Good
17	27-05-2025	36	15	7	11	0.42	14.61	0.03	36	Good
18	30-05-2025	42	18	7	11	0.37	12.89	0.04	42	Good
19	03-06-2025	56	25	9	12	0.85	15.47	0.03	56	Satisfactory
20	06-06-2025	65	29	9	14	1.05	17.35	0.02	65	Satisfactory
21	10-06-2025	72	33	11	17	0.93	14.96	0.04	72	Satisfactory
22	13-06-2025	54	27	9	14	0.76	16.33	0.04	54	Satisfactory
23	17-06-2025	47	20	7	12	0.51	12.60	0.03	47	Good
24	20-06-2025	37	16	9	13	0.39	10.89	0.01	37	Good
25	24-06-2025	49	20	7	11	0.24	8.31	0.04	49	Good
26	27-06-2025	43	16	7	11	0.37	9.74	0.07	43	Good
27	01-07-2025	35	13	7	11	0.21	7.73	0.05	35	Good
28	04-07-2025	42	18	8	13	0.42	9.45	0.03	42	Good
29	08-07-2025	49	21	7	11	0.37	8.59	0.07	49	Good
30	11-07-2025	38	16	9	14	0.25	10.31	0.05	38	Good
31	15-07-2025	54	24	9	13	0.58	7	0.083	54	Satisfactory
32	18-07-2025	41	18	7	11	0.34	5	0.023	41	Good

33	22-07-2025	32	15	8	11	0.29	7	0.043	32	Good
34	25-07-2025	46	17	9	14	0.38	7	0.070	46	Good
35	29-07-2025	59	25	7	11	0.45	9	0.050	59	Satisfactory
36	01-08-2025	49	21	7	12	0.36	8	0.073	49	Good
37	05-08-2025	37	14	9	13	0.51	11	0.053	37	Good
38	08-08-2025	45	18	6	11	0.47	7	0.107	45	Good
39	12-08-2025	31	12	8	12	0.19	9	0.087	31	Good
40	16-08-2025	28	11	5	10	0.26	7	0.047	28	Good
41	19-08-2025	42	17	5	11	0.41	8	0.067	42	Good
42	22-08-2025	31	13	7	11	0.32	5	0.043	31	Good
43	26-08-2025	19	8	6	10	0.24	3	0.017	19	Good
44	29-08-2025	25	12	8	12	0.18	6	0.033	25	Good
45	02-09-2025	39	17	7	11	0.49	10	0.050	39	Good
46	05-09-2025	45	21	7	13	0.56	11	0.077	45	Good
47	09-09-2025	58	26	9	14	0.38	8	0.130	58	Satisfactory
48	12-09-2025	51	22	10	14	0.44	12	0.103	51	Satisfactory
49	16-09-2025	62	28	8	13	0.63	9	0.147	62	Satisfactory
50	19-09-2025	44	18	10	15	0.35	10	0.120	44	Good
51	23-09-2025	38	16	10	14	0.26	10	0.140	38	Good
52	26-09-2025	30	14	8	12	0.31	7	0.080	30	Good
53	30-09-2025	49	22	10	12	0.47	11	0.113	49	Good
54	03-10-2025	45	19	7	11	0.61	11	0.093	45	Good
55	07-10-2025	53	24	9	14	0.74	9	0.133	53	Satisfactory
56	10-10-2025	47	23	10	15	0.45	10	0.097	47	Good
57	14-10-2025	68	30	9	13	0.68	10	0.143	68	Satisfactory
58	17-10-2025	56	24	10	14	0.53	11	0.170	56	Satisfactory
59	22-10-2025	50	22	10	14	0.41	8	0.147	50	Good
60	24-10-2025	40	17	9	12	0.27	7	0.103	40	Good
61	28-10-2025	37	14	6	11	0.34	8	0.050	37	Good
62	31-10-2025	32	12	6	10	0.21	6	0.070	32	Good
63	04-11-2025	39	16	7	13	0.37	9	0.113	39	Good
64	07-11-2025	47	22	8	14	0.41	12	0.090	47	Good
65	11-11-2025	53	24	10	14	0.26	10	0.073	53	Satisfactory
66	14-11-2025	73	32	10	15	0.53	15	0.113	73	Satisfactory
67	18-11-2025	66	29	8	14	0.68	19	0.137	66	Satisfactory
68	21-11-2025	82	38	9	15	0.47	18	0.170	82	Satisfactory
69	25-11-2025	77	34	12	16	0.63	22	0.177	77	Satisfactory

70	28-11-2025	75	36	10	18	0.71	19	0.153	75	Satisfactory
71	02-12-2025	81	39	9	18	0.59	25	0.193	81	Satisfactory
72	05-12-2025	73	35	8	15	0.67	23	0.207	73	Satisfactory
73	09-12-2025	78	38	8	16	0.44	25	0.173	78	Satisfactory
74	13-12-2025	69	33	11	20	0.60	23	0.233	69	Satisfactory
75	16-12-2025	57	26	10	19	0.78	20	0.183	57	Satisfactory
76	18-12-2025	60	28	9	17	0.63	26	0.127	60	Satisfactory
77	23-12-2025	72	34	12	21	0.81	23	0.157	72	Satisfactory
78	26-12-2025	83	40	10	19	0.55	21	0.200	83	Satisfactory
79	30-12-2025	76	35	9	18	0.43	18	0.157	76	Satisfactory
80	02-01-2026	85	42	10	19	0.71	22	0.320	85	Satisfactory
81	06-01-2026	77	37	10	22	0.68	24	0.240	77	Satisfactory
82	09-01-2026	69	33	8	17	0.55	21	0.210	69	Satisfactory
83	13-01-2026	80	38	10	21	0.43	23	0.283	80	Satisfactory
84	16-01-2026	75	36	8	18	0.86	22	0.227	75	Satisfactory
85	20-01-2026	63	31	10	17	0.71	24	0.157	63	Satisfactory
86	23-01-2026	71	33	10	20	0.59	23	0.197	71	Satisfactory
87	27-01-2026	79	37	8	20	0.48	21	0.153	79	Satisfactory
88	30-01-2026	83	41	10	22	0.74	22	0.183	83	Satisfactory
89	03-02-2026	87	43	11	24	0.86	24	0.263	87	Satisfactory
90	06-02-2026	73	34	9	19	0.57	20	0.210	73	Satisfactory
91	10-02-2026	89	41	11	24	0.69	24	0.230	89	Satisfactory
92	13-02-2026	67	32	10	22	0.41	26	0.190	67	Satisfactory
93	17-02-2026	75	36	11	23	0.73	23	0.213	75	Satisfactory
94	20-02-2026	82	39	12	21	0.89	25	0.170	82	Satisfactory
95	24-02-2026	69	35	10	24	0.62	21	0.237	69	Satisfactory
96	27-02-2026	86	42	8	23	0.38	26	0.313	86	Satisfactory
97	03-03-2026	83	39	10	20	0.78	25	0.24	83	Satisfactory
98	06-03-2026	68	34	11	23	0.61	23	0.16	68	Satisfactory
99	10-03-2026	80	37	8	21	0.84	27	0.26	80	Satisfactory
100	13-03-2026	87	42	11	23	0.55	25	0.23	87	Satisfactory
101	17-03-2026	65	31	9	20	0.71	20	0.20	65	Satisfactory
102	20-03-2026	79	36	11	24	0.63	22	0.25	79	Satisfactory
103	24-03-2026	85	42	9	21	0.89	20	0.29	85	Satisfactory
104	27-03-2026	72	35	12	24	0.57	24	0.17	72	Satisfactory
105	31-03-2026	77	39	10	20	0.46	27	0.21	77	Satisfactory
* No Monitoring										