

MONTHLY AAQM DATA ALONG WITH AQI FOR 18 NAMP STATION

JANUARY 2026

About National Air Quality Index

1. Air Quality Index is a tool for effective communication of air quality status to people in terms, which are easy to understand. It transforms complex air quality data of various pollutants into a single number (index value), nomenclature and color.
2. There are six AQI categories, namely Good, Satisfactory, Moderately polluted, Poor, Very Poor, and Severe. Each of these categories is decided based on ambient concentration values of air pollutants and their likely health impacts (known as health breakpoints). AQ sub-index and health breakpoints are evolved for eight pollutants (PM₁₀, PM_{2.5}, NO₂, SO₂, CO, O₃, NH₃, and Pb) for which short-term (up to 24-hours) National Ambient Air Quality Standards are prescribed.
3. Based on the measured ambient concentrations of a pollutant, sub-index is calculated, which is a linear function of concentration (e.g. the sub-index for PM_{2.5} will be 51 at concentration 31 µg/m³, 100 at concentration 60 µg/m³, and 75 at concentration of 45 µg/m³). The worst sub-index determines the overall AQI. AQI categories and health breakpoints for the eight pollutants are as follow:

Table 1 : AQI Category, Pollutants and Health Breakpoints								
AQI Category (Range)	PM ₁₀ 24-hr	PM _{2.5} 24-hr	NO ₂ 24-hr	O ₃ 8-hr	CO 8-hr (mg/m ³)	SO ₂ 24-hr	NH ₃ 24-hr	Pb 24-hr
Good (0-50)	0-50	0-30	0-40	0-50	0-1.0	0-40	0-200	0-0.5
Satisfactory (51-100)	51-100	31-60	41-80	51-100	1.1-2.0	41-80	201-400	0.5 –1.0
Moderate (101-200)	101-250	61-90	81-180	101-168	2.1- 10	81-380	401-800	1.1-2.0
Poor (201-300)	251-350	91-120	181-280	169-208	10-17	381-800	801-1200	2.1-3.0
Very poor (301-400)	351-430	121-250	281-400	209-748*	17-34	801-1600	1200-1800	3.1-3.5
Severe (401-500)	430 +	250+	400+	748+*	34+	1600+	1800+	3.5+

Table 2: AQI : Associated Health Impacts

AQI	Associated Health Impacts
Severe (401-500)	SEVERE : May cause respiratory effects even on healthy people and serious health effect on people with lung/heart diseases
Very Poor (301–400)	VERY-POOR: May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
Poor (201-300)	POOR : May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
Moderate (101–200)	MODERATE : May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease Children and older adults
Satisfactory (51–100)	SATISFACTORY : May cause minor breathing discomfort to sensitive people
Good (0–50)	GOOD : Minimal impact

Station: Near Old GSPCB office						City :Panaji				
Duration:- January - 2026										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	02-01-2026	74	35	8	18	0.54	22	0.20	74	Satisfactory
2	06-01-2026	82	40	11	22	0.79	24	0.27	82	Satisfactory
3	09-01-2026	78	37	9	20	0.71	20	0.17	78	Satisfactory
4	13-01-2026	85	42	12	22	0.84	26	0.32	85	Satisfactory
5	17-01-2026	73	35	10	21	0.56	22	0.24	73	Satisfactory
6	20-01-2026	80	38	10	20	0.68	21	0.27	80	Satisfactory
7	23-01-2026	70	34	9	23	0.53	24	0.21	70	Satisfactory
8	27-01-2026	85	41	10	24	0.47	21	0.23	85	Satisfactory
9	30-01-2026	72	32	8	21	0.6	18	0.19	72	Satisfactory

Station: Above Municipality toilet, Chacha Nehru Park, Mapusa								City :Mapusa		
Duration:-January - 2026										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	02-01-2026	82	38	8	20	0.59	20	0.26	82	Satisfactory
2	06-01-2026	95	45	11	24	0.71	23	0.35	95	Satisfactory
3	09-01-2026	88	41	9	22	0.89	24	0.29	88	Satisfactory
4	13-01-2026	79	35	8	19	0.43	17	0.23	79	Satisfactory
5	16-01-2026	85	39	11	24	0.54	20	0.20	85	Satisfactory
6	20-01-2026	90	42	9	21	0.62	18	0.28	90	Satisfactory
7	23-01-2026	78	37	10	20	0.85	22	0.23	78	Satisfactory
8	27-01-2026	85	40	10	21	0.78	24	0.25	85	Satisfactory
9	30-01-2026	92	44	11	22	0.61	20	0.21	92	Satisfactory

Station: MPT Quarters				City: Baina				
Duration:- January-2026								
Sr.No		Time Weighted Average (TWA)					AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3						
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	NH ₃		
1	02-01-2026	94	10	2	19	10	94	Satisfactory
2	07-01-2026	65	42	2	14	13	70	Satisfactory
3	09-01-2026	103	62	2	22	10	107	Moderate
4	14-01-2026	87	30	2	24	10	87	Satisfactory
5	16-01-2026	94	60	2	16	10	100	Satisfactory
6	21-01-2026	99	64	2	5	25	113	Moderate
7	23-01-2026	96	23	2	5	10	96	Satisfactory
8	28-01-2026	69	38	2	12	10	69	Satisfactory
9	30-01-2026	114	71	2	17	10	135	Moderate

Station: Fuse Call Office						City: Vasco		
Duration:- January-2026								
Sr.No		Time Weighted Average (TWA)					AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3						
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	NH ₃		
1	02-01-2026	121	58	2	18	10	114	Moderate
2	07-01-2026	85	41	2	14	21	85	Satisfactory
3	09-01-2026	97	58	2	14	10	97	Satisfactory
4	14-01-2026	88	48	2	16	10	88	Satisfactory
5	16-01-2026	97	59	2	11	10	99	Satisfactory
6	21-01-2026	103	51	2	12	10	102	Moderate
7	23-01-2026	100	49	2	10	10	100	Moderate
8	28-01-2026	95	46	2	14	20	95	Satisfactory
9	30-01-2026	115	71	2	20	10	136	Moderate

Station: Roof top of Municipal market						City: Ponda				
Duration:-January - 2026										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	01-01-2026	91	44	9	20	0.68	22	0.23	91	Satisfactory
2	06-01-2026	84	40	10	24	0.75	24	0.30	84	Satisfactory
3	08-01-2026	77	36	8	19	0.51	23	0.25	77	Satisfactory
4	12-01-2026	86	41	11	22	0.44	23	0.21	86	Satisfactory
5	15-01-2026	93	44	11	23	0.79	26	0.29	93	Satisfactory
6	19-01-2026	80	37	9	19	0.63	22	0.22	80	Satisfactory
7	22-01-2026	75	33	8	21	0.50	24	0.18	75	Satisfactory
8	27-01-2026	69	31	10	23	0.42	21	0.21	69	Satisfactory
9	29-01-2026	85	39	12	24	0.59	23	0.24	85	Satisfactory

Station: Rooftop of Ravindra Bhavan Building						City:-Margao				
Duration:- January 2026										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	03-01-2026	61	28	7	16	0.65	18	0.15	61	Satisfactory
2	07-01-2026	71	34	9	17	0.71	16	0.20	71	Satisfactory
3	10-01-2026	59	26	7	16	0.83	16	0.13	59	Satisfactory
4	14-01-2026	65	30	7	15	0.62	19	0.17	65	Satisfactory
5	17-01-2026	77	37	6	17	0.54	17	0.20	77	Satisfactory
6	21-01-2026	70	32	7	18	0.40	21	0.14	70	Satisfactory
7	24-01-2026	62	29	6	15	0.51	18	0.17	62	Satisfactory
8	28-01-2026	57	25	8	21	0.36	17	0.12	57	Satisfactory
9	31-01-2026	66	32	9	19	0.42	20	0.15	66	Satisfactory

Station: Residence of Mr. Rama Naik, Assanora Junction City: Assanora										
Duration: January - 2026										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	02-01-2026	67	33	7	18	0.68	19	0.14	67	Satisfactory
2	06-01-2026	76	36	9	19	0.73	22	0.17	76	Satisfactory
3	09-01-2026	62	28	6	16	0.61	17	0.12	62	Satisfactory
4	13-01-2026	70	34	8	18	0.52	23	0.15	70	Satisfactory
5	16-01-2026	58	27	7	15	0.45	20	0.18	58	Satisfactory
6	20-01-2026	66	31	7	18	0.39	24	0.23	66	Satisfactory
7	23-01-2026	74	36	6	15	0.58	19	0.27	74	Satisfactory
8	27-01-2026	70	30	6	16	0.67	22	0.19	70	Satisfactory
9	30-01-2026	78	37	7	18	0.41	19	0.21	78	Satisfactory

Station: Residence of Mr. Sagun Ramkrishna Fadte						City: Amona				
Duration:- -Janauary - 2026										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	01-01-2026	65	32	7	16	0.40	22	0.17	65	Satisfactory
2	05-01-2026	59	26	8	16	0.69	24	0.15	59	Satisfactory
3	08-01-2026	73	33	8	19	0.57	23	0.21	73	Satisfactory
4	12-01-2026	62	28	6	17	0.45	19	0.13	62	Satisfactory
5	15-01-2026	77	35	8	19	0.62	24	0.20	77	Satisfactory
6	19-01-2026	69	33	7	17	0.41	21	0.17	69	Satisfactory
7	22-01-2026	63	30	8	15	0.36	23	0.13	63	Satisfactory
8	27-01-2026	70	33	7	17	0.58	20	0.18	70	Satisfactory
9	29-01-2026	60	27	6	19	0.73	25	0.15	60	Satisfactory

Station: Municipality Building					City: Bicholim					
Duration:January - 2026										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	02-01-2026	92	44	11	23	0.90	25	0.29	92	Satisfactory
2	06-01-2026	87	41	10	22	0.73	25	0.17	87	Satisfactory
3	09-01-2026	97	45	12	24	0.97	22	0.32	97	Satisfactory
4	13-01-2026	104	48	13	25	0.92	27	0.35	102	Moderate
5	16-01-2026	89	42	10	20	0.68	24	0.27	89	Satisfactory
6	20-01-2026	95	46	12	24	0.81	25	0.31	95	Satisfactory
7	23-01-2026	92	43	10	25	0.54	22	0.26	92	Satisfactory
8	27-01-2026	86	40	8	21	0.72	21	0.23	86	Satisfactory
9	30-01-2026	81	37	11	24	0.60	23	0.20	81	Satisfactory

Station: Near Ajoba temple, Honda junction						City: Honda				
Duration:-January- 2026										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	01-01-2026	70	34	9	17	0.58	22	0.21	70	Satisfactory
2	05-01-2026	64	29	7	16	0.35	21	0.18	64	Satisfactory
3	08-01-2026	82	38	9	18	0.73	24	0.27	82	Satisfactory
4	12-01-2026	77	35	8	17	0.51	22	0.29	77	Satisfactory
5	15-01-2026	67	32	9	18	0.64	23	0.21	67	Satisfactory
6	19-01-2026	73	34	8	21	0.49	20	0.18	73	Satisfactory
7	22-.01-2026	81	38	9	19	0.57	19	0.23	81	Satisfactory
8	27-01-2026	75	35	7	21	0.41	24	0.19	75	Satisfactory
9	29-01-2026	70	31	10	17	0.26	22	0.14	70	Satisfactory

Station:- Usgao Junction						City:-Usgao				
Duration:- January-2026										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	01-01-2026	66	32	7	17	0.46	20	0.17	66	Satisfactory
2	05-01-2026	78	36	8	19	0.31	24	0.21	78	Satisfactory
3	08-01-2026	59	28	6	17	0.57	19	0.15	59	Satisfactory
4	13-01-2026	73	33	7	19	0.65	22	0.28	73	Satisfactory
5	15-01-2026	62	30	7	16	0.43	25	0.20	62	Satisfactory
6	20-01-2026	79	36	8	19	0.32	22	0.23	79	Satisfactory
7	22-01-2026	82	34	9	22	0.51	21	0.19	82	Satisfactory
8	27-01-2026	71	33	9	20	0.29	23	0.26	71	Satisfactory
9	29-01-2026	84	39	10	19	0.46	22	0.21	84	Satisfactory

Station: Premises of Somnath English High School									City:-Codli	
Duration:- Janaury -2026										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	03-01-2026	64	30	7	16	0.35	21	0.17	64	Satisfactory
2	07-01-2026	72	33	9	18	0.51	23	0.20	72	Satisfactory
3	10-01-2026	60	27	6	15	0.30	19	0.14	60	Satisfactory
4	14-01-2026	67	31	8	17	0.48	20	0.16	67	Satisfactory
5	17-01-2026	73	34	8	15	0.59	23	0.20	73	Satisfactory
6	21-01-2026	66	31	6	18	0.42	20	0.17	66	Satisfactory
7	24-01-2026	79	37	8	17	0.35	22	0.24	79	Satisfactory
8	29-01-2026	58	26	8	15	0.47	18	0.11	58	Satisfactory
9	31-01-2026	67	32	9	19	0.29	23	0.18	67	Satisfactory

Station: Rooftop of Sanguem Municipality Building									City: Sanguem	
Duration:- January 2026										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	03-01-2026	72	33	8	18	0.63	19	0.17	72	Satisfactory
2	07-01-2026	64	30	6	15	0.41	18	0.14	64	Satisfactory
3	10-01-2026	76	36	9	19	0.75	22	0.22	76	Satisfactory
4	14-01-2026	61	28	6	16	0.36	22	0.16	61	Satisfactory
5	17-01-2026	54	25	7	17	0.58	19	0.20	54	Satisfactory
6	21-01-2026	68	32	8	19	0.73	24	0.26	68	Satisfactory
7	24-01-2026	63	29	6	19	0.49	22	0.21	63	Satisfactory
8	28-01-2026	75	37	5	17	0.68	24	0.17	75	Satisfactory
9	31-01-2026	82	40	7	18	0.41	23	0.15	82	Satisfactory


Station: Tilamol Junction							City: Tilamol			
Duration:- January 2026										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	03-01-2026	77	36	7	19	0.22	21	0.42	77	Satisfactory
2	07-01-2026	85	42	10	21	0.26	24	0.61	85	Satisfactory
3	10-01-2026	73	35	6	17	0.19	21	0.57	73	Satisfactory
4	14-01-2026	81	39	9	18	0.24	23	0.69	81	Satisfactory
5	17-01-2026	64	31	7	16	0.17	19	0.78	64	Satisfactory
6	21-01-2026	77	35	8	19	0.25	21	0.85	77	Satisfactory
7	24-01-2026	83	39	9	21	0.21	18	0.53	83	Satisfactory
8	28-01-2026	70	33	9	21	0.17	20	0.67	70	Satisfactory
9	31-01-2026	80	36	10	24	0.25	23	0.41	80	Satisfactory

Station: Rooftop of Electricity panel room at GSUDA market City:-Curchorem										
Duration:- January -2026										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	03-01-2026	82	39	9	19	0.61	23	0.22	82	Satisfactory
2	07-01-2026	74	35	7	16	0.85	22	0.25	74	Satisfactory
3	10-01-2026	88	43	10	22	0.87	25	0.28	88	Satisfactory
4	14-01-2026	68	32	6	17	0.51	22	0.16	68	Satisfactory
5	17-01-2026	74	29	9	20	0.73	24	0.23	74	Satisfactory
6	21-01-2026	80	38	11	23	0.62	21	0.28	80	Satisfactory
7	24-01-2026	69	31	8	18	0.54	23	0.20	69	Satisfactory
8	28-01-2026	58	27	9	19	0.46	21	0.25	58	Satisfactory
9	31-01-2026	87	41	10	21	0.61	25	0.29	87	Satisfactory

Station: Rooftop of Power Station, Cuncolim Ind Estate								City: Cuncolim			
Duration:- January -2026											
Sr.No		Time Weighted Average (TWA)								AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3 & As which is in ng/m3)									
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	As	Pb		
1	03-01-2026	81	37	11	21	0.79	21	0.19	0.27	81	Satisfactory
2	07-01-2026	74	33	10	19	0.86	24	0.14	0.20	74	Satisfactory
3	10-01-2026	85	41	12	24	0.91	19	0.23	0.32	85	Satisfactory
4	14-01-2026	67	33	8	19	0.72	21	0.11	0.24	67	Satisfactory
5	17-01-2026	78	36	11	22	0.61	24	0.15	0.28	78	Satisfactory
6	21-01-2026	86	42	9	25	0.75	22	0.20	0.35	86	Satisfactory
7	24-01-2026	80	38	12	20	0.83	25	0.13	0.26	80	Satisfactory
8	28-01-2026	73	34	10	22	0.88	26	0.18	0.21	73	Satisfactory
9	31-01-2026	86	42	11	24	0.95	24	0.14	0.28	86	Satisfactory

Station: Near IDC Office						City: Kundaim				
Duration:-January - 2026										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	01-01-2026	85	41	11	19	0.73	23	0.27	85	Satisfactory
2	05-01-2026	74	35	9	18	0.61	25	0.19	74	Satisfactory
3	08-01-2026	90	43	11	21	0.84	23	0.34	90	Satisfactory
4	12-01-2026	78	36	7	16	0.58	22	0.26	78	Satisfactory
5	15-01-2026	82	39	9	20	0.77	25	0.30	82	Satisfactory
6	19-01-2026	71	34	8	17	0.52	19	0.22	71	Satisfactory
7	22-01-2026	65	32	9	21	0.36	22	0.25	65	Satisfactory
8	27-01-2026	78	37	10	24	0.49	22	0.23	78	Satisfactory
9	29-01-2026	81	38	10	24	0.58	25	0.18	81	Satisfactory

Station: Near ESIC Hospital , Tuem Industrial Estate						City: Tuem				
Duration: January - 2026										
Sr.No		Time Weighted Average (TWA)							AQI	AIR QLTY
		24-Hr	24-Hr	24-Hr	24-Hr	1-Hr	1-Hr	24-Hr		
	Parameters	Pollutants concentration in µg/m3 (except for *CO which is in mg/m3)								
	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	*CO	O ₃	Pb		
1	02-01-2026	85	42	10	19	0.71	22	0.320	85	Satisfactory
2	06-01-2026	77	37	10	22	0.68	24	0.240	77	Satisfactory
3	09-01-2026	69	33	8	17	0.55	21	0.210	69	Satisfactory
4	13-01-2026	80	38	10	21	0.43	23	0.283	80	Satisfactory
5	16-01-2026	75	36	8	18	0.86	22	0.227	75	Satisfactory
6	20-01-2026	63	31	10	17	0.71	24	0.157	63	Satisfactory
7	23-01-2026	71	33	10	20	0.59	23	0.197	71	Satisfactory
8	27-01-2026	79	37	8	20	0.48	21	0.153	79	Satisfactory
9	30-01-2026	83	41	10	22	0.74	22	0.183	83	Satisfactory



Results and Interpretation:

It is seen that during the month of January 2026, out of 18 locations AQI is -

Dominantly Satisfactory at 16 locations namely – Panaji, Mapusa, Ponda, Margao, Assanora, Amona, Bicholim, Honda, Usgao, Codli, Sanguem, Tilamol, Curchorem, Cuncolim, Kundaim and Tuem.

Satisfactory to Moderate at 2 locations namely – Vasco and Baina